

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 5 : C12N 15/64, 15/70	A1	(11) International Publication Number: WO 92/06204 (43) International Publication Date: 16 April 1992 (16.04.92)
(21) International Application Number: PCT/US91/07149 (22) International Filing Date: 27 September 1991 (27.09.91) (30) Priority data: 590,219 28 September 1990 (28.09.90) US (71) Applicant: IXSYS, INC. [US/US]; 3550 General Atomics Court, Suite L103, San Diego, CA 92121 (US). (72) Inventor: HUSE, William, D. ; 471 Avenida Primavera, Del Mar, CA 92014 (US). (74) Agents: CAMPBELL, Cathryn et al.; Pretty, Schroeder, Brueggemann & Clark, 444 South Flower Street, Suite 2000, Los Angeles, CA 90071 (US).	(81) Designated States: AT (European patent), AU, BB, BE (European patent), BF (OAPI patent), BG, BJ (OAPI patent), BR, CA, CF (OAPI patent), CG (OAPI patent), CH (European patent), CI (OAPI patent), CM (OAPI patent), CS, DE (European patent), DK (European patent), ES (European patent), FI, FR (European patent), GA (OAPI patent), GB (European patent), GN (OAPI patent), GR (European patent), HU, IT (European patent), JP, KP, KR, LK, LU (European patent), MC, MG, ML (OAPI patent), MN, MR (OAPI patent), MW, NL (European patent), NO, PL, RO, SD, SE (European patent), SN (OAPI patent), SU*, TD (OAPI patent), TG (OAPI patent).	Published <i>With international search report.</i>

(54) Title: SURFACE EXPRESSION LIBRARIES OF HETEROGENERIC RECEPTORS

(57) Abstract

A composition of matter comprising a plurality of prokaryotic cells containing diverse combinations of first and second DNA sequences encoding first and second polypeptides which form a heteromeric receptor exhibiting binding activity toward a preselected molecule, said heteromeric receptors being expressed on the surface of filamentous bacteriophage.

+ DESIGNATIONS OF "SU"

Any designation of "SU" has effect in the Russian Federation. It is not yet known whether any such designation has effect in other States of the former Soviet Union.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	ES	Spain	MC	Madagascar
AU	Australia	FI	Finland	ML	Mali
BB	Barbados	FR	France	MN	Mongolia
BE	Belgium	GA	Gabon	MR	Mauritania
BF	Burkina Faso	GB	United Kingdom	MW	Malawi
BG	Bulgaria	GN	Guinea	NL	Netherlands
BJ	Benin	GR	Greece	NO	Norway
BR	Brazil	HU	Hungary	PL	Poland
CA	Canada	IT	Italy	RO	Romania
CF	Central African Republic	JP	Japan	SD	Sudan
CG	Congo	KP	Democratic People's Republic of Korea	SE	Sweden
CH	Switzerland	KR	Republic of Korea	SN	Senegal
CI	Côte d'Ivoire	LI	Liechtenstein	SU+	Soviet Union
CM	Cameroon	LK	Sri Lanka	TD	Chad
CS	Czechoslovakia	LU	Luxembourg	TC	Togo
DE	Germany	MC	Monaco	US	United States of America
DK	Denmark				

SURFACE EXPRESSION LIBRARIES
OF HETEROGENERIC RECEPTORS

BACKGROUND OF THE INVENTION

This invention relates generally to recombinant
5 expression of heteromeric receptors and, more particularly,
to expression of such receptors on the surface of
filamentous bacteriophage.

Antibodies are heteromeric receptors generated by a
vertebrates organism's immune system which bind to an
10 antigen. The molecules are composed of two heavy and two
light chains disulfide bonded together. Antibodies have
the appearance of a "Y" - shaped structure and the antigen
binding portion being located at the end of both short arms
of the Y. The region on the heavy and light chain
15 polypeptides which corresponds to the antigen binding
portion is known as variable region. The differences
between antibodies within this region are primarily
responsible for the variation in binding specificities
between antibody molecules. The binding specificities are
20 a composite of the antigen interactions with both heavy and
light chain polypeptides.

The immune system has the capability of generating an
almost infinite number of different antibodies. Such a
large diversity is generated primarily through
25 recombination to form the variable regions of each chain
and through differential pairing of heavy and light chains.
The ability to mimic the natural immune system and generate
antibodies that bind to any desired molecule is valuable
because such antibodies can be used for diagnostic and
30 therapeutic purposes.

Until recently, generation of antibodies against a

desired molecule was accomplished only through manipulation of natural immune responses. Methods included classical immunization techniques of laboratory animals and monoclonal antibody production. Generation of monoclonal antibodies is laborious and time consuming. It involves a series of different techniques and is only performed on animal cells. Animal cells have relatively long generation times and require extra precautions to be taken compared to prokaryotic cells to ensure viability of the cultures.

A method for the generation of a large repertoire of diverse antibody molecules in bacteria has been described, Huse et al., Science, 246, 1275-1281 (1989), which is herein incorporated by reference. The method uses the bacteriophage lambda as the vector. The lambda vector is a long, linear double-stranded DNA molecule. Production of antibodies using this vector involves the cloning of heavy and light chain populations of DNA sequences into separate vectors. The vectors are subsequently combined randomly to form a single vector which directs the coexpression of heavy and light chains to form antibody fragments. A disadvantage to this method is that undesired combinations of vector portions are brought together when generating the coexpression vector. Although these undesired combinations do not produce viable phage, they do however, result in a significant loss of sequences from the population and, therefore, a loss in diversity of the number of different combinations which can be obtained between heavy and light chains. Additionally, the size of the lambda phage gene is large compared to the genes that encode the antibody segments. This makes the lambda system inherently more difficult to manipulate as compared to other available vector systems.

There thus exists a need for a method to generate diverse populations of heteromeric receptors which mimics the natural immune system, which is fast and efficient and

results in only desired combinations without loss of diversity. The present invention satisfies these needs and provides related advantages as well.

SUMMARY OF THE INVENTION

5 The invention relates to a plurality of cells containing diverse combinations of first and second DNA sequences encoding first and second polypeptides which form a heteromeric receptor, said heteromeric receptors being expressed on the surface of a cell, preferably one which
10 produces filamentous bacteriophage, such as M13. Vectors, cloning systems and methods of making and screening the heteromeric receptors are also provided.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is a schematic diagram of the two vectors used for surface expression library construction from heavy and light chain libraries. M13IX30 (Figure 1A) is the vector used to clone the heavy chain sequences (open box). The single-headed arrow represents the Lac p/o expression sequences and the double-headed arrow represents the portion of M13IX30 which is to be combined with M13IX11. The amber stop codon and relevant restriction sites are also shown. M13IX11 (Figure 1B) is the vector used to clone the light chain sequences (hatched box). Thick lines represent the pseudo-wild type (gVIII) and wild type (gVIII) gene VIII sequences. The double-headed arrow represents the portion of M13IX11 which is to be combined with M13IX30. Relevant restriction sites are also shown. Figure 1C shows the joining of vector population from heavy and light chain libraries to form the functional surface expression vector M13IXHL. Figure 1D shows the generation of a surface expression library in a non-suppressor strain and the production of phage. The phage are used to infect a suppressor strain (Figure 1E) for surface expression and

screening of the library.

Figure 2 is the nucleotide sequence of M13IX30 (SEQ ID NO: 1).

Figure 3 is the nucleotide sequence of M13IX11 (SEQ ID NO: 2).

Figure 4 is the nucleotide sequence of M13IX34 (SEQ ID NO: 3) .

Figure 5 is the nucleotide sequence of M13IX13 (SEQ ID NO: 4).

Figure 6 is the nucleotide sequence of M13IX60 (SEQ ID NO: 5).

DETAILED DESCRIPTION OF THE INVENTION

This invention is directed to simple and efficient methods to generate a large repertoire of diverse combinations of heteromeric receptors. The method is advantageous in that only proper combinations of vector portions are randomly brought together for the coexpression of different DNA sequences without loss of population size or diversity. The receptors can be expressed on the surface of cells, such as those producing filamentous bacteriophage, which can be screened in large numbers. The nucleic acid sequences encoding the receptors be readily characterized because the filamentous bacteriophage produce single strand DNA for efficient sequencing and mutagenesis methods. The heteromeric receptors so produced are useful in an unlimited number of diagnostic and therapeutic procedures.

In one embodiment, two populations of diverse heavy (Hc) and light (Lc) chain sequences are synthesized by

polymerase chain reaction (PCR). These populations are cloned into separate M13-based vector containing elements necessary for expression. The heavy chain vector contains a gene VIII (gVIII) coat protein sequence so that 5 translation of the Hc sequences produces gVIII-Hc fusion proteins. The populations of two vectors are randomly combined such that only the vector portions containing the Hc and Lc sequences are joined into a single circular vector. The combined vector directs the coexpression of 10 both Hc and Lc sequences for assembly of the two polypeptides and surface expression on M13. A mechanism also exists to control the expression of gVIII-Hc fusion proteins during library construction and screening.

As used herein, the term "heteromeric receptors" 15 refers to proteins composed of two or more subunits which together exhibit binding activity toward particular molecule. It is understood that the term includes the subunit fragments so long as assembly of the polypeptides and function of the assembled complex is retained. 20 Heteromeric subunits include, for example, antibodies and fragments thereof such as Fab and (Fab)₂ portions, T cell receptors, integrins, hormone receptors and transmitter receptors.

As used herein, the term "preselected molecule" refers 25 to a molecule which is chosen from a number of choices. The molecule can be, for example, a protein or peptide, or an organic molecule such as a drug. Benzodiazepam is a specific example of a preselected molecule.

As used herein, the term "coexpression" refers to the 30 expression of two or more nucleic acid sequences usually expressed as separate polypeptides. For heteromeric receptors, the coexpressed polypeptides assemble to form the heteromer. Therefore, "expression elements" as used herein, refers to sequences necessary for the

transcription, translation, regulation and sorting of the expressed polypeptides which make up the heteromeric receptors. The term also includes the expression of two subunit polypeptides which are linked but are able to 5 assemble into a heteromeric receptor. A specific example of coexpression of linked polypeptides is where Hc and Lc polypeptides are expressed with a flexible peptide or polypeptide linker joining the two subunits into a single chain. The linker is flexible enough to allow association 10 of Hc and Lc portions into a functional Fab fragment.

The invention provides for a composition of matter comprising a plurality of prokaryotic cells containing diverse combinations of first and second DNA sequences encoding first and second polypeptides which form a 15 heteromeric receptor exhibiting binding activity toward a preselected molecule, said heteromeric receptors being expressed on the surface of filamentous bacteriophage.

DNA sequences encoding the polypeptides of heteromeric receptors are obtained by methods known to one skilled in the art. Such methods include, for example, 20 cDNA synthesis and polymerase chain reaction (PCR). The need will determine which method or combinations of methods is to be used to obtain the desired populations of sequences. Expression can be performed in any compatible 25 vector/host system. Such systems include, for example, plasmids or phagemids in prokaryotes such as E. coli, yeast systems and other eucaryotic systems such as mammalian cells, but will be described herein in context with its presently preferred embodiment, i.e. expression on the 30 surface of filamentous bacteriophage. Filamentous bacteriophage include, for example, M13, f1 and fd. Additionally, the heteromeric receptors can also be expressed in soluble or secreted form depending on the need and the vector/host system employed.

Expression of heteromeric receptors such as antibodies or functional fragments thereof on the surface of M13 can be accomplished, for example, using the vector system shown in Figure 1. Construction of the vectors enabling one of ordinary skill to make them are explicitly set out in Example I. The complete nucleotide sequences are given in Figures 2 and 3 (SEQ ID NOS: 1 and 2). This system produces randomly combined populations of heavy (Hc) and light (Lc) chain antibody fragments functionally linked to expression elements. The Hc polypeptide is produced as a fusion protein with the M13 coat protein encoded by gene VIII. The gVIII-Hc fusion protein therefore anchors the assembled Hc and Lc polypeptides on the surface of M13. The diversity of Hc and Lc combinations obtained by this system can be 5×10^7 or greater. Diversity of less than 5×10^7 can also be obtained and will be determined by the need and type of heteromeric receptor to be expressed.

Populations of Hc and Lc encoding sequences to be combined into a vector for coexpression are each cloned into separate vectors. For the vectors shown in Figure 1, diverse populations of sequences encoding Hc polypeptides are cloned into M13IX30 (SEQ ID NO: 1). Sequences encoding Lc polypeptides are cloned into M13IX11 (SEQ ID NO: 2). The populations are inserted between the Xho I-Spe I or Stu I restriction enzyme sites in M13IX30 and between the Sac I-Xba I or Eco RV sites in M13IX11 (Figures 1A and B, respectively).

The populations of Hc and Lc sequences inserted into the vectors can be synthesized with appropriate restriction recognition sequences flanking opposite ends of the encoding sequences but this is not necessary. The sites allow annealing and ligation in-frame with expression elements of these sequences into a double-stranded vector restricted with the appropriate restriction enzyme. Alternatively, and a preferred embodiment, the Hc and Lc

sequences can be inserted into the vector without restriction of the DNA. This method of cloning is beneficial because naturally encoded restriction enzyme sites may be present within the sequences, thus, causing
5 destruction of the sequence when treated with a restriction enzyme. For cloning without restriction, the sequences are treated briefly with a 3' to 5' exonuclease such as T4 DNA polymerase or exonuclease III. A 5' to 3' exonuclease will also accomplish the same function. The protruding 5'
10 termini which remains should be complementary to single-stranded overhangs within the vector which remain after restriction at the cloning site and treatment with exonuclease. The exonuclease treated inserts are annealed with the restricted vector by methods known to one skilled
15 in the art. The exonuclease method decreases background and is easier to perform.

The vector used for Hc populations, M13IX30 (Figure 1A; SEQ ID NO: 1) contains, in addition to expression elements, a sequence encoding the pseudo-wild type gVIII product downstream and in frame with the cloning sites.
20 This gene encodes the wild type M13 gVIII amino acid sequence but has been changed at the nucleotide level to reduce homologous recombination with the wild type gVIII contained on the same vector. The wild type gVIII is
25 present to ensure that at least some functional, non-fusion coat protein will be produced. The inclusion of a wild type gVIII therefore reduces the possibility of non-viable phage production and biological selection against certain peptide fusion proteins. Differential regulation of the
30 two genes can also be used to control the relative ratio of the pseudo and wild type proteins.

Also contained downstream and in frame with the cloning sites is an amber stop codon. The stop codon is located between the inserted Hc sequences and the gVIII sequence and is in frame. As was the function of the wild
35

type gVIII, the amber stop codon also reduces biological selection when combining vector portions to produce functional surface expression vectors. This is accomplished by using a non-suppressor (sup O) host strain because the non-suppressor strains will terminate expression after the Hc sequences but before the pseudo gVIII sequences. Therefore, the pseudo gVIII will essentially never be expressed on the phage surface under these circumstances. Instead, only soluble Hc polypeptides will be produced. Expression in a non-suppressor host strain can be advantageously utilized when one wishes to produce large populations of antibody fragments. Stop codons other than amber, such as opal and ochre, or molecular switches, such as inducible repressor elements, can also be used to unlink peptide expression from surface expression.

The vector used for Lc populations, M13IX11 (SEQ ID NO: 2), contains necessary expression elements and cloning sites for the Lc sequences, Figure 1B. As with M13IX30, upstream and in frame with the cloning sites is a leader sequence for sorting to the phage surface. Additionally, a ribosome binding site and Lac Z promoter/operator elements are also present for transcription and translation of the DNA sequences.

Both vectors contain two pairs of Mlu I-Hind III restriction enzyme sites (Figures 1A and B) for joining together the Hc and Lc encoding sequences and their associated vector sequences. Mlu I and Hind III are non-compatible restriction sites. The two pairs are symmetrically orientated about the cloning site so that only the vector portions containing the sequences to be expressed are exactly combined into a single vector. The two pairs of sites are oriented identically with respect to one another on both vectors and the DNA between the two sites must be homologous enough between both vectors to

allow annealing. This orientation allows cleavage of each circular vector into two portions and combination of essential components within each vector into a single circular vector where the encoded polypeptides can be 5 coexpressed (Figure 1C).

Any two pairs of restriction enzyme sites can be used so long as they are symmetrically orientated about the cloning site and identically orientated on both vectors. The sites within each pair, however, should be non- 10 identical or able to be made differentially recognized as a cleavage substrate. For example, the two pairs of restriction sites contained within the vectors shown in Figure 1 are Mlu I and Hind III. The sites are differentially cleavable by Mlu I and Hind III 15 respectively. One skilled in the art knows how to substitute alternative pairs of restriction enzyme sites for the Mlu I-Hind III pairs described above. Also, instead of two Hind III and two Mlu I sites, a Hind III and Not I site can be paired with a Mlu I and a Sal I site, for 20 example.

The combining step randomly brings together different Hc and Lc encoding sequences within the two diverse populations into a single vector (Figure 1C; M13IXHL). The vector sequences donated from each independent vector, 25 M13IX30 and M13IX11, are necessary for production of viable phage. Also, since the pseudo gVIII sequences are contained in M13IX30, coexpression of functional antibody fragments as Lc associated gVIII-Hc fusion proteins cannot be accomplished on the phage surface until the vector 30 sequences are linked as shown in M13IXHL.

The combining step is performed by restricting each population of Hc and Lc containing vectors with Mlu I and Hind III, respectively. The 3' termini of each restricted vector population is digested with a 3' to 5' exonuclease

as described above for inserting sequences into the cloning sites. The vector populations are mixed, allowed to anneal and introduced into an appropriate host. A non-suppressor host (Figure 1D) is preferably used during initial construction of the library to ensure that sequences are not selected against due to expression as fusion proteins. Phage isolated from the library constructed in a non-suppressor strain can be used to infect a suppressor strain for surface expression of antibody fragments.

A method for selecting a heteromeric receptor exhibiting binding activity toward a preselected molecule from a population of diverse heteromeric receptors, comprising: (a) operationally linking to a first vector a first population of diverse DNA sequences encoding a diverse population of first polypeptides, said first vector having two pairs of restriction sites symmetrically oriented about a cloning site; (b) operationally linking to a second vector a second population of diverse DNA sequences encoding a diverse population of second polypeptides, said second vector having two pairs of restriction sites symmetrically oriented about a cloning site in an identical orientation to that of the first vector; (c) combining the vector products of step (a) and (b) under conditions which allow only the operational combination of vector sequences containing said first and second DNA sequences; (d) introducing said population of combined vectors into a compatible host under conditions sufficient for expressing said population of first and second DNA sequences; and (e) determining the heteromeric receptors which bind to said preselected molecule. The invention also provides for determining the nucleic acid sequences encoding such polypeptides as well.

Surface expression of the antibody library is performed in an amber suppressor strain. As described above, the amber stop codon between the Hc sequence and the

gVIII sequence unlinks the two components in a non-suppressor strain. Isolating the phage produced from the non-suppressor strain and infecting a suppressor strain will link the Hc sequences to the gVIII sequence during 5 expression (Figure 1E). Culturing the suppressor strain after infection allows the coexpression on the surface of M13 of all antibody species within the library as gVIII fusion proteins (gVIII-Fab fusion proteins). Alternatively, the DNA can be isolated from the non- 10 suppressor strain and then introduced into a suppressor strain to accomplish the same effect.

The level of expression of gVIII-Fab fusion proteins can additionally be controlled at the transcriptional level. Both polypeptides of the gVIII-Fab fusion proteins 15 are under the inducible control of the Lac Z promoter/operator system. Other inducible promoters can work as well and are known by one skilled in the art. For high levels of surface expression, the suppressor library is cultured in an inducer of the Lac Z promoter such as 20 isopropylthio- β -galactoside (IPTG). Inducible control is beneficial because biological selection against non-functional gVIII-Fab fusion proteins can be minimized by culturing the library under non-expressing conditions. Expression can then be induced only at the time of 25 screening to ensure that the entire population of antibodies within the library are accurately represented on the phage surface. Also, this can be used to control the valency of the antibody on the phage surface.

The surface expression library is screened for 30 specific Fab fragments which bind preselected molecules by standard affinity isolation procedures. Such methods include, for example, panning, affinity chromatography and solid phase blotting procedures. Panning as described by Parmley and Smith, Gene 73:305-318 (1988), which is 35 incorporated herein by reference, is preferred because high

titors of phage can be screened easily, quickly and in small volumes. Furthermore, this procedure can select minor Fab fragments species within the population, which otherwise would have been undetectable, and amplified to 5 substantially homogenous populations. The selected Fab fragments can be characterized by sequencing the nucleic acids encoding the polypeptides after amplification of the phage population.

The following examples are intended to illustrate but 10 not limit the invention.

EXAMPLE I

Construction, Expression and Screening of Antibody Fragments on the Surface of M13

This example shows the synthesis of a diverse 15 population of heavy (Hc) and light (Lc) chain antibody fragments and their expression on the surface of M13 as gene VIII-Fab fusion proteins. The expressed antibodies derive from the random mixing and coexpression of a Hc and Lc pair. Also demonstrated is the isolation and 20 characterization of the expressed Fab fragments which bind benzodiazepam (BDP) and their corresponding nucleotide sequence.

Isolation of mRNA and PCR Amplification of Antibody Fragments

25 The surface expression library is constructed from mRNA isolated from a mouse that had been immunized with KLH-coupled benzodiazepam (BDP). BDP was coupled to keyhole limpet hemocyanin (KLH) using the techniques described in Antibodies: A Laboratory Manual, Harlow and 30 Lane, eds., Cold Spring Harbor, New York (1988), which is incorporated herein by reference. Briefly, 10.0 milligrams (mg) of keyhole limpet hemocyanin and 0.5 mg of BDP with a

glutaryl spacer arm N-hydroxysuccinimide linker appendages. Coupling was performed as in Jonda et al., Science, 241:1188 (1988), which is incorporated herein by reference. The KLH-BDP conjugate was removed by gel filtration 5 chromatography through Sephadex G-25.

The KLH-BDP conjugate was prepared for injection into mice by adding 100 µg of the conjugate to 250 µl of phosphate buffered saline (PBS). An equal volume of complete Freund's adjuvant was added and emulsified the 10 entire solution for 5 minutes. Mice were injected with 300 µl of the emulsion. Injections were given subcutaneously at several sites using a 21 gauge needle. A second immunization with BDP was given two weeks later. This injection was prepared as follows: 50 µg of BDP was 15 diluted in 250 µl of PBS and an equal volume of alum was mixed with the solution. The mice were injected intraperitoneally with 500 µl of the solution using a 23 gauge needle. One month later the mice were given a final injection of 50 µg of the conjugate diluted to 200 µl in 20 PBS. This injection was given intravenously in the lateral tail vein using a 30 gauge needle. Five days after this final injection the mice were sacrificed and total cellular RNA was isolated from their spleens.

Total RNA was isolated from the spleen of a single 25 mouse immunized as described above by the method of Chomczynski and Sacchi, Anal. Biochem., 162:156-159 (1987), which is incorporated herein by reference. Briefly, immediately after removing the spleen from the immunized mouse, the tissue was homogenized in 10 ml of a denaturing 30 solution containing 4.0 M guanine isothiocyanate, 0.25 M sodium citrate at pH 7.0, and 0.1 M 2-mercaptoethanol using a glass homogenizer. One ml of sodium acetate at a concentration of 2 M at pH 4.0 was mixed with the homogenized spleen. One ml of saturated phenol was also 35 mixed with the denaturing solution containing the

homogenized spleen. Two ml of a chloroform:isoamyl alcohol (24:1 v/v) mixture was added to this homogenate. The homogenate was mixed vigorously for ten seconds and maintained on ice for 15 minutes. The homogenate was then 5 transferred to a thick-walled 50 ml polypropylene centrifuge tube (Fisher Scientific Company, Pittsburgh, PA). The solution was centrifuged at 10,000 x g for 20 minutes at 4°C. The upper RNA-containing aqueous layer was transferred to a fresh 50 ml polypropylene centrifuge tube 10 and mixed with an equal volume of isopropyl alcohol. This solution was maintained at -20°C for at least one hour to precipitate the RNA. The solution containing the precipitated RNA was centrifuged at 10,000 x g for twenty minutes at 4°C. The pelleted total cellular RNA was 15 collected and dissolved in 3 ml of the denaturing solution described above. Three mls of isopropyl alcohol was added to the resuspended total cellular RNA and vigorously mixed. This solution was maintained at -20°C for at least 1 hour to precipitate the RNA. The solution containing the 20 precipitated RNA was centrifuged at 10,000 x g for ten minutes at 4°C. The pelleted RNA was washed once with a solution containing 75% ethanol. The pelleted RNA was dried under vacuum for 15 minutes and then resuspended in dimethyl pyrocarbonate (DEPC) treated (DEPC-H₂O) H₂O.

25 Poly A⁺ RNA for use in first strand cDNA synthesis was prepared from the above isolated total RNA using a spin-column kit (Pharmacia, Piscataway, NJ) as recommended by the manufacturer. The basic methodology has been described by Aviv and Leder, Proc. Natl. Acad. Sci., USA, 69:1408-30 1412 (1972), which is incorporated herein by reference. Briefly, one half of the total RNA isolated from a single immunized mouse spleen prepared as described above was resuspended in one ml of DEPC-treated dH₂O and maintained at 65°C for five minutes. One ml of 2x high salt loading 35 buffer (100 mM Tris-HCL at pH 7.5, 1 M sodium chloride, 2.0 mM disodium ethylene diamine tetraacetic acid (EDTA) at pH

8.0, and 0.2% sodium dodecyl sulfate (SDS)) was added to the resuspended RNA and the mixture was allowed to cool to room temperature. The mixture was then applied to an oligo-dT (Collaborative Research Type 2 or Type 3 Bedford, MA) column that was previously prepared by washing the oligo-dT with a solution containing 0.1 M sodium hydroxide and 5 mM EDTA and then equilibrating the column with DEPC-treated dH₂O. The eluate was collected in a sterile polypropylene tube and reapplied to the same column after heating the eluate for 5 minutes at 65°C. The oligo dT column was then washed with 2 ml of high salt loading buffer consisting of 50 mM Tris-HCL at pH 7.5, 500 mM sodium chloride, 1 mM EDTA at pH 8.0 and 0.1% SDS. The oligo dT column was then washed with 2 ml of 1 X medium salt buffer (50 mM Tris-HCL at pH 7.5, 100 mM sodium chloride, 1 mM EDTA at pH 8.0 and 0.1% SDS). The mRNA was eluted with 1 ml of buffer consisting of 10 mM Tris-HCL at pH 7.5, 1 mM EDTA at pH 8.0 and 0.05% SDS. The messenger RNA was purified by extracting this solution with phenol/chloroform followed by a single extraction with 100% chloroform, ethanol precipitated and resuspended in DEPC treated dH₂O.

In preparation for PCR amplification, mRNA was used as a template for cDNA synthesis. In a typical 250 µl reverse transcription reaction mixture, 5-10 µg of spleen mRNA in water was first annealed with 500 ng (0.5 pmol) of either the 3' V_H primer (primer 12, Table I) or the 3' V_L primer (primer 9, Table II) at 65°C for 5 minutes. Subsequently, the mixture was adjusted to contain 0.8 mM dATP, 0.8 mM dCTP, 0.8 mM dGTP, 0.8 mM dTTP, 100 mM Tris-HCL (pH 8.6), 10 mM MgCl₂, 40 mM KCl, and 20 mM 2-ME. Moloney-Murine Leukemia Virus (Bethesda Research Laboratories (BRL), Gaithersburg, MD) Reverse transcriptase, 26 units, was added and the solution was incubated for 1 hour at 40°C. The resultant first strand cDNA was phenol extracted, ethanol precipitated and then used in the polymerase chain

reaction (PCR) procedures described below for amplification of heavy and light chain sequences.

Primers used for amplification of heavy chain Fd fragments for construction of the M13IX30 library is shown 5 in Table I. Amplification was performed in eight separate reactions, as described by Saiki et al., Science, 239:487-491 (1988), which is incorporated herein by reference, each reaction containing one of the 5' primers (primers 2 to 9; SEQ ID NOS: 7 through 14, respectively) and one of the 3' 10 primers (primer 12; SEQ ID NO: 17) listed in Table I. The remaining 5' primers, used for amplification in a single reaction, are either a degenerate primer (primer 1; SEQ ID NO: 6) or a primer that incorporates inosine at four degenerate positions (primer 10; SEQ ID NO: 15). The 15 remaining 3' primer (primer 11; SEQ ID NO: 16) was used to construct Fv fragments. The underlined portion of the 5' primers incorporates an Xho I site and that of the 3' primer an Spe I restriction site for cloning the amplified fragments into the M13IX30 vector in a predetermined 20 reading frame for expression.

TABLE I
HEAVY CHAIN PRIMERS

		CC G G T
25	1)	5'- AGGT A CT <u>CTCGAGTC</u> GG - 3' GA A T A
	2)	5' - AGGTCCAGCTG <u>CTCGAGT</u> CTGG - 3'
	3)	5' - AGGTCCAGCTG <u>CTCGAGTC</u> AGG - 3'
	4)	5' - AGGTCCAGCTT <u>CTCGAGT</u> CTGG - 3'
	5)	5' - AGGTCCAGCTT <u>CTCGAGTC</u> AGG - 3'
30	6)	5' - AGGTCCA <u>ACTGCTCGAGT</u> CTGG - 3'
	7)	5' - AGGTCCA <u>ACTGCTCGAGTC</u> AGG - 3'
	8)	5' - AGGTCCA <u>ACTTCTCGAGT</u> CTGG - 3'

- 9) 5' - AGGTCCAACTTCTCGAGTCAGG - 3'
- 10) 5' - AGGTIIIAICTCTCGAGTC TGG - 3'
A
- 5 11) 5' - CTATTAACTAGTAACGGTAAACAGT -
GGTGCCTTGCCCCA - 3'
- 12) 5' - AGGCTTACTAGTACAATCCCTGG -
GCACAAT - 3'

Primers used for amplification of mouse kappa light chain sequences for construction of the M13IX11 library are shown in Table II. These primers were chosen to contain restriction sites which were compatible with vector and not present in the conserved sequences of the mouse light chain mRNA. Amplification was performed as described above in five separate reactions, each containing one of the 5' primers (primers 3 to 7; SEQ ID NOS: 20 through 24, respectively) and one of the 3' primers (primer 9; SEQ ID NO: 26) listed in Table II. The remaining 3' primer (primer 8; SEQ ID NO: 25) was used to construct Fv fragments. The underlined portion of the 5' primers depicts a Sac I restriction site and that of the 3' primers an Xba I restriction site for cloning of the amplified fragments into the M13IX11 vector in a predetermined reading frame for expression.

25

TABLE II
LIGHT CHAIN PRIMERS

- 1) 5' - CCAGTTCCGAGCTCGTTGTGACTCAGGAATCT - 3'
- 2) 5' - CCAGTTCCGAGCTCGTGTTGACGCAGCCGCC - 3'
- 3) 5' - CCAGTTCCGAGCTCGTGCTCACCCAGTCTCCA - 3'
- 30 4) 5' - CCAGTTCCGAGCTCCAGATGACCCAGTCTCCA - 3'
- 5) 5' - CCAGATGTGAGCTCGTGATGACCCAGACTCCA - 3'
- 6) 5' - CCAGATGTGAGCTCGTGATGACCCAGTCTCCA - 3'
- 7) 5' - CCAGTTCCGAGCTCGTGATGACACAGTCTCCA - 3'
- 8) 5' - GCAGCATTCTAGAGTTCAGCTCCAGCTTGCC - 3'
- 35 9) 5' - GCGCCGTCTAGAATTAAACACTCATTCCTGTTGAA - 3'

PCR amplification for heavy and light chain fragments was performed in a 100 μ l reaction mixture containing the above described products of the reverse transcription reaction (\approx 5 μ g of the cDNA-RNA hybrid), 300 nmol of 3' V_H primer (primer 12, Table I; SEQ ID NO: 17), and one of the 5' V_H primers (primers 2-9, Table I; SEQ ID NOS: 7 through 14, respectively) for heavy chain amplification, or, 300 nmol of 3' V_L primer (primer 9, Table II; SEQ ID NO: 26), and one of the 5' V_L primers (primers 3-7, Table II; SEQ ID NOS: 20 through 24, respectively) for each light chain amplification, a mixture of dNTPs at 200 mM, 50 mM KCl, 10 mM Tris-HCl (pH 8.3), 15 mM MgCl₂, 0.1% gelatin, and 2 units of *Thermus aquaticus* DNA polymerase. The reaction mixture was overlaid with mineral oil and subjected to 40 cycles of amplification. Each amplification cycle involved denaturation at 92°C for 1 minute, annealing at 52°C for 2 minutes, and elongation at 72°C for 1.5 minutes. The amplified samples were extracted twice with phenol/CHCl₃ and once with CHCl₃, ethanol-precipitated, and stored at -70°C in 10 mM Tris-HCl, pH 7.5 1 mM EDTA. The resultant products were used in constructing the M13IX30 and M13IX11 libraries (see below).

Vector Construction

Two M13-based vectors, M13IX30 (SEQ ID NO: 1) and 25 M13IX11 (SEQ ID NO: 2), were constructed for the cloning and propagation of Hc and Lc populations of antibody fragments, respectively. The vectors were constructed to facilitate the random joining and subsequent surface expression of antibody fragment populations.

30 M13IX30 (SEQ ID NO: 1), or the Hc vector, was constructed to harbor diverse populations of Hc antibody fragments. M13mp19 (Pharmacia, Piscataway, NJ) was the starting vector. This vector was modified to contain, in addition to the encoded wild type M13 gene VIII: (1) a

pseudo-wild type gene VIII sequence with an amber stop codon between it and the restriction sites for cloning oligonucleotides; (2) Stu I restriction site for insertion of sequences by hybridization and, Spe I and Xho I 5 restriction sites in-frame with the pseudo-wild type gene VIII for cloning Hc sequences; (3) sequences necessary for expression, such as a promoter, signal sequence and translation initiation signals; (4) two pairs of Hind III-Mlu I sites for random joining of Hc and Lc vector 10 portions, and (5) various other mutations to remove redundant restriction sites and the amino terminal portion of Lac Z.

Construction of M13IX30 was performed in four steps. In the first step, an M13-based vector containing the 15 pseudo gVIII and various other mutations was constructed, M13IX01F. The second step involved the construction of a small cloning site in a separate M13mp18 vector to yield M13IX03. This vector was then expanded to contain expression sequences and restriction sites for Hc sequences 20 to form M13IX04B. The fourth and final step involved the incorporation of the newly constructed sequences in M13IX04B into M13IX01F to yield M13IX30.

Construction of M13IX01F first involved the generation of a pseudo wild-type gVIII sequence for surface expression 25 of antibody fragments. The pseudo-wild type gene encodes the identical amino acid sequence as that of the wild type gene; however, the nucleotide sequence has been altered so that only 63% identity exists between this gene and the encoded wild type gene VIII. Modification of the gene VIII 30 nucleotide sequence used for surface expression reduces the possibility of homologous recombination with the wild type gene VIII contained on the same vector. Additionally, the wild type M13 gene VIII was retained in the vector system to ensure that at least some functional, non-fusion coat 35 protein would be produced. The inclusion of wild type gene

VIII facilitates the growth of phage under conditions where there is surface expression of the polypeptides and therefore reduces the possibility of non-viable phage production from the fusion genes.

- 5 The pseudo-wild type gene VIII was constructed by chemically synthesizing a series of oligonucleotides which encode both strands of the gene. The oligonucleotides are presented in Table III.

TABLE IIIPseudo-Wild Type Gene VIII Oligonucleotide Series

	<u>Top Strand Oligonucleotides</u>	<u>Sequence (5' to 3')</u>
5	VIII 03	GATCC TAG GCT GAA GGC GAT GAC CCT GCT AAG GCT GC
	VIII 04	A TTC AAT AGT TTA CAG GCA AGT GCT ACT GAG TAC
10	VIII 05	A
	VIII 06	TT GGC TAC GCT TGG GCT ATG GTA GTA GTT ATA GTT GGT GCT ACC ATA GGG ATT AAA TTA TTC AAA AAG TT
15	VIII 07	T ACG AGC AAG GCT TCT TA
	<u>Bottom Strand Oligonucleotides</u>	
20	VIII 08	AGC TTA AGA AGC CTT GCT CGT AAA CTT TTT GAA TAA TTT
	VIII 09	AAT CCC TAT GGT AGC ACC AAC TAT AAC TAC TAC CAT
25	VIII 10	AGC CCA AGC GTA GCC AAT GTA CTC AGT AGC ACT TG
	VIII 11	C CTG TAA ACT ATT GAA TGC AGC CTT AGC AGG GTC
	VIII 12	ATC GCC TTC AGC CTA G

Except for the terminal oligonucleotides VIII 03 (SEQ ID NO: 27) and VIII 08 (SEQ ID NO: 32), the above oligonucleotides (oligonucleotides VIII 04-07 (SEQ ID NOS: 28 through 31, respectively) and VIII 09-12 (SEQ ID NOS: 33

through 36, respectively)) were mixed at 200 ng each in 10 μ l final volume, phosphorylated with T4 polynucleotide Kinase (Pharmacia) and 1 mM ATP at 37°C for 1 hour, heated to 70°C for 5 minutes, and annealed into double-stranded 5 form by heating to 65°C for 3 minutes, followed by cooling to room temperature over a period of 30 minutes. The reactions were treated with 1.0 U of T4 DNA ligase (BRL) and 1 mM ATP at room temperature for 1 hour, followed by heating to 70°C for 5 minutes. Terminal oligonucleotides 10 were then annealed to the ligated oligonucleotides. The annealed and ligated oligonucleotides yielded a double-stranded DNA flanked by a Bam HI site at its 5' end and by a Hind III site at its 3' end. A translational stop codon (amber) immediately follows the Bam HI site. The gene VIII 15 sequence begins with the codon GAA (Glu) two codons 3' to the stop codon. The double-stranded insert was cloned in frame with the Eco RI and Sac I sites within the M13 polylinker. To do so, M13mp19 was digested with Bam HI (New England Biolabs, Beverley, MA) and Hind III (New 20 England Biolabs) and combined at a molar ratio of 1:10 with the double-stranded insert. The ligations were performed at room temperature overnight in 1X ligase buffer (50 mM Tris-HCl, pH 7.8, 10 mM MgCl₂, 20 mM DTT, 1 mM ATP, 50 μ g/ml BSA) containing 1.0 U of T4 DNA ligase (New England 25 Biolabs). The ligation mixture was transformed into a host and screened for positive clones using standard procedures in the art.

Several mutations were generated within the construct 30 to yield functional M13IX01F. The mutations were generated using the method of Kunkel et al., Meth. Enzymol. 154:367- 382 (1987), which is incorporated herein by reference, for site-directed mutagenesis. The reagents, strains and protocols were obtained from a Bio Rad Mutagenesis kit (Bio 35 Rad, Richmond, CA) and mutagenesis was performed as recommended by the manufacturer.

Two Fok I sites were removed from the vector as well as the Hind III site at the end of the pseudo gene VIII sequence using the mutant oligonucleotides 5'-CATTTCAGATGGCTTAGA-3' (SEQ ID NO: 37) and 5'-
5 TAGCATTAAACGTCCAATA-3' (SEQ ID NO: 38). New Hind III and Mlu I sites were also introduced at position 3919 and 3951 of M13IX01F. The oligonucleotides used for this mutagenesis had the sequences 5'-ATATATTTAGTAAGCTTCATCTTCT-3' (SEQ ID NO: 39) and 5'-
10 GACAAAGAACGCGTGAAAACTTT-3' (SEQ ID NO: 40), respectively. The amino terminal portion of Lac Z was deleted by oligonucleotide-directed mutagenesis using the mutant oligonucleotide 5'-GCGGGCCTCTCGCTATTGCTTAAGAACGCTTGCT-3' (SEQ ID NO: 41). In constructing the above mutations, all
15 changes made in a M13 coding region were performed such that the amino acid sequence remained unaltered. The resultant vector, M13IX01F, was used in the final step to construct M13IX30 (see below).

In the second step, M13mp18 was mutated to remove the
20 5' end of Lac Z up to the Lac i binding site and including the Lac Z ribosome binding site and start codon. Additionally, the polylinker was removed and a Mlu I site was introduced in the coding region of Lac Z. A single oligonucleotide was used for these mutagenesis and had the
25 sequence 5'-AAACGACGGCCAGTGCCAAGTGACGCGTGTGAAATTGTTATCC-3' (SEQ ID NO: 42). Restriction enzyme sites for Hind III and Eco RI were introduced downstream of the Mlu I site using the oligonucleotide 5'-GGCGAAAGGGATTCTGCAAGGCGATTAAGCTTGGG
TAACGCC-3' (SEQ ID NO. 43). These modifications of M13mp18
30 yielded the precursor vector M13IX03.

The expression sequences and cloning sites were introduced into M13IX03 by chemically synthesizing a series of oligonucleotides which encode both strands of the desired sequence. The oligonucleotides are presented in
35 Table IV.

TABLE IV
M13IX30 Oligonucleotide Series

<u>Top Strand Oligonucleotides</u>		<u>Sequence (5' to 3')</u>
5	084	GGCGTTACCAAGCTTGATGGAGAAAATAAAG
	027	TGAAACAAAGCACTATTGCACTGGCACTCTTACCGT TACCGT
	028	TACTGTTACCCCTGTGACAAAAGCCGCCAGGTCC AGCTGC
10	029	TCGAGTCAGGCCTATTGTGCCAGGGATTGTACTAG TGGATCCG
<u>Bottom Oligonucleotides</u>		<u>Sequence (5' to 3')</u>
15	085	TGGCGAAAGGAATTGGATCCACTAGTACAATCCCTG
	031	GGCACAAATAGGCCTGACTCGAGCAGCTGGACCAGGGCG GCTT
	032	TTGTCACAGGGTAAACAGTAACGGTAACGGTAAGTGT GCCA
	033	GTCGAATAGTGCTTGTTCACTTATTTCTCCATGT ACAA

The above oligonucleotides of Table IV, except for the terminal oligonucleotides 084 (SEQ ID NO: 44) and 085 (SEQ ID NO: 48), were mixed, phosphorylated, annealed and ligated to form a double-stranded insert as described in Example I. However, instead of cloning directly into the intermediate vector the insert was first amplified by PCR. The terminal oligonucleotides were used as primers for PCR. Oligonucleotide 084 (SEQ ID NO: 44) contains a Hind III site, 10 nucleotides internal to its 5' end and oligonucleotide 085 (SEQ ID NO: 48) has an Eco RI site at its 5' end. Following amplification, the products were restricted with Hind III and Eco RI and ligated, as described in Example I, into the polylinker of M13mp18 digested with the same two enzymes. The resultant double

stranded insert contained a ribosome binding site, a translation initiation codon followed by a leader sequence and three restriction enzyme sites for cloning random oligonucleotides (Xho I, Stu I, Spe I). The intermediate vector was named M13IX04.

During cloning of the double-stranded insert, it was found that one of the GCC codons in oligonucleotides 028 and its complement in 031 was deleted. Since this deletion did not affect function, the final construct is missing one 10 of the two GCC codons. Additionally, oligonucleotide 032 (SEQ ID NO: 50) contained a GTG codon where a GAG codon was needed. Mutagenesis was performed using the oligonucleotide 5'-TAACGGTAAGAGTGCCAGTGC-3' (SEQ ID NO: 52) to convert the codon to the desired sequence. The 15 resultant vector is named M13IX04B.

The third step in constructing M13IX30 involved inserting the expression and cloning sequences from M13IX04B upstream of the pseudo wild-type gVIII in M13IX01F. This was accomplished by digesting M13IX04B with 20 Dra III and Bam HI and gel isolating the 700 base pair insert containing the sequences of interest. M13IX01F was likewise digested with Dra III and Bam HI. The insert was combined with the double digested vector at a molar ratio of 1:1 and ligated as described in Example I. The sequence 25 of the final construct M13IX30, is shown in Figure 2 (SEQ ID NO: 1). Figure 1A also shows M13IX30 where each of the elements necessary for surface expression of Hc fragments is marked. It should be noted during modification of the vectors, certain sequences differed from the published 30 sequence of M13mp18. The new sequences are incorporated into the sequences recorded herein.

M13IX11 (SEQ ID NO: 2), or the Lc vector, was constructed to harbor diverse populations of Lc antibody fragments. This vector was also constructed from M13mp19

and contains: (1) sequences necessary for expression, such as a promoter, signal sequence and translation initiation signals; (2) Eco RV restriction site for insertion of sequences by hybridization and Sac I and Xba I restriction sites for cloning of Lc sequences; (3) two pairs of Hind III-Mlu I sites for random joining of Hc and Lc vector portions, and (4) various other mutation to remove redundant restriction sites.

The expression, translation initiation signals, cloning sites, and one of the Mlu I sites were constructed by annealing of overlapping oligonucleotides as described above to produce a double-stranded insert containing a 5' Eco RI site and a 3' Hind III site. The overlapping oligonucleotides are shown in Table V and were ligated as a double-stranded insert between the Eco RI and Hind III sites of M13mp18 as described for the expression sequences inserted into M13IX03. The ribosome binding site (AGGAGAC) is located in oligonucleotide 015 and the translation initiation codon (ATG) is the first three nucleotides of oligonucleotide 016 (SEQ ID NO: 55).

TABLE V

Oligonucleotide Series for Construction of
Translation Signals in M13IX11

	<u>Oligonucleotide</u>	<u>Sequence (5' to 3')</u>
5	082	CACC TTCATG AATTC GGC AAG GAGACA GTCAT
	015	AATT C GCC AAG GAG ACA GTC AT
	016	AATG AAA TAC CTA TTG CCT ACG GCA GCC GCT GGA TTG TT
	017	ATTA CTC GCT GCC CAA CCA GCC ATG GCC GAG CTC GTG AT
10	018	GACC CAG ACT CCA GATATC CAA CAG GAA TGA GTG TTA AT
	019	TCT AGA ACG CGT C
	083	TTCAGGGTTGAAGC TTA CGC GTT CTA GAA TTA ACA CTC ATT CCTGT
	021	TG GAT ATC TGG AGT CTG GGT CAT CAC GAG CTC GGC CAT G
15	022	GC TGG TTG GGC AGC GAG TAA TAA CAA TCC AGC GGC TGC C
	023	GT AGG CAA TAG GTA TTT CAT TAT GAC TGT CCT TGG CG

Oligonucleotide 017 (SEQ ID NO: 56) contained a Sac I
25 restriction site 67 nucleotides downstream from the ATG codon. The naturally occurring Eco RI site was removed and new Eco RI and Hind III sites were introduced downstream from the Sac I. Oligonucleotides 5'-TGACTGTCTCCTGGCGTGTGAAATTGTTA-3' (SEQ ID NO: 63) and 5'-TAACACTCATTCCGGATGGAATTCTGGAGTCTGGGT-3' (SEQ ID NO: 64) were used to generate each of the mutations, respectively. The Lac Z ribosome binding site was removed when the

original Eco RI site in M13mp19 was mutated. Additionally, when the new Eco RI and Hind III sites were generated, a spontaneous 100 bp deletion was found just 3' to these sites. Since the deletion does not affect the function, it 5 was retained in the final vector.

In addition to the above mutations, a variety of other modifications were made to incorporate or remove certain sequences. The Hind III site used to ligate the double-stranded insert was removed with the oligonucleotide 5'-
10 GCCAGTGCCAAGTGACGCGTTCTA-3' (SEQ ID NO: 65). Second Hind III and Mlu I sites were introduced at positions 3922 and 3952, respectively, using the oligonucleotides 5'-ATATATTAGTAAGCTTCATCTTCT-3' (SEQ ID NO: 66) for the Hind III mutagenesis and 5'-GACAAAGAACGCGTGAAAACTTT-3' (SEQ ID
15 NO: 67) for the Mlu I mutagenesis. Again, mutations within the coding region did not alter the amino acid sequence.

The sequence of the resultant vector, M13IX11, is shown in Figure 3 (SEQ ID NO: 2). Figure 1B also shows M13IX11 where each of the elements necessary for producing 20 a surface expression library between Lc fragments is marked.

Library Construction

Each population of Hc and Lc sequences synthesized by PCR above are separately cloned into M13IX30 and M13IX11, 25 respectively, to create Hc and Lc libraries.

The Hc and Lc products (5 µg) are mixed, ethanol precipitated and resuspended in 20 µl of NaOAc buffer (33 mM Tris acetate, pH 7.9, 10 mM Mg-acetate, 66 mM K-acetate, 0.5 mM DTT). Five units of T4 DNA polymerase is added and 30 the reactions incubated at 30°C for 5 minutes to remove 3' termini by exonuclease digestion. Reactions are stopped by heating at 70°C for 5 minutes. M13IX30 is digested with

Stu I and M13IX11 is digested with Eco RV. Both vectors are treated with T4 DNA polymerase as described above and combined with the appropriate PCR products at a 1:1 molar ratio at 10 ng/ μ l to anneal in the above buffer at room temperature overnight. DNA from each annealing is electroporated into MK30-3 (Boehringer, Indianapolis, IN), as described below, to generate the Hc and Lc libraries.

E. coli MK30-3 is electroporated as described by Smith et al., Focus 12:38-40 (1990) which is incorporated herein by reference. The cells are prepared by inoculating a fresh colony of MK30-3 into 5 mls of SOB without magnesium (20 g bacto-tryptone, 5 g bacto-yeast extract, 0.584 g NaCl, 0.186 g KC1, dH₂O to 1,000 mls) and grown with vigorous aeration overnight at 37°C. SOB without magnesium (500 ml) is inoculated at 1:1000 with the overnight culture and grown with vigorous aeration at 37°C until the OD₅₅₀ is 0.8 (about 2 to 3 h). The cells are harvested by centrifugation at 5,000 rpm (2,600 x g) in a GS3 rotor (Sorvall, Newtown, CT) at 4°C for 10 minutes, resuspended in 500 ml of ice-cold 10% (v/v) sterile glycerol, centrifuged and resuspended a second time in the same manner. After a third centrifugation, the cells are resuspended in 10% sterile glycerol at a final volume of about 2 ml, such that the OD₅₅₀ of the suspension was 200 to 300. Usually, resuspension is achieved in the 10% glycerol that remained in the bottle after pouring off the supernate. Cells are frozen in 40 μ l aliquots in microcentrifuge tubes using a dry ice-ethanol bath and stored frozen at -70°C.

Frozen cells are electroporated by thawing slowly on ice before use and mixing with about 10 pg to 500 ng of vector per 40 μ l of cell suspension. A 40 μ l aliquot is placed in an 0.1 cm electroporation chamber (Bio-Rad, Richmond, CA) and pulsed once at 0°C using 4 k Ω parallel resistor 25 μ F, 1.88 KV, which gives a pulse length (τ) of

~4 ms. A 10 μ l aliquot of the pulsed cells are diluted into 1 ml SOC (98 mls SOB plus 1 ml of 2 M MgCl₂ and 1 ml of 2 M glucose) in a 12- x 75-mm culture tube, and the culture is shaken at 37°C for 1 hour prior to culturing in 5 selective media, (see below).

Each of the libraries are cultured using methods known to one skilled in the art. Such methods can be found in Sanbrook et al., Molecular Cloning: A Laboratory Manuel, Cold Spring Harbor Laboratory, Cold Spring Harbor, 1989, 10 and in Ausubel et al., Current Protocols in Molecular Biology, John Wiley and Sons, New York, 1989, both of which are incorporated herein by reference. Briefly, the above 1 ml library cultures are grown up by diluting 50-fold into 2XYT media (16 g tryptone, 10 g yeast extract, 5 g NaCl) 15 and culturing at 37°C for 5-8 hours. The bacteria are pelleted by centrifugation at 10,000 x g. The supernatant containing phage is transferred to a sterile tube and stored at 4°C.

Double strand vector DNA containing Hc and Lc antibody 20 fragments are isolated from the cell pellet of each library. Briefly, the pellet is washed in TE (10 mM Tris, pH 8.0, 1 mM EDTA) and recollected by centrifugation at 7,000 rpm for 5' in a Sorval centrifuge (Newtown, CT). Pellets are resuspended in 6 mls of 10% Sucrose, 50 mM 25 Tris, pH 8.0. 3.0 ml of 10 mg/ μ l lysozyme is added and incubated on ice for 20 minutes. 12 mls of 0.2 M NaOH, 1% SDS is added followed by 10 minutes on ice. The suspensions are then incubated on ice for 20 minutes after addition of 7.5 mls of 3 M NaOAc, pH 4.6. The samples are 30 centrifuged at 15,000 rpm for 15 minutes at 4°C, RNased and extracted with phenol/chloroform, followed by ethanol precipitation. The pellets are resuspended, weighed and an equal weight of CsCl₂ is dissolved into each tube until a density of 1.60 g/ml is achieved. EtBr is added to 600 35 μ g/ml and the double-stranded DNA is isolated by

equilibrium centrifugation in a TV-1665 rotor (Sorval) at 50,000 rpm for 6 hours. These DNAs from each right and left half sublibrary are used to generate forty libraries in which the right and left halves of the randomized 5 oligonucleotides have been randomly joined together.

The surface expression library is formed by the random joining of the Hc containing portion of M13IX30 with the Lc containing portion of M13IX11. The DNAs isolated from each library was digested separately with an excess amount of 10 restriction enzyme. The Lc population (5 µg) is digested with Hind III. The Hc (5 µg) population is digested with Mlu I. The reactions are stopped by phenol/chloroform extraction followed by ethanol precipitation. The pellets are washed in 70% ethanol and resuspended in 20 µl of NaOAc 15 buffer. Five units of T4 DNA polymerase (Pharmacia) is added and the reactions incubated at 30°C for 5 minutes. Reactions are stopped by heating at 70°C for 5 minutes. The Hc and Lc DNAs are mixed to a final concentration of 10 ng each vector/µl and allowed to anneal at room temperature 20 overnight. The mixture is electroporated into MK30-3 cells as described above.

Screening of Surface Expression Libraries

Purified phage are prepared from 50 ml liquid cultures of XLI Blue™ cells (Stratagene, La Jolla, CA) which had 25 been infected at a m.o.i. of 10 from the phage stocks stored at 4°C. The cultures are induced with 2 mM IPTG. Supernatants are cleared by two centrifugations, and the phage are precipitated by adding 1/7.5 volumes of PEG solution (25% PEG-8000, 2.5 M NaCl), followed by incubation 30 at 4°C overnight. The precipitate is recovered by centrifugation for 90 minutes at 10,000 x g. Phage pellets are resuspended in 25 ml of 0.01 M Tris-HCl, pH 7.6, 1.0 mM EDTA, and 0.1% Sarkosyl and then shaken slowly at room temperature for 30 minutes. The solutions are adjusted to

0.5 M NaCl and to a final concentration of 5% polyethylene glycol. After 2 hours at 4°C, the precipitates containing the phage are recovered by centrifugation for 1 hour at 15,000 X g. The precipitates are resuspended in 10 ml of 5 NET buffer (0.1 M NaCl, 1.0 mM EDTA, and 0.01 M Tris-HCl, pH 7.6), mixed well, and the phage repelleted by centrifugation at 170,000 X g for 3 hours. The phage pellets are resuspended overnight in 2 ml of NET buffer and subjected to cesium chloride centrifugation for 18 hours at 10 110,000 X g (3.86 g of cesium chloride in 10 ml of buffer). Phage bands are collected, diluted 7-fold with NET buffer, re-centrifuged at 170,000 X g for 3 hours, resuspended, and stored at 4°C in 0.3 ml of NET buffer containing 0.1 mM sodium azide.

15 The BDP used for panning on streptavidin coated dishes is first biotinylated and then absorbed against UV-inactivated blocking phage (see below). The biotinylating reagents are dissolved in dimethylformamide at a ratio of 2.4 mg solid NHS-SS-Biotin (sulfosuccinimidyl 2-
20 (biotinamido)ethyl-1,3'-dithiopropionate; Pierce, Rockford, IL) to 1 ml solvent and used as recommended by the manufacturer. Small-scale reactions are accomplished by mixing 1 µl dissolved reagent with 43 µl of 1 mg/ml BDP diluted in sterile bicarbonate buffer (0.1 M NaHCO₃, pH 25 8.6). After 2 hours at 25°C, residual biotinylating reagent is reacted with 500 µl 1 M ethanolamine (pH adjusted to 9 with HCl) for an additional 2 hours. The entire sample is diluted with 1 ml TBS containing 1 mg/ml BSA, concentrated to about 50 µl on a Centricon 30 ultra-
30 filter (Amicon), and washed on the same filter three times with 2 ml TBS and once with 1 ml TBS containing 0.02% NaN₃ and 7 x 10¹² UV-inactivated blocking phage (see below); the final retentate (60-80 µl) is stored at 4 °C. BDP biotinylated with the NHS-SS-Biotin reagent is linked to
35 biotin via a disulfide-containing chain.

UV-irradiated M13 phage are used for blocking any biotinylated BDP which fortuitously binds filamentous phage in general. M13mp8 (Messing and Vieira, Gene 19: 262-276 (1982), which is incorporated herein by reference) is chosen because it carries two amber mutations, which ensure that the few phage surviving irradiation will not grow in the sup O strains used to titer the surface expression library. A 5 ml sample containing 5×10^{13} M13mp8 phage, purified as described above, is placed in a small petri plate and irradiated with a germicidal lamp at a distance of two feet for 7 minutes (flux 150 $\mu\text{W}/\text{cm}^2$). NaN₃ is added to 0.02% and phage particles concentrated to 10^{14} particles/ml on a Centricon 30-kDa ultrafilter (Amicon).

For panning, polystyrene petri plates (60 x 15 mm) are incubated with 1 ml of 1 mg/ml of streptavidin (BRL) in 0.1 M NaHCO₃, pH 8.6-0.02% NaN₃ in a small, air-tight plastic box overnight in a cold room. The next day streptavidin is removed and replaced with at least 10 ml blocking solution (29 mg/ml of BSA; 3 $\mu\text{g}/\text{ml}$ of streptavidin; 0.1 M NaHCO₃, pH 8.6-0.02% NaN₃) and incubated at least 1 hour at room temperature. The blocking solution is removed and plates are washed rapidly three times with Tris buffered saline containing 0.5% Tween 20 (TBS-0.5% Tween 20).

Selection of phage expressing antibody fragments which bind BDP is performed with 5 μl (2.7 μg BDP) of blocked biotinylated BDP reacted with a 50 μl portion of the library. Each mixture is incubated overnight at 4°C, diluted with 1 ml TBS-0.5% Tween 20, and transferred to a streptavidin-coated petri plate prepared as described above. After rocking 10 minutes at room temperature, unbound phage are removed and plates washed ten times with TBS-0.5% Tween 20 over a period of 30-90 minutes. Bound phage are eluted from plates with 800 μl sterile elution buffer (1 mg/ml BSA, 0.1 M HCl, pH adjusted to 2.2 with glycerol) for 15 minutes and eluates neutralized with 48 μl

2 M Tris (pH unadjusted). A 20 μ l portion of each eluate is titered on MK30-3 concentrated cells with dilutions of input phage.

A second round of panning is performed by treating 750
5 μ l of first eluate from the library with 5 mM DTT for 10 minutes to break disulfide bonds linking biotin groups to residual biotinylated binding proteins. The treated eluate is concentrated on a Centricon 30 ultrafilter (Amicon), washed three times with TBS-0.5% Tween 20, and concentrated
10 to a final volume of about 50 μ l. Final retentate is transferred to a tube containing 5.0 μ l (2.7 μ g BDP) blocked biotinylated BDP and incubated overnight. The solution is diluted with 1 ml TBS-0.5% Tween 20, panned, and eluted as described above on fresh streptavidin-coated
15 petri plates. The entire second eluate (800 μ l) is neutralized with 48 μ l 2 M Tris, and 20 μ l is titered simultaneously with the first eluate and dilutions of the input phage. If necessary, further rounds of panning can be performed to obtain homogeneous populations of phage.
20 Additionally, phage can be plaque purified if reagents are available for detection.

Template Preparation and Sequencing

Templates are prepared for sequencing by inoculating a 1 ml culture of 2XYT containing a 1:100 dilution of an
25 overnight culture of XLI with an individual plaque from the purified population. The plaques are picked using a sterile toothpick. The culture is incubated at 37°C for 5-6 hours with shaking and then transferred to a 1.5 ml microfuge tube. 200 μ l of PEG solution is added, followed
30 by vortexing and placed on ice for 10 minutes. The phage precipitate is recovered by centrifugation in a microfuge at 12,000 x g for 5 minutes. The supernatant is discarded and the pellet is resuspended in 230 μ l of TE (10 mM Tris-HCl, pH 7.5, 1 mM EDTA) by gently pipeting with a yellow

pipet tip. Phenol (200 μ l) is added, followed by a brief vortex and microfuged to separate the phases. The aqueous phase is transferred to a separate tube and extracted with 200 μ l of phenol/chloroform (1:1) as described above for 5 the phenol extraction. A 0.1 volume of 3 M NaOAc is added, followed by addition of 2.5 volumes of ethanol and precipitated at -20°C for 20 minutes. The precipitated templates are recovered by centrifugation in a microfuge at 12,000 \times g for 8 minutes. The pellet is washed in 70% 10 ethanol, dried and resuspended in 25 μ l TE. Sequencing was performed using a Sequenase™ sequencing kit following the protocol supplied by the manufacturer (U.S. Biochemical, Cleveland, OH).

EXAMPLE II

15 Cloning of Heavy and Light Chain Sequences
 Without Restriction Enzyme Digestion

This example shows the simultaneous incorporation of antibody heavy and light chain fragment encoding sequences into a M13IXHL-type vector with the use of restriction 20 endonucleases.

For the simultaneous incorporation of heavy and light chain encoding sequences into a single coexpression vector, a M13IXHL vector was produced that contained heavy and light chain encoding sequences for a mouse monoclonal 25 antibody (DAN-18H4; Biosite, San Diego, CA). The inserted antibody fragment sequences are used as complementary sequences for the hybridization and incorporation of Hc and Lc sequences by site-directed mutagenesis. The genes encoding the heavy and light chain polypeptides were 30 inserted into M13IX30 (SEQ ID NO: 1) and M13IX11 (SEQ ID NO: 2), respectively, and combined into a single surface expression vector as described in Example I. The resultant M13IXHL-type vector is termed M13IX50.

The combinations were performed under conditions that facilitate the formation of one Hc and one Lc vector half into a single circularized vector. Briefly, the overhangs generated between the pairs of restriction sites after 5 restriction with Mlu I or Hind III and exonuclease digestion are unequal (i.e., 64 nucleotides compared to 32 nucleotides). These unequal lengths result in differential hybridization temperatures for specific annealing of the complementary ends from each vector. The specific 10 hybridization of each end of each vector half was accomplished by first annealing at 65°C in a small volume (about 100 µg/µl) to form a dimer of one Hc vector half and one Lc vector half. The dimers were circularized by diluting the mixture (to about 20 µg/µl) and lowering the 15 temperature to about 25-37°C to allow annealing. T4 ligase was present to covalently close the circular vectors.

M13IX50 was modified such that it did not produce a functional polypeptide for the DAN monoclonal antibody. To do this, about eight amino acids were changed within the 20 variable region of each chain by mutagenesis. The Lc variable region was mutagenized using the oligonucleotide 5'-CTGAAACCTGTCTGGGACCACAGTTGATGCTATAGGATCAGATCTAGAATTCA TTAGAGACTGGCCTGGCTTCTGC-3' (SEQ ID NO: 68). The Hc sequence was mutagenized with the oligonucleotide 5'-TC G A C C G T T G G T A G G A A T A A T G C A A T T A A T G 25 GAGTAGCTCTAAATTCTAGAATTCTACACCCAGTGCATCCAGTAGCT-3' (SEQ ID NO: 69). An additional mutation was also introduced into M13IX50 to yield the final form of the vector. During construction of an intermediate to M13IX50 (M13IX04 30 described in Example I), a six nucleotide sequence was duplicated in oligonucleotide 027 and its complement 032. This sequence, 5'TTACCG-3' was deleted by mutagenesis using the oligonucleotide 5'-GGTAAACAGTAACGGTAAGAGTGCCAG-3' (SEQ ID NO: 70). The resultant vector was designated M13IX53.

contains all the functional elements of the previously described M13IXHL vector except that it does not express functional antibody heteromers. The single-stranded vector can be hybridized to populations of single-stranded Hc and
5 Lc encoding sequences for their incorporation into the vector by mutagenesis. Populations of single-stranded Hc and Lc encoding sequences can be produced by one skilled in the art from the PCR products described in Example I or by other methods known to one skilled in the art using the
10 primers and teachings described therein. The resultant vectors with Hc and Lc encoding sequences randomly incorporated are propagated and screened for desired binding specificities as described in Example I.

Other vectors similar to M13IX53 and the vectors it's derived from, M13IX11 and M13IX30, have also been produced for the incorporation of Hc and Lc encoding sequences without restriction. In contrast to M13IX53, these vectors contain human antibody sequences for the efficient hybridization and incorporation of populations of human Hc and Lc sequences. These vectors are briefly described below. The starting vectors were either the Hc vector (M13IX30) or the Lc vector (M13IX11) previously described.
15
20

M13IX32 was generated from M13IX30 by removing the six nucleotide redundant sequence 5'-TTACCG-3' described above and mutation of the leader sequence to increase secretion of the product. The oligonucleotide used to remove the redundant sequence is the same as that given above. The mutation in the leader sequence was generated using the oligonucleotide 5'GGGCTTTGCCACAGGGT-3'. This mutagenesis
25 resulted in the A residue at position 6353 of M13IX30 being
30 changed to a G residue.

A decapeptide tag for affinity purification of antibody fragments was incorporated in the proper reading frame at the carboxy-terminal end of the Hc expression site

in M13IX32. The oligonucleotide used for this mutagenesis was 5'-CGCCTT CAGCCTAAGAACGCTAGTCCGGAACGTCGTACGGTAGGATCCA CTAG-3' (SEQ ID NO: 71). The resultant vector was designated M13IX33. Modifications to this or other vectors 5 are envisioned which include various features known to one skilled in the art. For example, a peptidase cleavage site can be incorporated following the decapeptide tag which allows the antibody to be cleaved from the gene VIII portion of the fusion protein.

10 M13IX34 (SEQ ID NO: 3) was created from M13IX33 by cloning in the gene encoding a human IgG1 heavy chain. The reading frame of the variable region was changed and a stop codon was introduced to ensure that a functional polypeptide would not be produced. The oligonucleotide 15 used for the mutagenesis of the variable region was 5'-CACCGGTTGGGGATTAGTCTTGACCAGGCAGCCCAGGGC-3' (SEQ ID NO: 72). The complete nucleotide sequence of this vector is shown in Figure 4 (SEQ ID NO: 3).

Several vectors of the M13IX11 series were also 20 generated to contain similar modifications as that described for the vectors M13IX53 and M13IX34. The promoter region in M13IX11 was mutated to conform to the consensus sequence to generate M13IX12. The oligonucleotide used for this mutagenesis was 5'-ATTCCACAC 25 ATTATACGAGCCGGAAAGCATAAAGTGTCAAGCCTGGGTGCC-3' (SEQ ID NO: 73). A human kappa light chain sequence was cloned into M13IX12 and the variable region subsequently deleted to generate M13IX13 (SEQ ID NO: 4). The complete nucleotide sequence of this vector is shown in Figure 5 (SEQ ID NO: 30 4). A similar vector, designated M13IX14, was also generated in which the human lambda light chain was inserted into M13IX12 followed by deletion of the variable region. The oligonucleotides used for the variable region deletion of M13IX13 and M13IX14 were 5'-CTG 35 CTCATCAGATGGCGGGAAAGAGCTCGGCCATGGCTGGTTG-3' (SEQ ID NO: 74)

and 5'-GAACAGAGT GACCGAGGGGGCGAGCTCGGCCATGGCTGGTTG-3' (SEQ ID NO: 75), respectively.

The Hc and Lc vectors or modified forms thereof can be combined using the methods described in Example I to 5 produce a single vector similar to M13IX53 that allows the efficient incorporation of human Hc and Lc encoding sequences by mutagenesis. An example of such a vector is the combination of M13IX13 with M13IX34. The complete nucleotide sequence of this vector, M13IX60, is shown in 10 Figure 6 (SEQ ID NO: 5).

Additional modifications to any of the previously described vectors can also be performed to generate vectors which allow the efficient incorporation and surface expression of Hc and Lc sequences. For example, to 15 alleviate the use of uracil selection against wild-type template during mutagenesis procedures, the variable region locations within the vectors can be substituted by a set of palindromic restriction enzyme sites (i.e., two similar sites in opposite orientation). The palindromic sites will 20 loop out and hybridize together during the mutagenesis and thus form a double-stranded substrate for restriction endonuclease digestion. Cleavage of the site results in the destruction of the wild-type template. The variable region of the inserted Hc or Lc sequences will not be 25 affected since they will be in single stranded form.

Following the methods of Example I, single-stranded Hc or Lc populations can be produced by a variety of methods known to one skilled in the art. For example, the PCR primers described in Example I can be used in asymmetric 30 PCR to generate such populations. Gelfand et al., "PCR Protocols: A Guide to Methods and Applications", Ed by M.A. Innis (1990), which is incorporated herein by reference. Asymmetric PCR is a PCR method that differentially amplifies only a single strand of the double

stranded template. Such differential amplification is accomplished by decreasing the primer amount for the undesirable strand about 10-fold compared to that for the desirable strand. Alternatively, single-stranded 5 populations can be produced from double-stranded PCR products generated as described in Example I except that the primer(s) used to generate the undesirable strand of the double-stranded products is first phosphorylated at its 5' end with a kinase. The resultant products can then be 10 treated with a 5' to 3' exonuclease, such as lambda exonuclease (BRL, Bethesda, MD) to digest away the unwanted strand.

Single-stranded Hc and Lc populations generated by the methods described above or by others known to one skilled 15 in the art are hybridized to complementary sequences encoded in the previously described vectors. The population of the sequences are subsequently incorporated into a double-stranded form of the vector by polymerase extension of the hybridized templates. Propagation and 20 surface expression of the randomly combined Hc and Lc sequences are performed as described in Example I.

Although the invention has been described with reference to the presently preferred embodiment, it should be understood that various modifications can be made 25 without departing from the spirit of the invention. Accordingly, the invention is limited only by the claims.

SEQUENCE LISTING

(1) GENERAL INFORMATION:

(i) APPLICANT: HUSE, WILLIAM D.

(ii) TITLE OF INVENTION: SURFACE EXPRESSION LIBRARIES OF HETEROMERIC RECEPTORS

(iii) NUMBER OF SEQUENCES: 75

(iv) CORRESPONDENCE ADDRESS:

- (A) ADDRESSEE: PRETTY, SCHROEDER, BRUEGEMANN & CLARK
- (B) STREET: 444 SO. FLOWER STREET, SUITE 200
- (C) CITY: LOS ANGELES
- (D) STATE: CALIFORNIA
- (E) COUNTRY: UNITED STATES
- (F) ZIP: 90071

(v) COMPUTER READABLE FORM:

- (A) MEDIUM TYPE: Floppy disk
- (B) COMPUTER: IBM PC compatible
- (C) OPERATING SYSTEM: PC-DOS/MS-DOS
- (D) SOFTWARE: PatentIn Release #1.0, Version #1.25

(vi) CURRENT APPLICATION DATA:

- (A) APPLICATION NUMBER:
- (B) FILING DATE:
- (C) CLASSIFICATION:

(viii) ATTORNEY/AGENT INFORMATION:

- (A) NAME: CAMPBELL, CATHRYN A.
- (B) REGISTRATION NUMBER: 31,815
- (C) REFERENCE/DOCKET NUMBER: P31 8882

(ix) TELECOMMUNICATION INFORMATION:

- (A) TELEPHONE: 619-535-9001
- (B) TELEFAX: 619-535-8949

(2) INFORMATION FOR SEQ ID NO:1:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 7445 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: both
- (D) TOPOLOGY: circular

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

AATGCTACTA CTATTAGTAG AATTGATGCC ACCTTTCA	60
GGCTCGCCAA AAATGAAAT	
ATAGCTAAC AGGTTATTGA CCATTGCGA AATGTATCTA ATGGTCAAAC TAAATCTACT	120
CGTTCCGAGA ATTGGGAATC AACTGTTACA TGGAATGAAA CTTCCAGACA CCGTACTTTA	180
GTTGCATATT TAAAACATGT TGAGCTACAG CACCAGATTG AGCAATTAAG CTCTAAGCCA	240
TCTGCAAAAA TGACCTCTTA TCAAAAGGAG CAATTAAAGG TACTCTCTAA TCCTGACCTG	300
TTGGAGTTG CTCCTGGTCT GGTTCGCTTT GAAGCTCGAA TTAAAACGCG ATATTGAAAG	360
TCTTTGGGC TTCCTCTTAA TCTTTTGAT GCAATCCGCT TTGCTTCTGA CTATAATAGT	420

CAGGGTAAAG ACCTGATTTC	TGATTATGG TCATTCTCGT	TTTCTGAAC	GTTTAAAGCA	480
TTTGAGGGGG ATTCAATGAA	TATTATGAC GATTCCGCAG	TATTGGACGC	TATCCAGTCT	540
AAACATTTA CTATTACCCC	CTCTGGCAAA ACTTCCTTTC	CAAAGCCTC	TCGCTATTTC	600
GGTTTTATC GTCGTCTGGT	AAACGAGGGT TATGATAGTG	TTGCTCTTAC	TATGCCTCGT	660
AATTCTTTT GGC GTTATGT	ATCTGCATTA GTTGAATGTG	GTATT CCTAA	ATCTCAACTG	720
ATGAATCTTT CTACCTGTAA	TAATGTTGTT CCGTTAGTTC	GTTTTATTAA	CGTAGATTT	780
TCTTCCCAAC GTCCCTGACTG	GTATAATGAG CCAGTTCTTA	AAATGCCATA	AGGTAATTCA	840
CAATGATTAA AGTTGAAATT	AAACC ATCTC AAGCCCAATT	TACTACTCGT	TCTGGTGT	900
CTCGTCAGGG CAAGCCTTAT	TCACTGAATG AGCAGCTTTC	TTACGTTGAT	TTGGGTAATG	960
AATATCCGGT TCTTGTCAAG	ATTACTCTTG ATGAAGGTCA	GCCAGCCTAT	GCGCCTGGTC	1020
TGTACACCGT TCATCTGTCC	TCTTCAAAG TTGGTCAGTT	CGGTTCCCTT	ATGATTGACC	1080
GTCTGCGCCT CGTTCCGGCT	AACTAACATG GAGCAGGTG	CGGATTTCGA	CACAATTAT	1140
CAGGCGATGA TACAAATCTC	CGTTGTACTT TGTTTCGGC	TTGGTATAAT	CGCTGGGGT	1200
CAAAGATGAG TGTTTAGTG	TATTCTTCG CCTCTTCGT	TTTAGGTTGG	TGCCTTCGTA	1260
GTGGCATTAC GTATTTACC	CGTTAATGG AAACCTCCTC	ATGAAAAAGT	CTTTAGTCCT	1320
CAAACCTCT GTAGCCGTTG	CTACCCCTCGT TCCGATGCTG	TCTTCGCTG	CTGAGGGTGA	1380
CGATCCCGCA AAAGCGGCCT	TTAACTCCCT GCAAGCCTCA	GCGACCGAAT	ATATCGGTTA	1440
TGCGTGGCG ATGGTTGTTG	TCATTGTCGG CGCAACTATC	GGTATCAAGC	TGTTAAGAA	1500
ATTCACCTCG AAAGCAAGCT	GATAAACCGA TACAATTAAA	GGCTCCTTT	GGAGCCTTT	1560
TTTTGGAGA TTTCAACGT	GAAAAAATTA TTATCGAA	TTCTTTAGT	TGTCCTTTC	1620
TATTCTCACT CCGCTGAAAC	TGTTGAAAGT TGTTAGCAA	AACCCCATAC	AGAAAATTCA	1680
TTTACTAACG TCTGGAAAGA	CGACAAAAGT TTAGATCGT	ACGCTAACTA	TGAGGGTTGT	1740
CTGTGGAATG CTACAGGCGT	TGTAGTTGT ACTGGTGACG	AAACTCAGTG	TTACGGTACA	1800
TGGGTTCTA TTGGGCTTGC	TATCCCTGAA AATGAGGGTG	GTGGCTCTGA	GGGTGGCGGT	1860
TCTGAGGGTG GCGGTTCTGA	GGGTGGCGGT ACTAACCTC	CTGAGTACGG	TGATACACCT	1920
ATTCCCCGCT ATACTTATAT	CAACCCCTCTC GACGGCACTT	ATCCGCTGG	TACTGAGCAA	1980
AACCCCGCTA ATCCTAATCC	TTCTCTTGAG GAGTCTCG	CTCTTAATAC	TTTCATGTT	2040
CAGAATAATA GGTTCCGAAA	TAGGCAGGGG GCATTAAC	TTTATACGGG	CACTGTTACT	2100
CAAGGCACTG ACCCCGTTAA	AACTTATTAC CAGTACACTC	CTGTATCATC	AAAAGCCATG	2160
TATGACGCTT ACTGGAACGG	TAAATTCTAGA GACTGCGCTT	TCCATTCTGG	CTTTAATGAA	2220
GATCCATTG TTTGTGAATA	TCAAGGCCAA TCGTCTGACC	TGCCTCAACC	TCCTGTCAAT	2280
GCTGGCGCG GCTCTGGTGG	TGGTTCTGGT GGCGGCTCTG	AGGGTGGTGG	CTCTGAGGGT	2340
GGCGGTTCTG AGGGTGGCGG	CTCTGAGGGA GGCGGTTCCG	GTGGTGGCTC	TGGTTCCGGT	2400
GATTTTGATT ATGAAAAGAT	GGCAAACGCT AATAAGGGGG	CTATGACCGA	AAATGCCGAT	2460

GAAAACGGCG	TACAGTCTGA	CGCTAAAGGC	AAACTTGATT	CTGTCGCTAC	TGATTACGGT	2520
GCTGCTATCG	ATGGTTTCAT	TGGTGACGTT	TCCGGCCTTG	CTAATGGTAA	TGGTGCTACT	2580
GGTGATTTG	CTGGCTCTAA	TTCCCAAATG	GCTCAAGTCG	GTGACGGTGA	TAATTCACCT	2640
TTAATGAATA	ATTTCCGTCA	ATATTACCT	TCCCTCCCTC	AATCGGTGA	ATGTCGCCCT	2700
TTTGTCTTTA	GCGCTGGTAA	ACCATATGAA	TTTCTATTG	ATTGTGACAA	AATAAACTTA	2760
TTCCGTGGTG	TCTTTGCGTT	TCTTTATAT	GTTGCCACCT	TTATGTATGT	ATTTTCTACG	2820
TTTGCTAACAA	TACTGCGTAA	TAAGGAGTCT	TAATCATGCC	AGTTCTTTG	GGTATTCCGT	2880
TATTATTGCG	TTCCCTCGGT	TTCCCTCTGG	TAACTTGTT	CGGCTATCTG	CTTACTTTTC	2940
TTAAAAAGGG	CTTCGGTAAG	ATAGCTATTG	CTATTCATT	GTTCTTGCT	CTTATTATTG	3000
GGCTTAACTC	AATTCTTGTG	GGTTATCTCT	CTGATATTAG	CGCTCAATTAA	CCCTCTGACT	3060
TTGTTCAAGGG	TGTTCAAGTTA	ATTCTCCCGT	CTAATGCGCT	TCCCTGTTTT	TATGTTATTC	3120
TCTCTGTAAA	GGCTGCTATT	TTCATTTTG	ACGTTAAACA	AAAAATCGTT	TCTTATTGG	3180
ATTGGGATAA	ATAATATGGC	TGTTTATTTT	GTAACTGGCA	AATTAGGCTC	TGGAAAGACG	3240
CTCGTTAGGG	TTGGTAAGAT	TCAGGATAAA	ATTGTAGCTG	GGTGCAAAAT	AGCAACTAAT	3300
CTTGATTTAA	GGCTTCAAAAA	CCTCCCGCAA	GTCGGGAGGT	TCGCTAAAC	GCCTCGCGTT	3360
CTTAGAATAC	CGGATAAGCC	TTCTATATCT	GATTTGCTTG	CTATTGGGCG	CGGTAATGAT	3420
TCCTACGATG	AAAATAAAAAA	CGGCTTGCTT	GTTCTCGATG	AGTGCAGTAC	TTGGTTTAAT	3480
ACCCGTTCTT	GGAATGATAA	GGAAAGACAG	CCGATTATTG	ATTGGTTCT	ACATGCTCGT	3540
AAATTAGGAT	GGGATATTAT	TTTTCTTGTT	CAGGACTTAT	CTATTGTTGA	TAAACAGGCG	3600
CGTTCTGCAT	TAGCTGAACA	TGTTGTTAT	TGTCGTGTC	TGGACAGAAAT	TACTTTACCT	3660
TTTGTGGTA	CTTTATATTG	TCTTATTACT	GGCTCGAAAA	TGCCCTTGCC	TAAATTACAT	3720
GTTGGCGTTG	TTAAATATGG	CGATTCTCAA	TTAACCCCTA	CTGTTGAGCG	TTGGCTTTAT	3780
ACTGGTAAGA	ATTGTATAA	CGCATATGAT	ACTAACACAG	CTTTTCTAG	TAATTATGAT	3840
TCCGGTGT	TTTCTTATT	AACGCCATT	TTATCACACAG	GTGGGTATTT	CAAACCATTAA	3900
AATTAGGTC	AGAAGATGAA	GCTTACTAAA	ATATATTGA	AAAAGTTTC	ACCGGTTCTT	3960
TGTCTTGCGA	TTGGATTTC	ATCAGCATT	ACATATAGTT	ATATAACCCA	ACCTAACGCC	4020
GAGGTTAAAA	AGGTAGTCTC	TCAGACCTAT	GATTTGATA	AATTCACTAT	TGACTCTCT	4080
CAGCGTCTTA	ATCTAAGCTA	TCGCTATGTT	TTCAAGGATT	CTAAGGGAAA	ATTAATTAAT	4140
AGCGACGATT	TACAGAAGCA	AGGTTATTCA	CTCACATATA	TTGATTTATG	TACTGTTCC	4200
ATTAAAAAG	GTAATTCAA	TGAAATTGTT	AAATGTAATT	AATTGTTTT	TCTTGATGTT	4260
TGTTTCATCA	TCTTCTTTG	CTCAGGTAAT	TGAAATGAAT	AATTGCCCTC	TGCGCGATTT	4320
TGTAACCTGG	TATTCAAAGC	AATCAGGCCA	ATCCGTTATT	GTTCTCCCG	ATGTAAAAGG	4380
TACTGTTACT	GTATATTCA	CTGACGTTAA	ACCTGAAAAT	CTACGCAATT	TCTTATTTC	4440
TGTTTACGT	GCTAATAATT	TTGATATGGT	TGGTTCAATT	CCTTCCATAA	TTCAAGAGTA	4500

TAATCCAAAC AATCAGGATT ATATTGATGA ATTGCCATCA TCTGATAATC AGGAATATGA	4560
TGATAATTCC GCTCCTCTG GTGGTTCTT TGTTCCGCAA AATGATAATG TTACTCAAAC	4620
TTTAAAATT AATAACGTTG GGGCAAAGGA TTTAATACGA GTTGTGAAAT TGTTTGTA	4680
GTCTAATACT TCTAAATCCT CAAATGTATT ATCTATTGAC GGCTCTAAC TATTAGTTGT	4740
TAATGCACCT AAAGATATT TAGATAACCT TCCTCAATTC CTTTCTACTG TTGATTTGCC	4800
AACTGACCAG ATATTGATTG AGGGTTGAT ATTTGAGGTT CAGCAAGGTG ATGCTTTAGA	4860
TTTTTCATTT GCTGCTGGCT CTCAGCGTGG CACTGTTGCA GGCGGTGTTA ATACTGACCG	4920
CCTCACCTCT GTTTTATCTT CTGCTGGTGG TTCGTTCGGT ATTTTTAATG GCGATGTTT	4980
AGGGCTATCA GTTCCGGCAT TAAAGACTAA TAGCCATTCA AAAATATTGT CTGTGCCACG	5040
TATTCTTACG CTTTCAGGTC AGAAGGGITC TATCTCTGTT GGCCAGAACAT TCCCTTTAT	5100
TACTGGTCTG GTGACTGGTG AATCTGCCAA TGAAATAAT CCATTCAGA CGATTGAGCG	5160
TCAAAATGTA GGTATTTCCA TGAGCGTTT TCCTGTTGCA ATGGCTGGCG GTAATATTGT	5220
TCTGGATATT ACCAGCAAGG CCGATAGTTT GAGTTCTTCT ACTCAGGCAA GTGATGTTAT	5280
TACTAATCAA AGAAGTATTG CTACAACGGT TAATTTGCGT GATGGACAGA CTCTTTACT	5340
CGGTGGCCTC ACTGATTATA AAAACACTTC TCAAGATTCT GGCGTACCGT TCCTGTCTAA	5400
AATCCCTTA ATCGGCCTCC TGTTAGCTC CCGCTCTGAT TCCAACGAGG AAAGCACGTT	5460
ATACGTGCTC GTCAAAGCAA CCATAGTACG CGCCCTGTAG CGGCGCATTAA AGCGCGGGGG	5520
GTGTGGTGGT TACCGCGAGC GTGACCGCTA CACTGCCAG CGCCCTAGCG CCCGCTCCTT	5580
TCGCTTTCTT CCCTTCCTT CTCGCCACGT TCGCCGGCTT TCCCCGTCAA GCTCTAAATC	5640
GGGGCCTCCC TTTAGGGTTC CGATTAGTG CTTTACGGCA CCTCGACCCC AAAAAACTTG	5700
ATTTGGGTGA TGGTTCACGT AGTGGGCCAT CGCCCTGATA GACGGTTTT CGCCCTTGA	5760
CGTTGGAGTC CACGTTCTT AATAGTGGAC TCTTGTCCA AACTGGAACA AACTCAACC	5820
CTATCTCGGG CTATTCTTT GATTATAAG GGATTTGCC GATTTCGGAA CCACCATCAA	5880
ACAGGATTTT CGCCTGCTGG GGCAAACCAAG CGTGGACCCGC TTGCTGCAAC TCTCTCAGGG	5940
CCAGGGCGTG AAGGGCAATC AGCTGTTGCC CGTCTCGCTG GTGAAAAGAA AAACCACCC	6000
GGCGCCCAAT ACGCAAACCG CCTCTCCCCG CGCGTTGGCC GATTCAATTAA TGCAGCTGGC	6060
ACGACAGGTT TCCCGACTGG AAAGCGGGCA GTGAGCGCAA CGCAATTAAAT GTGAGTTAGC	6120
TCACTCATTA GGCACCCCCAG GCTTACACT TTATGCTTCC GGCTCGTATG TTGTGTGGAA	6180
TTGTGAGCGG ATAACAATT CACACGGTC ACTTGGCACT GGCGTCTGTT TTACAACGTC	6240
GTGACTGGGA AAACCCCTGGC GTTACCCAAG CTTTGTACAT GGAGAAAATA AAGTGAACAA	6300
AAGCACTATT GCACTGGCAC TCTTACCGTT ACCGTTACTG TTTACCCCTG TGACAAAAGC	6360
CGCCCAGGTC CAGCTGCTCG AGTCAGGCCT ATTGTGCCA GGGGATTGTA CTAGTGGATC	6420
CTAGGCTGAA GGCGATGACC CTGCTAAGGC TGCATTCAAT AGTTACAGG CAAGTGCTAC	6480
TGAGTACATT GGCTACGCTT GGGCTATGGT AGTAGTTATA GTTGGTGCTA CCATAGGGAT	6540

TAAATTATTC AAAAAGTTA CGAGCAAGGC TTCTTAAGCA ATAGCGAAGA GGCCCGCACC	6600
GATGCCCTT CCCAACAGTT GCGCAGCCTG AATGGCGAAT GGCGCTTGC CTGGTTCCG	6660
GCACCAAGAAG CGGTGCCGG AAGCTGGCTG GACTGCGATC TTCCCTGAGGC CGATAACGGTC	6720
GTCGTCCCCT CAAACTGGCA GATGCACGGT TACGATGCCG CCATCTACAC CAACGTAACC	6780
TATCCCATT A CGGTCAATCC GCCGTTTGTT CCCACGGAGA ATCCGACGGG TTGTTACTCG	6840
CTCACATTTA ATGTTGATGA AAGCTGGCTA CAGGAAGGCC AGACCGGAAT TATTTTGAT	6900
GGCGTTCCTA TTGGTTAAAAA AATGAGCTGA TTTAACAAA ATTAAACGCG AATTTAAACA	6960
AAATATTAAC GTTTACAATT TAAATATTTG CTTATACAAT CTTCCGTGTT TTGGGGCTTT	7020
TCTGATTATC AACCGGGGTA CATATGATTG ACATGCTAGT TTTACGATTA CCGTTCATCG	7080
ATTCTCTTGT TTGCTCCAGA CTCTCAGGCA ATGACCTGAT AGCCTTGTA GATCTCTCAA	7140
AAATAGCTAC CCTCTCCGGC ATTAATTTAT CAGCTAGAAC GGTTGAATAT CATATTGATG	7200
GTGATTTGAC TGTCTCCGGC CTTTCTCACC CTTTGAAATC TTTACCTACA CATTACTCAG	7260
GCATTGCATT TAAAATATAT GAGGGTTCTA AAAATTTTA TCCTTGCCTT GAAATAAAGG	7320
CTTCTCCCGC AAAAGTATTA CAGGGTCATA ATGTTTTGG TACAACCGAT TTAGCTTTAT	7380
GCTCTGAGGC TTTATTGCTT AATTTGCTA ATTCTTGCC TTGCCTGTAT GATTTATTGG	7440
ACGTT	7445

(2) INFORMATION FOR SEQ ID NO:2:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 7317 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: both
 - (D) TOPOLOGY: circular

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

AATGCTACTA CTATTAGTAG AATTGATGCC ACCTTTCAAG CTCGGCCCC AAATGAAAAT	60
ATAGCTAAC AGGTTATTGA CCATTGCGA AATGTATCTA ATGGTCAAAC TAAATCTACT	120
CGTTCGCAGA ATTGGGAATC AACTGTTACA TGGAATGAAA CTTCCAGACA CCGTACTTTA	180
GTTGCATATT TAAAACATGT TGAGCTACAG CACCAGATTG AGCAATTAAG CTCTAAGCCA	240
TCCGAAAAAA TGACCTCTTA TCAAAAGGAG CAATTAAAGG TACTCTCTAA TCCTGACCTG	300
TTGGAGTTG CTTCCGGTCT GGTCGCTTT GAAGCTCGAA TTAAAACGCG ATATTGAAAG	360
TCTTTGGGC TTCCTCTTAA TCTTTTGAT GCAATCCGCT TTGCTCTGA CTATAATAGT	420
CAGGGTAAAG ACCTGATTT TGATTATGG TCATTCTCGT TTTCTGAACG GTTAAAGCA	480
TTTGAGGGGG ATTCAATGAA TATTATGAC GATTCCGAG TATTGGACGC TATCCAGTCT	540
AAACATTTA CTATTACCCC CTCTGGAAA ACTTCTTTG CAAAAGCCTC TCGCTATTT	600
GGTTTTATC GTCGTCTGGT AAACGAGGGT TATGATAGTG TTGCTCTAC TATGCCTCGT	660
AATTCCCTTT GGCGTTATGT ATCTGCATTA GTTGAATGTG GTATTCTAA ATCTCAACTG	720

ATGAATCTTT CTACCTGTAA TAATGTTGTT CCGTTAGTTC GTTTTATTAA CGTAGATTT	780
TCTTCCCAAC GTCCTGACTG GTATAATGAG CCAGTTCTTA AAATCGCATA AGGTAATTCA	840
CAATGATTAA AGTGAAATT AAACCATCTC AAGCCAATT TACTACTCGT TCTGGTGT	900
CTCGTCAGGG CAAGCCTTAT TCACTGAATG AGCAGCTTG TTACGTTGAT TTGGGTAATG	960
AATATCCGGT TCTTGTCAAG ATTACTCTG ATGAAGGTCA GCCAGCCTAT GCGCCTGGTC	1020
TGTACACCGT TCATCTGTGC TCTTCAAAG TTGGTCAGTT CGGTTCCCTT ATGATTGACC	1080
GTCTGCCCT CGTTCCGGCT AAGTAACATG GAGCAGGTGCG CGGATTCGA CACAATTAT	1140
CAGGCGATGA TACAAATCTC CGTTGTACTT TGTTTCCGGC TTGGTATAAT CGCTGGGGT	1200
CAAAGATGAG TGTTTAGTG TATTCTTCG CCTCTTCGT TTTAGGTTGG TGCCCTCGTA	1260
GTGGCATTAC GTATTTTACCGTTAATGG AAACCTCCTC ATGAAAAAGT CTTTAGTCCT	1320
CAAAGCCTCT GTAGCCGTTG CTACCCCTCGT TCCGATGCTG TCTTCGCTG CTGAGGGTGA	1380
CGATCCCGCA AAAGCGGCCT TTAACCTCCCT GCAAGCCTCA GCGACCGAAT ATATCGTTA	1440
TGCGTGGCG ATGGTTGTTG TCATTGTCGG CGCAACTATC GGTATCAAGC TGTTAAGAA	1500
ATTCACCTCG AAAGCAAGCT GATAAACCGA TACAATTAAA GGCTCCTTT GGAGCCTTT	1560
TTTTGGAGA TTTTCAACGT GAAAAAATTA TTATTCGAA TTCCTTAGT TGTTCCCTTC	1620
TATTCTCACT CGCGTAAAC TGTTGAAAGT TGTTAGCAA AACCCCATAC AGAAAATTCA	1680
TTTACTAACG TCTGGAAAGA CGACAAAATC TTAGATCGTT ACGCTAACTA TGAGGGTTGT	1740
CTGTGGAATG CTACAGGCCT GTAGTTTGT ACTGGTGACG AAACTCAGTG TTACGGTACA	1800
TGGGTTCTA TTGGGCTTGC TATCCCTGAA AATGAGGGTG GTGGCTCTGA GGGTGGCGGT	1860
TCTGAGGGTG GCGGTTCTGA GGGTGGCGGT ACTAAACCTC CTGAGTACCG TGATACACCT	1920
ATTCCGGGCT ATACTTATAT CAACCCCTCTC GACGGCACTT ATCCGCCTGG TACTGAGCAA	1980
AACCCCGCTA ATCCTAATCC TTCTCTTGAG GAGTCTCAGC CTCTTAATAC TTTCATGTT	2040
CAGAATAATA GGTTCGAAA TAGGCAGGGG GCATTAACIG TTTATACGGG CACTGTTACT	2100
CAAGCCACTG ACCCCGTTAA AACTTATTAC CAGTACACTC CTGTATCATC AAAAGCCATG	2160
TATGACGCTT ACTGGAACGG TAAATTCAAGA GACTGCGCTT TCCATTCTGG CTTTAATGAA	2220
GATCCATTCTG TTTGTGAATA TCAAGGCCAA TCGTCTGACC TGCCCTCAACC TCCTGTCAAT	2280
GCTGGCGGCG GCTCTGGTGG TGTTCTGGT GGCGGCTCTG AGGGTGGTGG CTCTGAGGGT	2340
GGCGGTTCTG AGGGTGGCGG CTCTGAGGGA GGCGGTTCCG GTGGTGGCTC TGTTCCGGT	2400
GATTTGATT ATGAAAAGAT GGCACAAACGCT AATAAGGGGG CTATGACCGA AAATGCCGAT	2460
GAAAACGCGC TACAGTCTGA CGCTAAAGGC AAACTTGATT CTGTCGCTAC TGATTACGGT	2520
GCTGCTATCG ATGGTTTCAT TGGTGACGTT TCCGGCCTTG CTAATGGTAA TGTTGCTACT	2580
GGTGATTTG CTGGCTCTAA TTCCCAAATG GCTCAAGTCG GTGACGGTGA TAATTCACCT	2640
TTAATGAATA ATTTCCGTCA ATATTACCT TCCCTCCCTC AATCGGTTGA ATGTCGCCCT	2700
TTTGTCTTAA GCGCTGGTAA ACCATATGAA TTTTCTATTG ATTGTGACAA AATAAACTTA	2760

TTCCGTGGTG	TCTTGCCTT	TCTTTATAT	GTTGCCACCT	TTATGTATGT	ATTTCTACG	2820
TTTGCTAAC	ACTGCGTAA	TAAGGAGTCT	TAATCATGCC	AGTTCTTTG	GGTATTCCGT	2880
TATTATTGCG	TTTCCTCGGT	TTCCCTCTGG	TAACTTGTT	GGGCTATCTG	CTTACTTTG	2940
TTAAAAAGGG	CTTCGGTAAG	ATAGCTATTG	CTATTCATT	GTTCTTGCT	CTTATTATTG	3000
GGCTTAACTC	AATTCTTGTG	GGTTATCTCT	CTGATATTAG	CGCTCAATTA	CCCTCTGACT	3060
TTGTTCAGGG	TGTTCAGTTA	ATTCTCCGT	CTAATGCCCT	TCCCTGTTT	TATGTTATTG	3120
TCTCTGTAAA	GGCTGCTATT	TTCATTTTG	ACGTTAAACA	AAAAATCGTT	TCTTATTG	3180
ATTGGGATAA	ATAATATGGC	TGTTTATTG	GTAACTGGCA	AATTAGGCTC	TGGAAAGACG	3240
CTCGTTAGCG	TTGGTAAGAT	TCAGGATAAA	ATTGTAGCTG	GGTGC	AAAAT AGCAACTAAT	3300
CTTGATTAA	GGCTTCAAAAA	CCTCCCGCAA	GTCGGGAGGT	TCGCTAAAC	GCCTCGCGTT	3360
CTTAGAATAC	CGGATAAGCC	TTCTATATCT	GATTTGCTTG	CTATTGGCG	CGGTAATGAT	3420
TCCTACGATG	AAAATAAAA	CGGCTTGCTT	GTTCTCGATG	AGTGC	GGTAC TTGGTTAAT	3480
ACCCGTTCTT	GGAATGATAA	GGAAAGACAG	CCGATTATTG	ATTGGTTCT	ACATGCTCGT	3540
AAATTAGGAT	GGGATATTAT	TTTCTTGTT	CAGGACTTAT	CTATTGTTGA	TAAACAGGCG	3600
CGTTCTGCAT	TAGCTGAACA	TGTTGTTAT	TGTCGTCGTC	TGGACAGAAT	TACTTACCT	3660
TTTGTGGTA	CTTTATATTC	TCTTATTACT	GGCTCGAAA	TGCCTCTGCC	TAAATTACAT	3720
GTTGGCGTTG	TTAAATATGG	CGATTCTCAA	TTAAGCCCTA	CTGTTGAGCG	TTGGCTTTAT	3780
ACTGGTAAGA	ATTGTATAA	CGCATATGAT	ACTAAACAGG	CTTTTCTAG	TAATTATGAT	3840
TCCGGTGT	TTTCTTATT	AACGCCCTAT	TTATCACACG	GTG	GGTATT CAAACCATT	3900
AATTTAGGTC	AGAAGATGAA	GCTTACTAAA	ATATATTGA	AAAAGTTTTC	ACGGTTCTT	3960
TGTCTTGC	TTGGATTG	ATCAGCATT	ACATATAGTT	ATATAACCCA	ACCTAACCG	4020
GAGGTTAAA	AGGTAGTCTC	TCAGACCTAT	GATTTGATA	AATTCACTAT	TGACTCTTCT	4080
CAGCGTCTTA	ATCTAAGCTA	TCGCTATGTT	TTCAAGGATT	CTAAGGAAA	ATTAATTAA	4140
AGCGACGATT	TACAGAAGCA	AGGTTATTCA	CTCACATATA	TTGATTATG	TACTGTTCC	4200
ATTAAAAAG	GTAATTCAA	TGAAATTGTT	AAATGTAATT	AATTTGTTT	TCTTGATGTT	4260
TGTTTCATCA	TCTTCTTTG	CTCAGGTAAT	TGAAATGAAT	AATTGCCCTC	TGCGCGATT	4320
TGTAACCTGG	TATTCAAAGC	AATCAGGCGA	ATCCGTTATT	GTTCTCCCG	ATGAAAAGG	4380
TACTGTTACT	GTATATTCA	CTGACGTTAA	ACCTGAAAAT	CTACGCAATT	TCTTATTTC	4440
TGTTTACGT	GCTAATAATT	TTGATATGGT	TGGTTCAATT	CCTTCCATAA	TTCAGAAGTA	4500
TAATCCAAAC	AATCAGGATT	ATATTGATGA	ATTGCCATCA	TCTGATAATC	AGGAATATGA	4560
TGATAATTCC	GCTCCTCTG	GTGGTTCTT	TGTCGCAA	AATGATAATG	TTACTCAAAC	4620
TTTTAAAATT	AATAACGTT	GGGCAAAGGA	TTAATACGA	GTTGTCGAAT	TGTTGTAAA	4680
GTCTAAACT	TCTAAATCCT	CAAATGTATT	ATCTATTGAC	GGCTCTAATC	TATTAGTTGT	4740
TAGTGCACCT	AAAGATATT	TAGATAACCT	TCCTCAATT	CTTTCTACTG	TTGATTGCC	4800

AACTGACCAAG ATATTGATTG AGGGTTGAT ATTTGAGGTT CAGCAAGGTG ATGCTT	4860
AGA TTTTCATTT GCTGCTGGCT CTCAGCGTGG CACTGTTGCA GGCGGTGTTA ATACTGACCG	4920
CCTCACCTCT GTTTTATCTT CTGCTGGTGG TTCTGTTGGT ATTGTTAACATG GCGATGTTT	4980
AGGGCTATCA GTTCGCGCAT TAAAGACTAA TAGCCATTCA AAAATATTGT CTGTGCCACG	5040
TATTCTTACG CTTTCAGGTC AGAAGGGTTC TATCTCTGTT GGCCAGAATG TCCCCTTTAT	5100
TACTGGTCGT GTGACTGGTG AATCTGCCAA TGTAATAAT CCATTCAGA CGATTGAGCG	5160
TCAAAATGTA GGTATTTCCA TGAGCGTTT TCCTGTTGCA ATGGCTGGCG GTAATATTGT	5220
TCTGGATATT ACCAGCAAGG CCGATAGTTT GAGTTCTCT ACTCAGGCAA GTGATGTTAT	5280
TACTAATCAA AGAAGTATTG CTACAACGGT TAATTTGCGT GATGGACAGA CTCTTTACT	5340
CGGTGGCCTC ACTGATTATA AAAACACTTC TCAAGATTCT GGCGTACCGT TCCTGTCTAA	5400
AATCCCTTTA ATCGGCCTCC TGTTTAGCTC CCGCTCTGAT TCCAACGAGG AAAGCACGTT	5460
ATACGTGCTC GTCAAAGCAA CCATAGTACG CGCCCTGTAG CGGCGCATTAA AGCGCGGCCG	5520
GTGTGGTGGT TACGCGCAGC GTGACCGCTA CACTTGCCAG CGCCCTAGCG CCCGCTCCTT	5580
TCGCTTCTT CCCTTCCTT CTCGCCACGT TCGCCGGCTT TCCCCGTCAA GCTCTAAATC	5640
GGGGGCTCCC TTTAGGGTTC CGATTAGTG CTTTACGGCA CCTCGACCCCC AAAAAACTTG	5700
ATTTGGGTGA TGGTTCACGT AGTGGGCCAT CGCCCTGATA GACGGTTTT CGCCCTTTGA	5760
CGTTGGAGTC CACGTTCTT AATAGTGGAC TCTTGTCCA AACTGGAACA ACACCTAAC	5820
CTATCTCGGG CTATTCTTT GATTATAAG GGATTTGCC GATTTCGGAA CCACCATCAA	5880
ACAGGATTT CGCCTGCTGG GGCAAACCAAG CGTGGACCCGC TTGCTGCAAC TCTCTCAGGG	5940
CCAGGGCGTG AAGGGCAATC AGCTGTTGCC CGTCTCGCTG GTGAAAAGAA AAACCACCT	6000
GGCGCCCAAT ACGCAAACCG CCTCTCCCCG CGCGTTGGCC GATTICATTAA TGCAGCTGGC	6060
ACGACAGGTT TCCCGACTGG AAAGCGGGCA GTGAGCGCAA CGCAATTAAAT GTGAGTTAGC	6120
TCACTCATTAA GGCACCCAG GCTTACACT TTATGCTTCC GGCTCGTATG TTGTGTGGAA	6180
TTGTGAGCGG ATAACAATTT CACACGCCAA GGAGACAGTC ATAATGAAAT ACCTATTGCC	6240
TACGGCAGCC GCTGGATTGT TATTACTCGC TGCCCAACCA GCCATGGCCG AGCTCGTGAT	6300
GACCCAGACT CCAGATATCC AACAGGAATG AGTGTAAATT CTAGAACGCG TCACTTGGCA	6360
CTGGCCGTCG TTTTACAACG TCGTGAUTGG GAAAACCCCTG GCGTTACCCA AGCTTAATCG	6420
CCTTGCAGAA TTCCCTTTCG CCAGCTGGCG TAATAGCGAA GAGGGCCGCA CCGATCGCCC	6480
TTCCCAACAG TTGCGCAGCC TGAATGGCGA ATGGCGCTT GCCTGGTTTC CGGCACCAAGA	6540
AGCGGTGCCG GAAAGCTGGC TGGAGTGCAGA TCTTCCTGAG GCCGATACGG TCGTCGTCCC	6600
CTCAAACCTGG CAGATGCAGG GTTACGATGC GCCCATCTAC ACCAACGTAA CCTATCCCAC	6660
TACGGTCAAT CCGCCGTTTG TTCCCAACGGAA GAATCCGACG GGTTGTTACT CGCTCACATT	6720
TAATGTTGAT GAAAGCTGGC TACAGGAAGG CCAGACGCCA ATTATTTTG ATGGCGTTCC	6780
TATTGGTTAA AAAATGAGCT GATTTAACAA AAATTTAACG CGAATTTAA CAAAATATTA	6840

ACGTTTACAA TTTAAATATT TGCTTATACA ATCTTCCTGT	TTTGGGGCT TTTCTGATTA	6900
TCAACCGGGG TACATATGAT TGACATGCTA GTTTTACGAT	TACCGTTCAT CGATTCTCTT	6960
GTTTGCTCCA GACTCTCAGG CAATGACCTG ATAGCCTTG	TAGATCTCTC AAAAATAGCT	7020
ACCCCTCTCCG GCATTAATT ATTCAAGCTAGA ACGGTTGAAT	ATCATATTGA TGGTGATTG	7080
ACTGTCTCCG GCCTTTCTCA CCCTTTGAA TCTTACCTA	CACATTACTC AGGCATTGCA	7140
TTTAAAATAT ATGAGGGTTC TAAAAAATTT TATCCTTGCG	TTGAAATAAA GGCTTCTCCC	7200
GCAAAAGTAT TACAGGGTCA TAATGTTTT GGTACAACCG	ATTTAGCTTT ATGCTCTGAG	7260
GCTTTATTGC TTAATTTCGC TAATTCTTG CCTTGCTGT	ATGATTATT GGATGTT	7317

(2) INFORMATION FOR SEQ ID NO:3:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 7729 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: both
 - (D) TOPOLOGY: circular

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

AATGCTACTA CTATTAGTAG AATTGATGCC ACCTTTCAAG	CTCGCGCCCC AAATGAAAAT	60
ATAGCTAAC AGGTTATTGA CCATTGCGA AATGTATCTA	ATGGTCAAAC TAAATCTACT	120
CGTTCGCAGA ATTGGGAATC AACTGTTACA TCCAATGAAA	CTTCCAGACA CCGTACTTTA	180
GTTGCATATT TAAAACATGT TGAGCTACAG CACCAAGATT	AGCAATTAAG CTCTAAGCCA	240
TCTGCAAAAA TGACCTCTTA TCAAAAGGAG CAATTAAAGG	TACTCTCTAA TCCTGACCTG	300
TTGGAGTTTG CTTCCGGTCT GGTTCCCTTT GAAGCTCGAA	TTAAAACCGG ATATTGAAAG	360
TCTTTCGGGC TTCCCTCTTAA TCTTTTGAT GCAATCCGCT	TTGCTCTGA CTATAATAGT	420
CAGGGTAAAG ACCTGATTT TGATTATGG TCATTCTCGT	TTTCTGAAC GTTTAAAGCA	480
TTTGAGGGGG ATTCAATGAA TATTTATGAC GATTCCGCA	TATTGGACGC TATCCAGTCT	540
AAACATTCTTA CTATTACCCC CTCTGGCAAA ACTTCTTTG	CAAAAGCCTC TCGCTATT	600
GGTTTTATC GTCGTCTGGT AAACGAGGGT TATGATAGTG	TTGCTCTTAC TATGCCTCGT	660
AATTCCCTTT GGCGTTATGT ATCTGCATTA GTTGAATGTG	GTATTCTAA ATCTCAACTG	720
ATGAATCTT CTACCTGTAA TAATGTTGTT CCGTTAGTTC	GTTTTATTAA CGTAGATT	780
TCTTCCCAAC GTCCCTGACTG GTATAATGAG CCAGTTCTTA	AAATCGCATA AGGTAATTCA	840
CAATGATTAA AGTTGAAATT AAACCATCTC AAGCCCAATT	TACTACTCGT TCTGGTGT	900
CTCGTCAGGG CAAGCCTTAT TCACGTGAATG AGCAGCTTG	TTACGTTGAT TTGGGTAATG	960
AATATCCGGT TCTTGTCAAG ATTACTCTTG ATGAAGGTCA	GCCAGCCTAT GCGCCTGGTC	1020
TGTACACCGT TCATCTGTCC TCTTCAAAG TTGGTCAGTT	CGGTTCCCTT ATGATTGACC	1080
GTCTGCCCT CGTTCCGGCT AAGTAACATG GAGCAGGTGG	CGGATTTCGA CACAATTAT	1140
CAGGCGATGA TACAAATCTC CGTTGTACTT TGTTTCGCC	TTGGTATAAT CGCTGGGGGT	1200

CAAAGATGAG	TGTTTTAGTG	TATTCTTCG	CCTCTTCGT	TTTAGGTTGG	TGCCTCGTA	1260
GTGGCATTAC	GTATTTACC	CGTTAATGG	AAAC	CCCTC	ATGAAAAAGT	1320
CAAAGCCTCT	GTAGCCGTG	CTACCCCTCGT	TCC	TGCTG	TCTTCGCTG	1380
CGATCCCGCA	AAAGCGGCCT	TTAACTCCCT	GCAAGCCTCA	GCGACCGAAT	ATATCGGTTA	1440
TGCGTGGCG	ATGGTTGTG	TCATTGTCCG	CGCAACTATC	GGTATCAAGC	TGTTTAAGAA	1500
ATTCACCTCG	AAAGCAAGCT	GATAAACCGA	TACAATTAAA	GGCTCCTTT	GGAGCCTTT	1560
TTTTGGAGA	TTTCAACGT	GAAAAAATTA	TTATTCGCAA	TTCCCTTAGT	TGTTCCCTTC	1620
TATTCTCACT	CCGCTGAAAC	TGTTGAAAGT	TGTTTAGCAA	AACCCCATA	AGAAAATTCA	1680
TTTACTAACG	TCTGGAAAGA	CGACAAA	ACTAGATCGT	ACGCTAACTA	TGAGGGTTGT	1740
CTGTGGAATG	CTACAGGC	GTAGTTGT	ACTGGTGACG	AAACTCAGT	TTACGGTACA	1800
TGGGTTCTA	TTGGGCTTG	TATCCCTGAA	AATGAGGGTG	GTGGCTCTGA	GGGTGGCGGT	1860
TCTGAGGGTG	GCGGTTCTGA	GGGTGGCGGT	ACTAAACCTC	CTGAGTACGG	TGATACACCT	1920
ATTCCGGGCT	ATACTTATAT	CAACCCTCTC	GACGGCACTT	ATCCGCCTGG	TACTGAGCAA	1980
AACCCCGCTA	ATCCTAATCC	TTCTCTTGAG	GAGTCTCAGC	CTCTTAATAC	TTTCATGTT	2040
CAGAATAATA	GGTTCCGAAA	TAGGCAGGGG	GCATTAACTG	TTTATACGGG	CACTGTTACT	2100
CAAGGCACTG	ACCCCGTTAA	AACTTATTAC	CAGTACACTC	CTGTATCATC	AAAAGCCATG	2160
TATGACGCTT	ACTGGAACGG	TAAATTCAAGA	GAUTGCGCTT	TCCATTCTGG	CTTTAATGAA	2220
GATCCATTG	TTTGTGAATA	TCAAGGCCAA	TCGTCTGACC	TGCCTCAACC	TCCTGTCAAT	2280
GCTGGCGGG	GCTCTGGTGG	TGGTTCTGGT	GGCGGCTCTG	AGGGTGGTGG	CTCTGAGGGT	2340
GGCGGTTCTG	AGGGTGGCGG	CTCTGAGGGA	GGCGGTTCCG	GTGGTGGCTC	TGGTTCCGGT	2400
GATTTGATT	ATGAAAAGAT	GGCAAACGCT	AATAAGGGGG	CTATGACCGA	AAATGCCGAT	2460
AAAAACGCC	TACAGTCTGA	CGCTAAAGGC	AAACTTGATT	CTGTCGCTAC	TGATTACGGT	2520
GCTGCTATCG	ATGGTTTCAT	TGGTGACGTT	TCCGGCCTTG	CTAATGGTAA	TGGTGCTACT	2580
GGTGATTTG	CTGGCTCTAA	TTCCCCAAATG	GCTCAAGTCG	GTGACGGTGA	TAATTCACCT	2640
TTAATGAATA	ATTTCCGTCA	ATATTTACCT	TCCCTCCCTC	AATCGGTTGA	ATGTCGCCCT	2700
TTTGTCTTTA	GGCCTGGTAA	ACCATATGAA	TTTTCTATTG	ATTGTGACAA	AATAAAACTTA	2760
TTCCCGTGGT	TCTTTATAT	GTTGCCACCT	TTATGTATGT	ATTTCTACG		2820
TTTGCTAAC	TACTGCGTAA	TAAGGAGTCT	TAATCATGCC	AGTTCTTTG	GGTATTCCGT	2880
TATTATTGCG	TTCCCTCGGT	TTCCCTCTGG	TAACCTTGTT	CGGCTATCTG	CTTACTTTTC	2940
TTAAAAAGGG	CTTCGGTAAG	ATAGCTATTG	CTATTCATT	GTTCCTTGCT	CTTATTATTG	3000
GGCTTAACTC	AATTCTTGTG	GGTTATCTCT	CTGATATTAG	CGCTCAATT	CCCTCTGACT	3060
TTGTTCAAGG	TGTTCAAGTTA	ATTCTCCCGT	CTAATGCGCT	TCCCTGTTT	TATGTTATT	3120
TCTCTGTAAA	GGCTGCTATT	TTCATTTTG	ACGTTAAACA	AAAAATCGTT	TCTTATTG	3180
ATTGGGATAA	ATAATATGGC	TGTTTATTTT	GTAACTGGCA	AATTAGGCTC	TGGAAAGACG	3240

CTCGTTAGCG TTGGTAAGAT TCAGGATAAA ATTGTAGCTG GGTGCAAAAT AGCAACTAAT	3300
CTTGATTTAA GGCTTCAAAA CCTCCCGCAA GTCGGGAGGT TCGCTAAAAC GCCTCGCGTT	3360
CTTAGAATAC CGGATAAGCC TTCTATATCT GATTTGCTTG CTATTGGGCG CGGTAATGAT	3420
TCCTACGATG AAAATAAAAA CGGCTTGCTT GTTCTCGATG AGTGCAGTAC TTGGTTTAAT	3480
ACCCGTTCTT GGAATGATAA GGAAAGACAG CCGATTATTG ATTGGTTCT ACATGCTCGT	3540
AAATTAGGAT GGGATATTAT TTTCTTGTT CAGGACTTAT CTATTGTTGA TAAACAGGCG	3600
CGTTCTGCAT TAGCTGAACA TGTTGTTAT TGTCGTCGTC TGGACAGAAT TACTTTACCT	3660
TTTGTGGTA CTTTATATTTC TCTTATTACT GGCTCGAAAA TGCCCTTGCC TAAATTACAT	3720
GTTGGCGTTG TTAAATATGG CGATTCTCAA TTAAGCCCTA CTGTTGAGCG TTGGCTTTAT	3780
ACTGGTAAGA ATTTGTATAA CGCATATGAT ACTAACACAGG CTTTTCTAG TAATTATGAT	3840
TCCGGTGTGTT ATTCTTATTTC AACGCCCTAT TTATCACACG GTCGGTATTT CAAACCATTAA	3900
AATTAGGTC AGAAGATGAA GCTTACTAAA ATATATTGA AAAAGTTTC AC CGTTCTT	3960
TGTCTTGGGA TTGGATTTGC ATCAGCATT ACATATAGTT ATATAACCCA ACCTAACCG	4020
GAGGTTAAAA AGGTAGTCTC TCAGACCTAT GATTTGATA AATTCACTAT TGACTCTTCT	4080
CAGCGTCTTA ATCTAAGCTA TCGCTATGTT TTCAAGGATT CTAAGGGAAA ATTAATTAAT	4140
AGCGACGATT TACAGAAGCA AGGTTATTCA CTCACATATA TTGATTTATG TACTGTTCC	4200
ATTAAAAAAAG GTAATTCAA TGAAATTGTT AAATGTAATT AATTGTTTT TCTTGATGTT	4260
TGTTTCATCA TCTTCTTTG CTCAGGTAAT TGAAATGAAT AATTGCCCTC TCCGCGATTT	4320
TGTAACCTGG TATTCAAAGC AATCAGCGA ATCCGTTATT GTTCTCCCG ATGAAAAGG	4380
TACTGTTACT GTATATTCAT CTGACGTTAA ACCTGAAAAT CTACGGAATT TCTTATTT	4440
TGTTTACGT GCTAATAATT TTGATATGGT TGGTTCAATT CCTTCATAA TTCAGAAGTA	4500
TAATCCAAAC AATCAGGATT ATATTGATGA ATTGCCATCA TCTGATAATC AGGAATATGA	4560
TGATAATTCC GCTCCTCTG GTGGTTCTT TGTTCCGCAA AATGATAATG TTACTCAAAC	4620
TTTTAAAATT AATAACGTTG GGGCAAAGGA TTTAATACGA GTTGTGAAT TGTTGTAAA	4680
GTCTAAACT TCTAAATCCT CAAATGTATT ATCTATTGAC GGCTCTAAC TATTAGTTGT	4740
TAGTGCACCT AAAGATATT TAGATAACCT CCCTCAATTCTTCTACTG TTGATTTGCC	4800
AACTGACCAG ATATTGATTG AGGGTTGAT ATTTGAGGTT CAGCAAGGTG ATGCTTACA	4860
TTTTTCATTT GCTGCTGGCT CTCAGCGTGG CACTGTTGCA GGCGGTGTTA ATACTGACCG	4920
CCTCACCTCT GTTTATCTT CTGCTGGTGG TTGTTCCGGT ATTTTAATG GCGATGTTTT	4980
AGGGCTATCA GTTCGCGCAT TAAAGACTAA TAGCCATTCA AAAATATTGT CTGTGCCACG	5040
TATTCTTACG CTTTCAGGTC AGAAGGGTIC TATCTCTGTT GGCCAGAATG TCCCTTTAT	5100
TACTGGTCGT GTGACTGGTG AATCTGCCAA TGAAATAAT CCATTCAGA CGATTGAGCG	5160
TCAAAATGTA GGTATTTCCA TGAGCGTTT TCCTGTTGCA ATGGCTGGCG GTAATATTGT	5220
TCTGGATATT ACCAGCAAGG CCGATAGTTT GAGTTCTTCT ACTCAGGCAA GTGATGTTAT	5280

5.3

TACTAATCAA AGAAAGTATTG CTACAACGGT TAATTGCGT GATGGACAGA CTCTTTACT	5340
CGGTGGCCTC ACTGATTATA AAAACACTTC TCAAGATTCT GGCGTACCGT TCCTGTCTAA	5400
AATCCCTTA ATCGGCCTCC TGTTAGCTC CCGCTCTGAT TCCAACGAGG AAAGCACGTT	5460
ATACGTGCTC GTCAAAGCAA CCATAGTACG CGCCCTGTAG CGGCCGCATTA AGCGCGGCCG	5520
GTGTGGTGGT TACGCCAGC GTGACCGCTA CACTTGCCAG CGCCCTAGCG CCCGCTCCTT	5580
TCGCTTTCTT CCCTTCCTT CTCGCCACGT TCGCCGGCTT TCCCCGTCAA GCTCTAAATC	5640
GGGGGCTCCC TTTAGGGTTC CGATTAGTG CTTTACGGCA CCTCGACCCC AAAAAACTTG	5700
ATTTGGGTGA TGGTTCACGT AGTGGGCCAT CGCCCTGATA GACGGTTTT CGCCCTTGA	5760
CGTTGGAGTC CACGTTCTT AATAGTGGAC TCTTGTTCGA AACTGGAACA ACACCTAAC	5820
CTATCTCGGG CTATTCTTT GATTATAAG GGATTTGCC GATTTCGGAA CCACCATCAA	5880
ACAGGATTTT CGCCTGCTGG GGCAAACCCAG CGTGGACCCG TTGCTGCAAC TCTCTCAGGG	5940
CCAGGGGTG AAGGGCAATC AGCTGTTGCC CGTCTCGCTG GTGAAAAGAA AAACCACCC	6000
GGCGCCCAAT ACGCAAACCG CCTCTCCCCG CGCGTTGCC GATTCAATTAA TGCAGCTGGC	6060
ACGACAGGTT TCCCGACTGG AAAGCGGGCA GTGAGCGCAA CGCAATTAAAT GTGAGTTAGC	6120
TCACTCATTA GGCACCCAG GCTTACACT TTATGCTTCC GGCTCGTATG TTGTGTGGAA	6180
TTGTGAGCGG ATAACAATT T CACACCGTC ACTTGGCACT GGCGTCGTT TTACAACGTC	6240
GTGACTGGGA AAACCCCTGGC GTTACCCAAG CTTGTACAT GGAGAAAATA AAGTGAAC	6300
AAGCACTATT GCACTGGCAC TCTTACCGTT ACTGTTACC CCTGTGGCAA AAGCCCAGGT	6360
CCAGCTGCTC GAGTCGGTCT TCCCCCTGGC ACCCTCCTCC AAGAGCACCT CTGGGGGCAC	6420
AGCGGCCCTG GGCTGCCTGG TCAAGACTAA TTCCCCGAAC CGGTGACGGT GTCGTGGAAC	6480
TCAGGCGCCC TGACCAGCGG CGTGCACACC TTCCCGGCTG TCCTACAGTC CTCAGGACTC	6540
TACTCCCTCA GCAGCGTGGT GACCGTGCC TCCAGCAGCT TGGGCACCCA GACCTACATC	6600
TGCAACGTGA ATCACAAGCC CAGAACACCC AAGGTGGACA AGAAAGCAGA GCCCAAATCT	6660
TGTACTAGTG GATCCTACCC GTACCGACGTT CC ACTAGG CTTCTTAGGC TGAAGGGAT	6720
GACCCCTGCTA AGGCTGCATT CAATAGTTA CAGGCAACTG CTACTGAGTA CATTGGCTAC	6780
GCTTGGGCTA TGGTAGTAGT TATACTGGT GCTACCATAG GGATTAATT ATTCAAAAG	6840
TTTACGAGCA AGGCTCTTA AGCAATAGCG AAGAGGCCCG CACCGATCGC CCTTCCCAAC	6900
AGTTGCGCAG CCTGAATGGC GAATGGCGCT TTGCCTGGTT TCCGGCACCA GAAGCGGTGC	6960
CGGAAAGCTG GCTGGAGTGC GATCTCCTG AGGCCGATAC GGTCGTCGTC CCCTCAAAC	7020
GGCAGATGCA CGGTTACGAT GCGCCCATCT ACACCAACGT AACCTATCCC ATTACGGTCA	7080
ATCCGCCGTT TGTTCCCACG GAGAATCCGA CGGGTTGTTA CTCGCTCACA TTTAATGTIG	7140
ATGAAAGCTG GCTACAGGAA GGCCAGACGC GAATTATTT TGATGGCGTT CCTATTGGTT	7200
AAAAAATGAG CTGATTTAAC AAAAATTAA CGCGAATTAA AACAAAATAT TAACGTTAC	7260
AATTAAATA TTTGCTTATA CAATCTCCT GTTTTGGGG CTTTCTGAT TATCAACCGG	7320

GGTACATATG ATTGACATGC TAGTTTACG ATTACCGITC ATCGATTCTC TTGTTTGCTC	7380
CAGACTCTCA GGCAATGACC TGATAGCCTT TGTAGATCTC TCAAAAATAG CTACCCCTCTC	7440
CGGCATTAAT TTATCAGCTA GAACGGTTGA ATATCATATT GATGGTGATT TGACTGTCTC	7500
CGGCCTTCT CACCCCTTTG AATCTTAC TACACATTAC TCAGGCATTG CATTAAAT	7560
ATATGAGGGT TCTAAAAATT TTTATCCTTG CGTTGAAATA AAGGCTTCTC CCGCAAAAGT	7620
ATTACAGGGT CATAATGTTT TTGGTACAAC CGATTTAGCT TTATGCTCTG AGGCTTTATT	7680
GCTTAATTT GCTAATTCTT TGCCTTGCCT GTATGATTAA TTGGACGTT	7729

(2) INFORMATION FOR SEQ ID NO:4:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 7557 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: both
 - (D) TOPOLOGY: circular

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

AATGCTACTA CTATTAGTAG AATTGATGCC ACCTTTCAAG CTCGGCCCC AAATGAAAAT	60
ATAGCTAAC AGGTTATTGA CCATTGCGA AATGTATCTA ATGGTCAAAC TAAATCTACT	120
CGTCGCAGA ATTGGGAATC AACTGTTACA TGGAATGAAA CTTCCAGACA CCGTACTTTA	180
GTTGCATATT TAAAACATGT TGAGCTACAG CACCAAGATTG AGCAATTAAG CTCTAAGCCA	240
TCCGCAAAAA TGACCTCTTA TCAAAAGGAG CAATTAAAGG TACTCTCTAA TCCTGACCTG	300
TTGGAGTTG CTTCCGGTCT GGTTCGCTTT GAAGCTCGAA TTAAAACGCG ATATTTGAAG	360
TCTTCGGGC TTCCTCTTAA TCTTTTGAT GCAATCCGCT TTGCTTCTGA CTATAATAGT	420
CAGGGTAAAG ACCTGATTT TGATTATGG TCATTCTCGT TTTCTGAACG GTTAAAGCA	480
TTTGAGGGGG ATTCAATGAA TATTATGAC GATTCCGGAG TATTGGACGC TATCCAGTCT	540
AAACATTTA CTATTACCCC CTCTGGAAA ACTTCTTTG CAAAAGCCTC TCGCTATTT	600
GGTTTTATC GTCGTCTGGT AAACGAGGGT TATGATAGTG TTGCTCTAC TATGCCTCGT	660
AATTCCCTTT GGCGTTATGT ATCTGCATTA GTTGAATGTG GTATTCTAA ATCTCAACTG	720
ATGAATCTTT CTACCTGTAA TAATGTTGTT CCGTTAGTTG GTTTTATTAA CGTAGATTAA	780
TCTTCCCAAC GTCCTGACTG GTATAATGAG CCAGTTCTTA AAATCGCATA AGGTAATTCA	840
CAATGATTAA AGTTGAAATT AAACCATCTC AAGCCGAATT TACTACTCGT TCTGGTGT	900
CTCGTCAGGG CAAGCCTTAT TCACTGAATG AGCAGCTTG TTACGTTGAT TTGGGTAATG	960
AATATCCGGT TCTTGTCAAG ATTACTCTTG ATGAAGGTCA GCCAGCCTAT GCGCCTGGTC	1020
TGTACACCGT TCATCTGTCC TCTTCAAAG TTGGTCAGTT CGGTTCCCTT ATGATTGACC	1080
GTCTGGCCT CGTTCCGGCT AAGTAACATG GAGCAGGTGCG CGGATTCGA CACAATTAT	1140
CAGGCGATGA TACAAATCTC CGTTGTACTT TGTTTCGGC TTGGTATAAT CGCTGGGGT	1200
- CAAAGATGAG TGTTTAGTG TATTCTTCG CCTCTTCGT TTTAGGTTGG TGCCTTCGTA	1260

GTGGCATTAC GTATTTACC CGTTAATGG AAACCTCCTC ATGAAAAAGT CTTTAGTCCT	1320
CAAAGCCTCT GTAGCCGTTG CTACCCCTCGT TCCGATGCTG TCTTCGCTG CTGAGGGTGA	1380
CGATCCCGCA AAAGCGGCCT TTAACTCCCT GCAAGCCTCA GCGACCGAAT ATATCGGTTA	1440
TGCGTGGCG ATGGTTGTTG TCATTGTCGG CGCAACTATC GGTATCAAGC TGTTAACGAA	1500
ATTCACCTCG AAAGCAAGCT GATAAACCGA TACAATTAAA GGCTCCTTT GGAGCCTTT	1560
TTTTGGAGA TTTTCAACGT GAAAAAATTA TTATTCGAA TTCCTTAGT TGTCCTTTC	1620
TATTCTCACT CCGCTGAAAC TGTTGAAAGT TGTTAGCAA AACCCCATAAC AGAAAATTCA	1680
TTTACTAACG TCTGGAAAGA CGACAAAAGT TTAGATCGTT ACGCTAACTA TGAGGGTTGT	1740
CTGTGGAATG CTACAGGGCT TGAGTGGTACT GACTGGTGACG AAACCTCAGTG TTACGGTACA	1800
TGGGTTCTA TTGGGCTTGC TATCCCTGAA AATGAGGGTG GTGGCTCTGA GGGTGGCGGT	1860
TCTGAGGGTG GCGGTTCTGA GGGTGGCGGT ACTAAACCTC CTGAGTACGG TGATACACCT	1920
ATTCCGGGCT ATACTTATAT CAACCCCTCTC GACGGCACTT ATCCGCCTGG TACTGAGCAA	1980
AACCCCGCTA ATCCTAATCC TTCTCTTGAG GAGTCTCAGC CTCTTAATAC TTTCATGTTT	2040
CAGAATAATA GGTTCCGAAA TAGGCAGGGG GCATTAACGT TTTATACGGG CACTGTTACT	2100
CAAGGCACGT ACCCCGTTAA AACTTATTAC CAGTACACTC CTGTATCATC AAAAGCCATG	2160
TATGACGCTT ACTGGAACGG TAAATTCAGA GACTGCGCTT TCCATTCTGG CTTTAATGAA	2220
GATCCATTCTG TTTGTGAATA TCAAGGCCAA TCGTCTGACC TGCCCTCAACC TCCTGTCAAT	2280
GCTGGCGGCG GCTCTGGTGG TGGTTCTGGT GGCGGCTCTG AGGGTGGTGG CTCTGAGGGT	2340
GGCGGTTCTG AGGGTGGCGG CTCTGAGGGA GGCGGTTCCG GTGGTGGCTC TGTTCCGGT	2400
GATTTGATT ATGAAAAGAT GGCAAACGCT AATAAGGGG CTATGACCGA AAATGCCGAT	2460
GAAAACGCGC TACAGTCTGA CGCTAAAGGC AAACCTGATT CTGTCGCTAC TGATTACGGT	2520
GCTGCTATCG ATGGTTTCAT TGGTGACGTT TCCGGCCTTG CTAATGGTAA TGGTGCTACT	2580
GGTGATTTG CTGGCTCTAA TTCCCAAATG GCTCAAGTCG GTGACGGTGA TAATTCACCT	2640
TTAATGAATA ATTTCCGTCA ATATTACCT TCCCTCCCTC AATCGGTTGA ATGTCGCCCT	2700
TTTGTCTTTA GCGCTGGTAA ACCATATGAA TTTTCTATTG ATTGTGACAA AATAAAACTTA	2760
TTCCGTGGTG TCTTTCTGTT TCTTTATAT GTTGCCACCT TTATGTATGT ATTTCTACG	2820
TTTGCTAACAA TACTGCGTAA TAAGGAGTCT TAATCATGCC AGTTCTTTG GGTATTCCGT	2880
TATTATTGCG TTCCCTCGGT TTCCCTCTGG TAACTTTGTT CGGCTATCTG CTTACTTTTC	2940
TTAAAAAGGG CTTCGGTAAG ATAGCTATTG CCTGTTCTT GCTCTTATTA TTGGGCTTAA	3000
CTCAATTCTT GTGGGTTATC TCTCTGATAT TAGCGCTCAA TTACCCCTCTG ACTTTGTTCA	3060
GGGTGTTCAAG TTAATTCTCC CGTCTAATGC GCTTCCCTGT TTTTATGTTA TTCTCTCTGT	3120
AAAGGCTGCT ATTTTCATT TTGACGTTAA ACAAAAAATC GTTTCTTATT TGGATTGGGA	3180
TAAATAATAT GGCTGTTTAT TTTGTAACGT GCAAATTAGG CTCTGGAAAG ACGCTCGTTA	3240
GGGTGGTAA GATTCAAGGAT AAAATTGTAG CTGGGTGCAA AATAGCAACT AATCTTGATT	3300

TAAGGCTTCA	AAACCTCCCG	CAAGTCGGGA	GGTCGCTAA	AACGCCCTCGC	GTTCTTAGAA	3360
TACCGGATAA	GCCTTCTATA	TCTGATTTCG	TTGCTATTGG	GCGCGGTAAT	GATTCCCTACG	3420
ATGAAAATAA	AAACGGCTTG	CTTGGTCTCG	ATGAGTGC GG	TACTTGGTTT	AATAACCGTT	3480
CTTGGAAATGA	TAAGGAAAGA	CAGCCGATTA	TTGATTGGTT	TCTACATGCT	CGTAAATTAG	3540
GATGGGATAT	TATTTTCCTT	GTTCAGGACT	TATCTATTGT	TGATAAACAG	GCGCGTTCTG	3600
CATTAGCTGA	ACATGTTGTT	TATTGTCGTC	GTCTGGACAG	AATTACTTTA	CCTTTGTCG	3660
GTACTTTATA	TTCTCTTATT	ACTGGCTCGA	AAATGCCTCT	GCCTAAATTAA	CATGTTGGCG	3720
TTGTTAAATA	TGGCGATTCT	CAATTAAGCC	CTACTGTTGA	GCGTTGGCTT	TATACTGGTA	3780
AGAATTTGTA	TAACGCATAT	GATACTAAC	AGGCTTTTC	TAGTAATTAT	GATTCCGGTG	3840
TTTATTCTTA	TTAACGCCT	TATTATCAC	ACGGTCGGTA	TTTCAAACCA	TTAAATTAG	3900
GTCAGAAGAT	GAAGCTTACT	AAAATATATT	TGAAAAAGTT	TTCACCGCGTT	CTTTGTCTG	3960
CGATTGGATT	TGCATCAGCA	TTTACATATA	GTTATATAAC	CCAACCTAAG	CCGGAGGTTA	4020
AAAAGGTAGT	CTCTCAGACC	TATGATTTG	ATAAATTAC	TATTGACTCT	TCTCAGCGTC	4080
TTAACCTAAG	CTATCGCTAT	GTTCACAGG	ATTCTAAGGG	AAAATTAATT	AATAGCGACG	4140
ATTTACAGAA	GCAAGGTTAT	TCACTCACAT	ATATTGATTT	ATGTACTGTT	TCCATTAAAA	4200
AAGGTAATTC	AAATGAAATT	GTTAAATGTA	ATTAATTITG	TTTCTTGAT	GTTCGTTCA	4260
TCATCTCTT	TTGCTCAGGT	AATTGAAATG	AATAATTCCG	CTCTCGCGA	TTTGTAACT	4320
TGGTATTCAA	AGCAATCAGG	CGAATCCGTT	ATTGTTCTC	CCGATGTAAA	AGGTACTGTT	4380
ACTGTATATT	CATCTGACGT	AAACCTGAA	AATCTACGCA	ATTTCTTAT	TTCTGTTTA	4440
CGTGCTAATA	ATTTGATAT	GGTTGGTTCA	ATTCCCTCCA	TAATTCAAGAA	GTATAATCCA	4500
AACAATCAGG	ATTATATTGA	TGAATTGCCA	TCATCTGATA	ATCAGGAATA	TGATGATAAT	4560
TCCGCTCCTT	CTGGTGGTTT	CTTTGTTCCG	CAAAATGATA	ATGTTACTCA	AACTTTAAA	4620
ATTAATAACG	TTCGGGCAAA	GGATTAAATA	CGAGTTGTCG	AATTGTTGT	AAAGTCTAAT	4680
ACTTCTAAAT	CCTCAAATGT	ATTATCTATT	GACGGCTCTA	ATCTATTAGT	TGTTAGTGCA	4740
CCTAAAGATA	TTTTAGATAA	CCTTCCTCAA	TTCCCTTCTA	CTGTTGATTT	GCCAACTGAC	4800
CAGATATTGA	TTGAGGGTTT	GATATTGAG	GTTCAGCAAG	GTGATGCTTT	AGATTTTCA	4860
TTTGCTGCTG	GCTCTCAGCG	TGGCACTGTT	GCAGGCGGTG	TTAATACTGA	CCGCCTCACC	4920
TCTGTTTAT	CTTCTGCTGG	TGGTCGTTC	GGTATTTTA	ATGGCGATGT	TTTAGGGCTA	4980
TCAGTTCGCG	CATTAAGAC	TAATAGCCAT	TCAAAAATAT	TGTCTGTGCC	ACGTATTCTT	5040
ACGCTTCAG	GTCAGAAGGG	TTCTATCTCT	GTTGCCAGA	ATGTCCCTTT	TATTACTGGT	5100
CGTGTGACTG	GTGAATCTGC	CAATGAAAT	AATCCATTTC	AGACGATTGA	GCGTCAAAAT	5160
GTAGGTATTT	CCATGAGCGT	TTTCCTGTT	GCAATGGCTG	GCGGTAATAT	TGTTCTGGAT	5220
ATTACCAAGCA	AGGCCGATAG	TTTGAGTTCT	TCTACTCAGG	CAAGTGATGT	TATTACTAAT	5280
CAAAGAAGTA	TTGCTACAAAC	GGTTAATTG	CGTGATGGAC	AGACTCTTT	ACTCGGTGGC	5340

CTCACTGATT ATAAAAACAC TTCTCAAGA ⁻	TCTGGCGTAC CGTTCCGTGTC TAAAATCCCT	5400
TTAACCGGCC TCCTGTTAG CTCCCGCTCT GATTCCAACG AGGAAAGCAC GTTATAACGTG		5460
CTCGTCAAAG CAACCATAAGT ACGCCGCCCTG TAGCGGCCGA TTAAGCGCCG CGGGTGTGGT		5520
GGTTACGCGC AGCGTGACCC CTACACTTGC CAGCGCCCTA GCGCCCGCTC CTTTCGCTTT		5580
CTTCCCTTCC TTTCTCGCCA CGTTCCGCCG CTTTCCCCGT CAACCTCTAA ATCGGGGGCT		5640
CCCTTAGGG TTCCGATTAA GTGCTTACG GCACCTCGAC CCCAAAAAAC TTGATTTGGG		5700
TGATGGTTCA CGTAGTGGGC CATCGCCCTG ATAGACGGTT TTTCCGCCCT TGACGTTGGA		5760
GTCCACGTTTC TTTAATAGTG GACTCTTGTG CCAAACCTGGA ACAACACTCA ACCCTATCTC		5820
GGGCTATTCT TTTGATTTAT AAGGGATTTT GCCGATTTCG GAACCACCAT CAAACAGGAT		5880
TTTCGCCCTGC TGGGGCAAAC CAGCGTGGAC CGCTTGCTGC AACTCTCTCA GGGCCAGGCG		5940
GTGAAGGGCA ATCAGCTGTT GCCCCGCTCG CTGGTGAAAA GAAAAACAC CCTGGCGCCC		6000
AATACGCAA CCGCCTCTCC CCGCCGTTG GCCGATTCAT TAATGCAGCT GGACGACAG		6060
GTTTCCGAC TGGAAAGCGG GCAGTGAGCG CAACGCAATT AATGTGAGTT AGCTCA		6120
TTAGGCACCC CAGGCTTTAC ACTTTATGCT TCCGGCTCGT ATGTTGTGTG GAATTGAG		6180
CGGATAACAA TTTCACACGC CAAGGAGACA GTCATAATGA AATACCTATT GCCTACGGCA		6240
GCCGCTGGAT TGTTATTACT CGCTGCCAA CCAGCCATGG CCGAGCTCTT CCCGCCATCT		6300
GATGAGCAGT TGAAATCTGG AACTGCCTCT GTTGTGTGCC TGCTGAATAA CTTCTATCCC		6360
AGAGAGGCCA AAGTACAGTG GAAGGTGGAT AACGCCCTCC AATGGGTAA CTCCCAGGAG		6420
AGTGTACAG AGCAGGACAG CAAGGACAGC ACCTACAGCC TCAGCAGCAC CCTGACGCTG		6480
AGCAAAGCAG ACTACGAGAA ACACAAAGTC TACGCCCTGCG AAGTCACCCCA TCAGGGCCTG		6540
AGCTCGCCCG TCACAAAGAG CTTCAACAGG GGAGAGTGTGTT CTAGAACGCG TCACCTGGCA		6600
CTGGCCGCTCG TTTTACAACGG TCGTACTGG GAAAACCCCTG CGCTTACCCCA AGCTTAATCG		6660
CCTTGCAGAA TTCCCTTTCG CCAGCTGGCG TAATAGCGAA GAGGCCCGCA CCGATCGCCC		6720
TTCCCAACAG TTGCGCAGCC TGAATGGCGA ATGGCGCTTT GCCTGGTTTC CGGCACCAAGA		6780
AGCGGTGCCG GAAAGCTGGC TGGAGTGCAGA TCTTCCTGAG GCCGATAACGG TCGTCGTCCC		6840
CTCAAACCTGG CAGATGCACG GTTACGATGC GCCCATCTAC ACCAACGTAA CCTATCCCAT		6900
TACGGTCAAT CCGCCGTTTG TTCCCACCGA GAATCCGACG GGTTGTTACT CGCTCACATT		6960
TAATGTTGAT GAAAGCTGGC TACAGGAAGG CCAGACGCGA ATTATTTTG ATGGCGTTCC		7020
TATTGGTTAA AAAATGAGCT GATTTAACAA AAATTTAACG CGAATTTAA CAAAATATTA		7080
ACGTTACAA TTTAAATATT TGCTTATACA ATCTTCCTGT TTTTGGGGCT TTTCTGATTA		7140
TCAACCGGGG TACATATGAT TGACATGCTA GTTTTACGAT TACCGTTCAT CGATTCTCTT		7200
GTTTGCTCCA GACTCTCAGG CAATGACCTG ATAGCCTTGC TAGATCTCTC AAAAATAGCT		7260
ACCCTCTCCG GCATTAATTG ATCAGCTAGA ACGGTTGAAT ATCATATTGA TGGTGATTG		7320
ACTGTCTCCG GCCTTTCTCA CCCTTTGAA TCTTTACCTA CACATTACTC AGGCATTGCA		7380

TTTAAAATAT ATGAGGGTTC TAAAAAATT TTACCTTGCG TTGAAATAAA GGCTTCTCCC	7440
GCAAAAGTAT TACAGGGTCA TAATGTTTT GGTACAACCG ATTTAGCTT ATGCTCTGAG	7500
GCTTTATTGC TTAATTTGC TAATTCTTG CCTTGCCTGT ATGATTATT GGATGTT	7557

(2) INFORMATION FOR SEQ ID NO:5:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 8118 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: both
 - (D) TOPOLOGY: circular

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

AATGCTACTA CTATTAGTAG AATTGATGCC ACCTTTCAAG CTCGCGCCCC AAATGAAAAT	60
ATAGCTAAC AGGTTATTGA CCATTGCGA AATGTATCTA ATGGTCAAAC TAAATCTACT	120
CGTTCCGAGA ATTGGGAATC AACTGTTACA TGGAATGAAA CTTCCAGACA CCGTACTTTA	180
GTTGCATATT TAAAACATGT TGAGCTACAG CACCAGATT AGCAATTAAG CTCTAAGCCA	240
TCTGCAAAAA TGACCTCTTA TCAAAAGGAG CAATTAAAGG TACTCTCTAA TCCTGACCTG	300
TTGGAGTTG CTTCCGGTCT GGTTCGCTT GAAGCTCGAA TTAAAACGCG ATATTGAAAG	360
TCTTCCGGC TTCTCTTAA TCTTTTGAT GCAATCCGCT TTGCTCTGA CTATAATAGT	420
CAGGGTAAAG ACCTGATTT TGATTATGG TCATTCTCGT TTTCTGAAC GTTTAAAGCA	480
TTTGAGGGGG ATTCAATGAA TATTATGAC GATTCCGGAG TATTGGACGC TATCCAGTCT	540
AAACATTTA CTATTACCCC CTCTGGAAA ACTTCTTTG CAAAAGCCTC TCGCTATT	600
GGTTTTATC GTCGTCTGGT AAACGAGGGT TATGATAGTG TTGCTCTTAC TATGCCTCGT	660
AATTCTTTT GGCGTTATGT ATCTGCATTA GTTGAATGTG GTATTCTAA ATCTCAACTG	720
ATGAATCTTT CTACCTGTAA TAATGTTGTT CCGTTAGTTC GTTTTATTAA CGTAGATT	780
TCTTCCCAAC GTCCTGACTG GTATAATGAG CCAGTTCTTA AAATCGCATA AGGTAATTCA	840
CAATGATTAA AGTTGAAATT AAACCATCTC AAGCCCAATT TACTACTCGT TCTGGTGT	900
CTCGTCAGGG CAAGCCTTAT TCACTGAATG AGCAGCTTG TTACGTTGAT TTGGGTAATG	960
AATATCCGGT TCTTGTCAAG ATTACTCTTG ATGAAGGTCA GCCAGCCTAT GCGCCTGGTC	1020
TGTACACCGT TCATCTGTCC TCTTCAAAG TTGGTCAGTT CGGTTCCCTT ATGATTGACC	1080
GTCTGGCCT CGTTCCGGCT AAGTAACATG GAGCAGGTG CGGATTCGA CACAATTAT	1140
CAGGCGATGA TACAAATCTC CGTTGTACTT TGTTCCGGC TTGGTATAAT CGCTGGGGT	1200
CAAAGATGAG TGTTTAGTG TATTCTTCG CCTCTTCGT TTTAGGTTGG TGCCCTCGTA	1260
GTGGCATTAC GTATTTACC CGTTTAATGG AAACCTCCTC ATGAAAAAGT CTTTAGTCCT	1320
CAAAGCCTCT GTAGCCGTTG CTACCCCTCGT TCCGATGCTG TCTTCGCTG CTGAGGGTGA	1380
CGATCCCGCA AAAGCGGCCT TAAACTCCCT GCAAGCCTCA GCGACCGAAT ATATCGGTTA	1440
TGCGTGGCG ATGGTTGTTG TCATTGTCGG CGCAACTATC GGTATCAAGC TGTTAAGAA	1500

ATTCACCTCG	AAAGCAAGCT	GATAAACCGA	TACAATTAAA	GGCTCCTTT	GGAGCCTTT	1560
TTTTGGAGA	TTTCAACGT	GAAAAAATTA	TTATTCGCAA	TTCCCTTAGT	TGTCCTTTC	1620
TATTCTCACT	CCGCTGAAAC	TGTTGAAAGT	TGTTTAGCAA	AACCCCATAAC	AGAAAATTCA	1680
TTTACTAACG	TCTGGAAAGA	CGACAAAAC	TTAGATCGTT	ACGCTAACTA	TGAGGGTTGT	1740
CTGTGGAATG	CTACAGGCCT	TGTAGTTGT	ACTGGTGACG	AAACTCAGTG	TTACGGTACA	1800
TGGGTTCTA	TTGGGCTTGC	TATCCCTGAA	AATGAGGGTG	GTGGCTCTGA	GGGTGGCGGT	1860
TCTGAGGGTG	GCGGTTCTGA	GGGTGGCGGT	ACTAAACCTC	CTGACTACGG	TGATACACCT	1920
ATTCCCCGCT	ATACTTATAT	CAACCCCTCTC	GACGGCACTT	ATCCGCCTGG	TACTGAGCAA	1980
AACCCCGCTA	ATCCTAATCC	TTCTCTTGAG	GAGTCTCAGC	CTCTTAATAC	TTTCATGTTT	2040
CAGAATAATA	GGTTCCGAAA	TAGGCAGGGG	GCATTAACGT	TTTATACGGG	CACTGTTACT	2100
CAAGGCACTG	ACCCCGTTAA	AACTTATTAC	CACTACACTC	CTGTATCATC	AAAAGCCATG	2160
TATGACGCTT	ACTGGAACGG	TAAATTCAAGA	GAUTGCGCTT	TCCATTCTGG	CTTTAATGAA	2220
GATCCATTCTG	TTTGTGAATA	TCAAGGCCAA	TCGTCTGACC	TGCCTCAACC	TCCTGTCAAT	2280
GCTGGCGCG	GCTCTGGTGG	TGGTTCTGGT	GGCGGCTCTG	AGGGTGGTGG	CTCTGAGGGT	2340
GGCGGTTCTG	AGGGTGGCGG	CTCTGAGGGA	GGCGGTTCCG	GTGGTGGCTC	TGGTTCCGGT	2400
GATTTGATT	ATGAAAAGAT	GGCAAACGCT	AATAAGGGG	CTATGACCGA	AAATGCCGAT	2460
GAAAACCGCG	TACAGTCTGA	CGCTAAAGGC	AAACTTGATT	CTGTCGCTAC	TGATTACGGT	2520
GCTGCTATCG	ATGGTTTCAT	TGGTGACGTT	TCCGGCCTTG	CTAATGGTAA	TGGTGCTACT	2580
GGTGATTTG	CTGGCTCTAA	TTCCCAAATG	GCTCAAGTCG	GTGACGGTGA	TAATTCACCT	2640
TTAATGAATA	ATTTCCGTCA	ATATTACCT	TCCCTCCCTC	AATCGGTGA	ATGTCGCCCT	2700
TTTGTCTTTA	GCGCTGGTAA	ACCATATGAA	TTTCTATTG	ATTGTGACAA	AATAAACTTA	2760
TTCCGTGGTG	TCTTTCGTT	TCTTTATAT	GTTGCCACCT	TTATGTATGT	ATTTCTACG	2820
TTTGCTAAC	TACTGCGTAA	TAAGGAGTCT	TAATCATGCC	AGTTCTTTG	GGTATTCCGT	2880
TATTATTGCG	TTCCCTCGGT	TTCCCTCTGG	TAACCTTGTG	CGGCTATCTG	CTTACTTTTC	2940
TTAAAAAGGG	CTTCGGTAAG	ATAGCTATTG	CTATTCATT	GTTCTTGCT	CTTATTATTG	3000
GGCTTAACTC	AATTCTTGTG	GGTTATCTCT	CTGATATTAG	CGCTCAATT	CCCTCTGACT	3060
TTGTTCAAGG	TGTTCAAGTTA	ATTCTCCGT	CTAATGCGCT	TCCCTGTTT	TATGTTATTC	3120
TCTCTGTAAA	GGCTGCTATT	TTGATTTTG	ACGTTAAACA	AAAAATCGTT	TCTTATTG	3180
ATTGGGATAA	ATAATATGGC	TGTTTATTGTT	GTAACTGGCA	AATTAGGCTC	TGGAAAGACG	3240
CTCGTTAGCG	TTGGTAAGAT	TCAGGATAAA	ATTGTAGCTG	GGTGCAAAAT	AGCAACTAAT	3300
CTTGATTTAA	GGCTCAAAA	CCTCCCGCAA	GTCGGGAGGT	TCGCTAAAC	GCCTCGCGTT	3360
CTTAGAATAC	CGGATAAGCC	TTCTATATCT	GATTGCTTG	CTATTGGCG	CGGTAATGAT	3420
TCCTACGATG	AAAATAAAAA	CGGCTTGCTT	GTTCTCGATG	AGTGCAGGTAC	TTGGTTAAT	3480
ACCCGTTCTT	GGAATGATAA	GGAAAGACAG	CCGATTATTG	ATTGGTTCT	ACATGCTCGT	3540

AAATTAGGAT GGGATATTAT TTTCTTGTT CAGGACTTAT CTATTGTTGA TAAACAGGCG	3600
CGTTCTGCAT TAGCTGAACA TGTTGTTAT TGTCGTCGTC TGGACAGAAT TACTTTACCT	3660
TTTGTGGTA CTTTATATTTC TCTTATTACT GGCTCGAAAA TGCCTCTGCC TAAATTACAT	3720
GTTGGCGTTG TTAAATATGG CGATTCTCAA TTAAGCCCTA CTGTTGAGCG TTGGCTTTAT	3780
ACTGGTAAGA ATTTGTATAA CGCATATGAT ACTAACACAGG CTTTTCTAG TAATTATGAT	3840
TCCGGTGTTC ATTCTTATTT AACGCCCTAT TTATCACACG GTCGGTATTT CAAACCATTA	3900
AATTAGGTC AGAAGATGAA GCTTACTAAA ATATATTGA AAAAGTTTC ACGCCTCTT	3960
TGTCTTGCAG TTGGATTGC ATCAGCATT ACATATAGTT ATATAACCCA ACCTAACCG	4020
GAGGTTAAAA AGGTAGTCTC TCAGACCTAT GATTTGATA AATTCACTAT TGAECTTCT	4080
CAGCGTCTTA ATCTAAGCTA TCGCTATGTT TTCAAGGATT CTAAGGGAAA ATTAATTAAT	4140
AGCGACGATT TACAGAAGCA AGGTTATTCA CTCACATATA TTGATTTATG TACTGTTCC	4200
ATTAAAAAAAG GTAATTCAAA TGAAATTGTT AAATGTAATT AATTTGTTT TCTTGATGTT	4260
TGTTTCATCA TCTTCTTTG CTCAGGTAAT TGAAATGAAT AATTGCCCTC TGCGCGATTT	4320
TGTAACCTGG TATTCAAAGC AATCAGGCGA ATCCGTTATT GTTTCTCCCG ATGTAAAAGG	4380
TACTGTTACT GTATATTCACT CTGACGTTAA ACCTGAAAAT CTACGCAATT TCTTTATTT	4440
TGTTTACGT CCTAATAATT TTGATATGGT TGGITCAATT CCTTCCATAA TTCAGAAGTA	4500
TAATCCAAAC AATCAGGATT ATATTGATGA ATTGCCATCA TCTGATAATC AGGAATATGA	4560
TGATAATTCC GCTCCTTCTG GTGGTTCTT TGTTCCGCAA AATGATAATG TTACTCAAAC	4620
TTTTAAAATT AATAACGTTG GGGCAAAGGA TTTAATACGA GTTGTGAAAT TGTTGTTAA	4680
GTCTAATACT TCTAAATCCT CAAATGTATT ATCTATTGAC GGCTCTAAC TATTAGTTGT	4740
TAGTGCACCT AAAGATATT TAGATAACCT TCCTCAATTC CTTTCTACTG TTGATTTGCC	4800
AACTGACCAG ATATTGATTG AGGGTTTGAT ATTTGAGGTT CAGCAAGGTG ATGCTTTAGA	4860
TTTTTCATTT GCTGCTGGCT CTCAGCGTGG CACTGTTGCA GGCGGTGTTA ATACTGACCG	4920
CCTCACCTCT GTTTTATCTT CTGCTGGTGG TTGCTTCGGT ATTTTAATG GCGATGTTTT	4980
AGGGCTATCA GTTCGCGCAT TAAAGACTAA TAGCCATTCA AAAATATTGT CTGTGCCACG	5040
TATTCTTACG CTTTCAGGTC AGAAGGGTTC TATCTCTGTT GGCCAGAACATC TCCCTTTAT	5100
TAATGGTCGT GTGACTGGTG AATCTGCCAA TGTAAATAAT CCATTCAGA CGATTGAGCG	5160
TCAAAATGTA GGTATTTCCA TGAGCGTTT TCCTGTTGCA ATGGCTGGCG GTAATATTGT	5220
TCTGGATATT ACCAGGAAGG CCGATAGTTT GAGTTCTCT ACTCAGGCAA GTGATGTTAT	5280
TACTAATCAA AGAAGTATTG CTACAACGGT TAATTGCGT GATGGACAGA CTCTTTACT	5340
CGGTGGCCTC ACTGATTATA AAAACACTTC TCAAGATTCT GGCGTACCGT TCCTGTCTAA	5400
AATCCCTTA ATCGGCCTCC TGTTTAGCTC CCGCTCTGAT TCCAACGAGG AAAGCACGTT	5460
ATACGTGCTC GTCAAAGCAA CCATAGTACG CGCCCTGTAG CGGGCATTAA AGCGCGGGGG	5520
GTGTGGTGGT TACGCGCAGC GTGACCGCTA CACTTGCCAG CGCCCTAGCG CCCGCTCCTT	5580

TCGCTTCTT CCCTCCCTT CTCGCCACGT TCGCCGGCTT TCCCCGTCAA GCTCTAAATC	5640
GGGGGCTCCC TTTAGGGTTC CGATTAGTG CTTAAGGCA CCTCGACCCC AAAAAACTTG	5700
ATTGGGTGA TGGTCACGT AGTGGCCAT CGCCCTGATA GACGGTTTT CGCCCTTGA	5760
CGTTGGAGTC CACGTTCTT AATAGTGGAC TCTTGTCCA AACTGGAACA ACACCTAAC	5820
CTATCTCGGG CTATTCTTT GATTATAAG GGATTTGCC GATTTCGGAA CCACCATCAA	5880
ACAGGATTT CGCCTGCTGG GGCAAACCGAG CGTGGACCGC TTGCTGCAAC TCTCTCAGGG	5940
CCAGGGGTG AAGGGCAATC AGCTGTTGCC CGTCTCGCTG GTGAAAAGAA AAACCACCC	6000
GGCGCCAAT ACGCAAACCG CCTCTCCCCG CGCGTTGGCC GATTCAATTAA TGCAGCTGGC	6060
ACGACAGGTT TCCCGACTGG AAAGGGGCA GTGAGGCCAA CGCAATTAAAT GTGAGTTAGC	6120
TCACTCATTA GGCACCCCCAG GCTTACACT TTATGCTTCC GGCTCGTATG TTGTGTGGAA	6180
TTGTGAGCGG ATAACAATT CACACGCCAA GGAGACAGTC ATAATGAAAT ACCTATTGCC	6240
TACGGCAGCC GCTGGATTGT TATTACTCGC TGCCCAACCA GCCATGGCCG AGCTCTTCCC	6300
GCCATCTGAT GAGCAGTTGA AATCTGGAAC TGCCTCTGTT GTGTGCCTGC TGAATAACTT	6360
CTATCCCAGA GAGGCCAAAG TACAGTGGAA GGTGGATAAC GCCCTCCAAT CGGGTAAC	6420
CCAGGAGAGT GTCACAGAGC AGGACAGCAA GGACAGCACC TACAGCCTCA GCAGCACCC	6480
GACGCTGAGC AAAGCAGACT ACGAGAAACA CAAAGTCTAC GCCTGCGAAG TCACCCATCA	6540
GGGCCTGAGC TCGCCCGTCA CAAAGAGCTT CAACAGGGGA GAGTGTCTA GAACGGTCA	6600
CTTGGCACTG CCCGTCGTTT TACAACGTCG TGACTGGAA AACCCCTGGCG TTACCCAAGC	6660
TTTGTACATG GAGAAAATAA AGTGAACAA AGCACTATTG CACTGGCACT CTTACCGTTA	6720
CTGTTTACCC CTGTGGAAA AGCCGCTCC ACCAAGGGCC CATCGGTCTT CCCCCCTGGCA	6780
CCCTCCTCCA AGAGCACCTC TGGGGCACA GCGGCCCTGG GCTGCCCTGGT CAAGACTAAT	6840
TCCCCGAACC GGTGACGGTG TCGTGGAACT CAGGGCCCT GACCAGCGGC GTGCACACCT	6900
TCCCCTGCTGT CCTACAGTCC TCAGGACTCT ACTCCCTCAG CAGCGTGGTG ACCGTGCC	6960
CCAGCAGCTT GGGCACCCAG ACCTACATCT GCAACGTGAA TCACAAGCCC AGCAACACCA	7020
AGGTGGACAA GAAAGCAGAG CCCAAATCTT GTACTAGTGG ATCCTACCCG TACGACGTT	7080
CGGACTACGC TTCTTAGGCT GAAGGGATG ACCCTGCTAA GGCTGCATTG AATAGTTAC	7140
AGGCAAGTGC TACTGAGTAC ATTGGCTACG CTTGGCTAT GGTAGTAGTT ATAGTTGGTG	7200
CTACCATAGG GATTAAATTAA TTCAAAAAGT TTACGAGCAA GGCTTCTTAA GCAATAGCGA	7260
AGAGGCCCGC ACCGATCGCC CTTCCAACA GTTGCAGC CTGAATGGCG AATGGCGCTT	7320
TGCCCTGGTTT CCGGCACCAAG AAGCGGTGCC GGAAAGCTGG CTGGAGTGC ATCTTCTGA	7380
GGCCGATACG GTCGTCGTCC CCTCAAACG GCAGATGCAC GGTTACGATG CGCCCATCTA	7440
CACCAACGTA ACCTATCCCA TTACGGTCAA TCCGCCGTTT GTTCCCACGG AGAATCCGAC	7500
GGGTTGTTAC TCGCTCACAT TTAATGTTGA TGAAAGCTGG CTACAGGAAG GCCAGACGCC	7560
AATTATTTT GATGGCGTTC CTATTGGTTA AAAATGAGC TGATTAAACA AAAATTTAAC	7620

GCGAATTTA ACAAAATATT AACGTTACA ATTTAAATAT TTGCTTATAC AATCTTCCTG	7680
TTTTGGGGC TTTTCTGATT ATCAACGGGG GTACATATGA TTGACATGCT AGTTTAGGA	7740
TTACCGTTCA TCGATTCTCT TGTTTGCTCC AGACTCTAG GCAATGACCT GATAAGCCTT	7800
GTAGATCTCT CAAAAATAGC TACCCTCTCC GGCATTAATT TATCAGCTAG AACGGTTGAA	7860
TATCATATTG ATGGTGATTG GACTGTCCTCC GGCCTTTCTC ACCCTTTGA ATCTTACCT	7920
ACACATTACT CAGGCATTGC ATTTAAAATA TATGAGGGTT CTAAAAATT TTATCCTTGC	7980
GTTGAAATAA AGGCTTCTCC CGCAAAAGTA TTACAGGGTC ATAATGTTT TGGTACAACC	8040
GATTTAGCTT TATGCTCTGA GGCTTTATTG CTTAATTG CTAATTCTT GCCTTGCCTG	8100
TATGATTAT TGGACGTT	8118

(2) INFORMATION FOR SEQ ID NO:6:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 22 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ix) FEATURE:

- (A) NAME/KEY: misc_difference
- (B) LOCATION: replace(5, "")
- (D) OTHER INFORMATION: /note- "S REPRESENTS EQUAL MIXTURE OF G AND C"

(ix) FEATURE:

- (A) NAME/KEY: misc_difference
- (B) LOCATION: replace(6, "")
- (D) OTHER INFORMATION: /note- "M REPRESENTS EQUAL MIXTURE OF A AND C"

(ix) FEATURE:

- (A) NAME/KEY: misc_difference
- (B) LOCATION: replace(8, "")
- (D) OTHER INFORMATION: /note- "R REPRESENTS EQUAL MIXTURE OF A AND G"

(ix) FEATURE:

- (A) NAME/KEY: misc_difference
- (B) LOCATION: replace(11, "")
- (D) OTHER INFORMATION: /note- "K REPRESENTS EQUAL MIXTURE OF G AND T"

(ix) FEATURE:

- (A) NAME/KEY: misc_difference
- (B) LOCATION: replace(20, "")
- (D) OTHER INFORMATION: /note- "W REPRESENTS EQUAL MIXTURE OF A AND T"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

AGGTSMARCT KCTCGAGTCW GG

(2) INFORMATION FOR SEQ ID NO:7:

- (i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 22 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:

AGGTCCAGCT GCTCGAGTCT GG

22

(2) INFORMATION FOR SEQ ID NO:8:

- (i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 22 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

AGGTCCAGCT GCTCGAGTCA GG

22

(2) INFORMATION FOR SEQ ID NO:9:

- (i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 22 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:

AGGTCCAGCT TCTCGAGTCT GG

22

(2) INFORMATION FOR SEQ ID NO:10:

- (i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 22 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:

AGGTCCAGCT TCTCGAGTCA GG

22

(2) INFORMATION FOR SEQ ID NO:11:

- (i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 22 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:

AGGTCCAAC T GCTCGAGTCT GG

22

(2) INFORMATION FOR SEQ ID NO:12:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 22 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:

AGGTCCAAC T GCTCGAGTCA GG

22

(2) INFORMATION FOR SEQ ID NO:13:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 22 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:

AGGTCCAAC T CT CGAGTCT GG

22

(2) INFORMATION FOR SEQ ID NO:14:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 22 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:

AGGTCCAAC T CT CGAGTCA GG

22

(2) INFORMATION FOR SEQ ID NO:15:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 22 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ix) FEATURE:

- (A) NAME/KEY: misc_difference
- (B) LOCATION: replace(5..6, "")
- (D) OTHER INFORMATION: /note= "N=INOSINE"

(ix) FEATURE:

- (A) NAME/KEY: misc_difference
- (B) LOCATION: replace(8, "")
- (D) OTHER INFORMATION: /note= "N=INOSINE"

(ix) FEATURE:

- (A) NAME/KEY: misc_difference
- (B) LOCATION: replace(11, "")
- (D) OTHER INFORMATION: /note= "N=INOSINE"

(ix) FEATURE:

- (A) NAME/KEY: misc_difference
- (B) LOCATION: replace(20, "")
- (D) OTHER INFORMATION: /note= "W REPRESENTS EQUAL MIXTURE OF A AND T"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:15:

AGGTNNANCT NCTCGAGTCW GG

22

(2) INFORMATION FOR SEQ ID NO:16:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 38 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:16:

CTATTAAC TA GTAACGGTAA CAGTGGTGCC TTGCCCCA

38

(2) INFORMATION FOR SEQ ID NO:17:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 30 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:17:

AGGCTTACTA GTACAATCCC TGGGCACAAT

30

(2) INFORMATION FOR SEQ ID NO:18:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 32 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:18:

CCAGTTCCGA GCTCGTTGTG ACTCAGGAAT CT

32

(2) INFORMATION FOR SEQ ID NO:19:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 32 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:19:

CCAGTTCCGA GCTCGTGTG ACGCAGCCGC CC

32

(2) INFORMATION FOR SEQ ID NO:20:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 32 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:20:

CCAGTTCCGA GCTCGTGCTC ACCCAGTCTC CA

32

(2) INFORMATION FOR SEQ ID NO:21:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 32 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:21:

CCAGTTCCGA CCTCCAGATG ACCCAGTCTC CA

32

(2) INFORMATION FOR SEQ ID NO:22:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 32 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:22:

CCAGATGTGA GCTCGTGATG ACCCAGACTC CA

32

(2) INFORMATION FOR SEQ ID NO:23:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 32 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:23:

CCAGATGTGA GCTCGTCATG ACCCAGTCTC CA

32

(2) INFORMATION FOR SEQ ID NO:24:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 32 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:24:

CCAGTTCCGA GCTCGTGATG ACACAGTCTC CA

32

(2) INFORMATION FOR SEQ ID NO:25:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 32 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:25:

GCAGCATTCT AGAGTTTCAG CTCCAGCTTG CC

32

(2) INFORMATION FOR SEQ ID NO:26:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 34 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:26:

GCGCCGTCTA GAATTAACAC TCATTCTGT TGAA

34

(2) INFORMATION FOR SEQ ID NO:27:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 37 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:27:

GATCCTAGGC TGAAGGGCAT GACCTTGCTA AGGCTGC

37

(2) INFORMATION FOR SEQ ID NO:28:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 35 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:28:

ATTCAATAGT TTACAGGCCAA GTGCTACTGA GTACA

35

(2) INFORMATION FOR SEQ ID NO:29:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 35 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:29:

TTGGCTACGC TTGGGCTATG GTAGTAGTTA TAGTT

35

(2) INFORMATION FOR SEQ ID NO:30:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 35 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:30:

GGTGCTACCA TAGGGATTAA ATTATTCAAA AAGTT

35

(2) INFORMATION FOR SEQ ID NO:31:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 18 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:31:

TACGAGCAAG GCTTCTTA

18

(2) INFORMATION FOR SEQ ID NO:32:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 39 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:32:

AGCTTAAGAA GCCTTGCTCG TAAACTTTT GAATAATT

39

(2) INFORMATION FOR SEQ ID NO:33:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 36 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:33:

AATCCCTATG GTAGCACCAA CTATAACTAC TACCAT

36

(2) INFORMATION FOR SEQ ID NO:34:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 35 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:34:

AGCCAAGCG TAGCCAATGT ACTCACTAGC ACTTG

35

(2) INFORMATION FOR SEQ ID NO:35:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 34 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:35:

CCTGTAA~~CT~~ ATTGAATGCA GCCTTAGCAG GGTC

34

(2) INFORMATION FOR SEQ ID NO:36:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 16 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:36:

ATCGCCTTCA GCCTAG

16

(2) INFORMATION FOR SEQ ID NO:37:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 21 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:37:

CATTTTGCA GATGGCTTAG A

21

(2) INFORMATION FOR SEQ ID NO:38:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 18 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:38:

TAGCATTAAAC GTCCAATA

18

(2) INFORMATION FOR SEQ ID NO:39:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 26 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:39:

ATATATTTTA GTAAGCTTCA TCTTCT

26

(2) INFORMATION FOR SEQ ID NO:40:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 23 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:40:

GACAAAGAAC CGGTGAAAAC TTT

23

(2) INFORMATION FOR SEQ ID NO:41:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 35 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:41:

GCGGGCCTCT TCGCTATTGC TTAAGAAGCC TTGCT

35

(2) INFORMATION FOR SEQ ID NO:42:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 43 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:42:

AAACGACGGC CAGTGCCAAG TGACCGTGT GAAATTGTTA TCC

43

(2) INFORMATION FOR SEQ ID NO:43:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 43 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:43:

GGCGAAAGGG AATTCTGCAA GGCGATTAAG CTTGGGTAAAC GCC

43

(2) INFORMATION FOR SEQ ID NO:44:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 36 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:44:

GGCGTTACCC AAGCTTGTA CATGGAGAAA ATAAAG

36

(2) INFORMATION FOR SEQ ID NO:45:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 42 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:45:

TGAAACAAAG CACTATTGCA CTGGCACTCT TACCGTTACC GT

42

(2) INFORMATION FOR SEQ ID NO:46:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 42 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:46:

TACTGTTTAC CCCTGTGACA AAAGCCGCC AGGTCCAGCT GC

42

(2) INFORMATION FOR SEQ ID NO:47:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 44 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:47:

TCGAGTCAGG CCTATTGTGC CCAGGGATTG TACTAGTGGA TCCG

44

(2) INFORMATION FOR SEQ ID NO:48:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 38 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:48:

TGGCGAAAGG GAATTCCGGAT CCACTAGTAC AATCCCTG

38

(2) INFORMATION FOR SEQ ID NO:49:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 42 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:49:

GGCACAAATAG GCCTGACTCG AGCAGCTGGA CCAGGGCGGC TT

42

(2) INFORMATION FOR SEQ ID NO:50:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 42 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:50:

TTGTACAGG GGTAAACAGT AACGGTAACG GTAAGTGTGC CA

42

(2) INFORMATION FOR SEQ ID NO:51:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 42 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:51:

GTGCAATAGT GCTTGTTTC ACTTATTTT CTCCATGTAC AA

42

(2) INFORMATION FOR SEQ ID NO:52:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 21 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:52:

TAACGGTAAG AGTGCCAGTG C

21

(2) INFORMATION FOR SEQ ID NO:53:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 32 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:53:

CACCTTCATG AATTGGCAA GGAGACAGTC AT

32

(2) INFORMATION FOR SEQ ID NO:54:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 22 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:54:

AATTGGCAA GGAGACAGTC AT

22

(2) INFORMATION FOR SEQ ID NO:55:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 39 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:55:

AATGAAATACTTATTGCCTA CGGCAGCCGC TGGATTGTT

39

(2) INFORMATION FOR SEQ ID NO:56:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 39 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:56:

ATTACTCGCT GCCCAACCAG CCATGGCCGA GCTCGTGAT

39

(2) INFORMATION FOR SEQ ID NO:57:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 39 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:57:

GACCCAGACT CCAGATATCC AACAGGAATG AGTGTAAAT

39

(2) INFORMATION FOR SEQ ID NO:58:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 13 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:58:

TCTAGAACGC GTC

13

(2) INFORMATION FOR SEQ ID NO:59:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 45 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:59:

TTCAGGTTGA AGCTTACGCG TTCTAGAATT AACACTCATT CCTGT

45

(2) INFORMATION FOR SEQ ID NO:60:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 39 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:60:

TGGATATCTG GAGTCTGGGT CATCACGAGC TCGGCCATG

39

(2) INFORMATION FOR SEQ ID NO:61:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 39 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

75

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:61:

GCTGGTTGGG CAGCGAGTAA TAACAATCCA GCGGCTGCC

39

(2) INFORMATION FOR SEQ ID NO:62:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 37 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:62:

GTAGGCAATA GGTATTTCAT TATGACTGTC CTTGGCG

37

(2) INFORMATION FOR SEQ ID NO:63:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 30 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:63:

TGACTGTCTC CTTGGCGTGT GAAATTGTTA

30

(2) INFORMATION FOR SEQ ID NO:64:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 36 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:64:

TAACACTCAT TCCGGATGGA ATTCTGGAGT CTGGGT

36

(2) INFORMATION FOR SEQ ID NO:65:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 24 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:65:

GCCAGTGCCA AGTGACGCGT TCTA

24

(2) INFORMATION FOR SEQ ID NO:66:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 26 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:66:

ATATAATTAA GTAAGCTTCA TCTTCT

26

(2) INFORMATION FOR SEQ ID NO:67:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 23 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:67:

GACAAAGAAC CGGTGAAAAC TTT

23

(2) INFORMATION FOR SEQ ID NO:68:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 76 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:68:

CTGAACCTGT CTGGGACCAC AGTTGATGCT ATAGGATCAG ATCTAGAATT CATTAGAGA

60

CTGGCCTGGC TTCTGC

76

(2) INFORMATION FOR SEQ ID NO:69:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 80 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:69:

TCGACCGTTG GTAGGAATAA TGCAATTAAT GGAGTAGCTC TAAATTAGA ATTCACTAC

60

ACCCAGTGCA TCCAGTAGCT

80

(2) INFORMATION FOR SEQ ID NO:70:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 27 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:70:

GGTAAACAGT AACGGTAAGA GTGCCAG

27

(2) INFORMATION FOR SEQ ID NO:71:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 54 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:71:

CGCCTTCAGC CTAAGAACGG TAGTCCGGAA CGTCGTACGG GTAGGATCCA CTAG

54

(2) INFORMATION FOR SEQ ID NO:72:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 41 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:72:

CACCGGTTCG GGGATTAGT CTTGACCAGG CAGCCCAGGG C

41

(2) INFORMATION FOR SEQ ID NO:73:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 51 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:73:

ATTCCACACA TTATACGAGC CGGAAGCATA AAGTGTCAAG CCTGGGGTGC C

51

(2) INFORMATION FOR SEQ ID NO:74:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 42 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:74:

CTGCTCATCA GATGGCGGGA AGAGCTCGGC CATGGCTGGT TG

42

(2) INFORMATION FOR SEQ ID NO:75:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 42 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear

78

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:75:

GAACAGAGTG ACCGAGGGGG CGAGCTCGGC CATGGCTGGT TG

42

I Claim:

1. A composition of matter comprising a plurality of cells containing diverse combinations of first and second DNA sequences encoding first and second polypeptides which form heteromeric receptors, one or both 5 of said polypeptides being expressed as fusion proteins on the surface of a cell.

2. The composition of claim 1, wherein said plurality of cells are E. coli.

3. The composition of claim 1, wherein said heteromeric receptors selected from the group consisting of antibodies, T cell receptors, integrins, hormone receptors and transmitter receptors.

4. The composition of claim 1, wherein said first and second DNA sequences encode functional portions of heteromeric receptors.

5. The composition of claim 4, wherein said first and second DNA sequences encode functional portions of the variable heavy and variable light chains of an antibody.

6. The composition of claim 1, wherein said cell produces filamentous bacteriophage.

7. The composition of claim 6, wherein said filamentous bacteriophage are selected from the group consisting of M13, fd and f1.

8. The composition of claim 6, wherein at least one of the encoded first or second polypeptides is expressed as a fusion protein with gene VIII.

9. A kit for the preparation of vectors useful for the coexpression of two or more DNA sequences encoding polypeptides which form heteromeric receptors comprising two vectors, a first vector having two pairs of restriction sites symmetrically oriented about a cloning site which can be combined with a second vector, having two pairs of restriction sites symmetrically oriented about a cloning site and in an identical orientation to that of the first vector, wherein one or both vectors contains sequences necessary for expression of polypeptides encoded by DNA sequences inserted in said cloning sites.

10. The kit of claim 9, wherein said first and second vectors are circular.

11. The kit of claim 9, wherein said expression peptides is as fusion proteins on the surface of a cell.

12. The kit of claim 9, wherein said cell produces filamentous bacteriophage.

13. The kit of claim 9, wherein said filamentous bacteriophage is selected from the group consisting of M13, fd and f1.

14. The kit of claim 13, wherein at least one of the DNA sequences is expressed as a fusion protein with gene VIII.

15. The kit of claim 9, wherein said two pairs of restriction sites are Hind III-Mlu I and Hind III-Mlu I.

16. A cloning system for the coexpression of two or more DNA sequences encoding polypeptides which form a heteromeric receptor, comprising a set of first vectors having a diverse population of first DNA sequences and a 5 set of second vectors having a diverse population second DNA sequences, said first and second vectors having two pairs of restriction sites symmetrically oriented about a cloning site for containing said first and second populations of DNA sequences so as to allow only the 10 operational combination of vector sequences containing said first and second DNA sequences.

17. The cloning system of claim 16, wherein said first and second vectors are circular.

18. The cloning system of claim 16, wherein said heteromeric receptors selected from the group consisting of antibodies, T cell receptors, integrins, hormone receptors and transmitter receptors.

19. The cloning system of claim 16, wherein said first and second DNA sequences encode functional portions of heteromeric receptors.

20. The cloning system of claim 19, wherein said first and second DNA sequences encode functional portions of the variable heavy and variable light chains of an antibody.

21. The cloning system of claim 16, wherein said coexpression of two or more DNA sequences encoding polypeptides which form a heteromeric receptor is on the surface of cell.

22. The cloning system of claim 16, wherein said cell produces a filamentous bacteriophage.

23. The cloning system of claim 22 wherein said filamentous bacteriophage selected from the group consisting of M13, fd and fl.

24. The cloning system of claim 23, wherein at least one of the DNA sequences is expressed as a fusion protein with the protein product of gene VIII.

25. The cloning system of claim 16, wherein said two pairs of restriction sites are Hind III-Mlu I and Hind III-Mlu I.

26. A plurality of expression vectors containing a plurality of possible first and second DNA sequences encoding polypeptides which form a heteromeric receptor exhibiting binding activity toward a preselected molecule,
5 said DNA sequence encoding heteromeric receptors being operatively linked to genes encoding surface proteins of a cell.

27. The expression vectors of claim 26, wherein said expression vectors are circular.

28. The expression vectors of claim 23, wherein said heteromeric receptors are selected from the group consisting of antibodies, T cell receptors, integrins, hormone receptors and transmitter receptors.

29. The expression vectors of claim 26, wherein said first and second DNA sequences encode functional portions of heteromeric receptors.

30. The expression vectors of claim 29, wherein said first and second DNA sequences encode functional portions of the variable heavy and variable light chains of an antibody.

31. The expression vectors of claim 26, wherein said cells produce filamentous bacteriophage.

32. The expression vectors of claim 26, wherein said filamentous bacteriophage are selected from the group consisting of M13, fd and f1.

33. The expression vectors of claim 32, wherein at least one of the encoded first or second polypeptides is expressed as a fusion protein with gene VIII.

34. A method of constructing a diverse population of vectors capable of expressing a diverse population of heteromeric receptors, comprising:

(a) operationally linking to a first vector 5 a first population of diverse DNA sequences encoding a diverse population of first polypeptides, said first vector having two pairs of restriction sites symmetrically oriented about a cloning site;

(b) operationally linking to a second vector 10 a second population of diverse DNA sequences encoding a diverse population of second polypeptides, said second vector having two pairs of restriction sites symmetrically oriented about a cloning site in an identical orientation to that of the first vector; and

20 (c) combining the vector products of step (a) and (b) under conditions which allow only the operational combination of vector sequences containing said first and second DNA sequences.

35. The method of claim 34, wherein said first and second vectors are circular.

36. The method of claim 34, wherein said heteromeric receptors are selected from the group consisting of antibodies, T cell receptors, integrins, hormone receptors and transmitter receptors.

37. The method of claim 34, wherein said first and second DNA sequences encode functional portions of the variable heavy and variable light chains of an antibody.

38. The method of claim 34, wherein said expression of a diverse population of heteromeric receptors is on the surface of a cell.

39. The method of claim 37, wherein said cell produces a bacteriophage.

40. The method of claim 39, wherein said filamentous bacteriophage is selected from the group consisting of M13, fd and f1.

41. The method of claim 34, wherein at least one of said first or second DNA sequences is expressed as a gene VIII fusion protein.

42. The method of claim 34, wherein said two pairs of restriction sites are Hind III-Mlu I and Hind III-Mlu I.

43. The method of claim 34, wherein said combining step further comprises:

5

(C1) restricting said first vector with a restriction enzyme recognizing one of the restriction sites encoded in said two pairs of restriction sites;

10

(C2) restricting said second vector with a different restriction enzyme recognizing the second restriction site encoded in said two pairs of restriction sites;

(C3) digesting the 3' ends of said restricted first and second vectors with an exonuclease; and

15

(C4) annealing said first and second vectors.

44. A method for selecting a heteromeric receptor exhibiting binding activity toward a preselected molecule from a population of diverse heteromeric receptors, comprising:

- 5 (a) operationally linking to a first vector a first population of diverse DNA sequences encoding a diverse population of first polypeptides, said first vector having two pairs of restriction sites symmetrically oriented about a cloning site;
- 10 (b) operationally linking to a second vector a second population of diverse DNA sequences encoding a diverse population of second polypeptides, said second vector having two pairs of restriction sites symmetrically oriented about a cloning site in an identical orientation to that of the first vector;
- 15 (c) combining the vector products of step (a) and (b) under conditions which allow only the operational combination of vector sequences containing said first and second DNA sequences.
- 20 (d) introducing said population of combined vectors into a compatible host under conditions sufficient for expressing said population of first and second DNA sequences; and
- 25 (e) determining the heteromeric receptors which bind to said preselected molecule.

45. The method of claim 44, wherein said first and second vectors are circular.

46. The method of claim 44, wherein said heteromeric receptors are selected from the group consisting of antibodies, T cell receptors, integrins, hormone receptors and transmitter receptors.

47. The method of claim 44, wherein said first and second DNA sequences encode functional portions of heteromeric receptors.

48. The method of claim 47, wherein said first and second DNA sequences encode functional portions of the variable heavy and variable light chains of an antibody.

49. The method of claim 44, wherein said expression of a diverse population of heteromeric receptors is on the surface of a cell.

50. The method of claim 49, wherein said cell produces a filamentous bacteriophage.

51. The method of claim 50, wherein said filamentous bacteriophage is selected from the group consisting of M13, fd and f1.

52. The method of claim 51, wherein at least one of said first or second DNA sequences is expressed as a gene VIII fusion protein.

53. The method of claim 44, wherein said two pairs of restriction sites are Hind III-Mlu I and Hind III-Mlu I.

54. The method of claim 44, wherein said combining step further comprises:

5

(C1) restricting said first vector with a restriction enzyme recognizing one of the restriction sites encoded in said two pairs of restriction sites;

10

(C2) restricting said second vector with a different restriction enzyme recognizing the second restriction site encoded in said two pairs of restriction sites;

(C3) digesting the 3' ends of said restricted first and second vectors with an exonuclease; and

15

(C4) annealing said first and second vectors.

55. A method for determining the nucleic acid sequences encoding a heteromeric receptor exhibiting binding activity toward a preselected molecule from a diverse population of heteromeric receptors, comprising:

- 5 (a) operationally linking to a first vector
 a first population of diverse DNA
 sequences encoding a diverse population
 of first polypeptides, said first
 vector having two pairs of restriction
10 sites symmetrically oriented about a
 cloning site;
- 10 (b) operationally linking to a second
 vector a second population of diverse
 DNA sequences encoding a diverse
 population of second polypeptides, said
 second vector having two pairs of
 restriction sites symmetrically
 oriented about a cloning site in an
 identical orientation to that of the
 first vector;
- 15 (c) combining the vector products of step
 (a) and (b) under conditions which
 allow only the operational combination
 of vector sequences containing said
 first and second DNA sequences.
- 20 (d) introducing said population of combined
 vectors into a compatible host under
 conditions sufficient for expressing
 said population of first and second DNA
 sequences;
- 25 (e) isolating the expressed polypeptides
 from the host; and
 (f) identifying the expressed polypeptides
 which bind to the preselected molecule.
- 30 (g) repeating steps (d) through (f) for
 each member of the first population of
 polypeptides.

(e) determining the heteromeric receptors which bind to said preselected molecule;

5

(f) isolating the nucleic acid sequences encoding said first and second polypeptides; and

(g) sequencing said nucleic acid sequences.

56. The method of claim 55, wherein said first and second vectors are circular.

57. The method of claim 55, wherein said first heteromeric receptors selected from the group consisting of antibodies, T cell receptors, integrins, hormone receptors and transmitter receptors.

58. The method of claim 55, wherein said first and second DNA sequences encode functional portions of heteromeric receptors.

59. The method of claim 58, wherein said first and second DNA sequences encode functional portions of the variable heavy and variable light chains of an antibody.

60. The method of claim 55, wherein said expression of a diverse population of heteromeric receptors is on the surface of a cell filamentous bacteriophage selected from the group consisting of M13, fd and f1 and at 5 least one of said first or second DNA sequences is expressed as a gene VIII fusion protein.

61. The method of claim 55, wherein said cell produces filamentous bacteriophage.

62. The method of claim 61, wherein said filamentous bacteriophage is selected from the group consisting of M13, fd and f1.

63. The method of claim 62, wherein at least one of said first or second DNA sequences is expressed as a gene VIII fusion protein.

64. The method of claim 50, wherein said two pairs of restriction sites are Hind III-Mlu I and Hind III-Mlu I.

65. The method of claim 50, wherein said combining step further comprises:

(C1) restricting said first vector with a restriction enzyme recognizing one of
5 the restriction sites encoded in said two pairs of restriction sites;

(C2) restricting said second vector with a different restriction enzyme recognizing the second restriction site encoded in said two pairs of restriction sites;
10

(C3) digesting the 3' ends of said restricted first and second vectors with an exonuclease; and

15 (C4) annealing said first and second vectors.

66. A vector comprising two copies of a gene encoding a filamentous bacteriophage coat protein, one copy of said gene capable of being operationally linked to a DNA sequence encoding a polypeptide of a heteromeric receptor 5 wherein said DNA sequence can be expressed as a fusion protein on the surface of said filamentous bacteriophage or as a soluble polypeptide.

67. The vector of claim 66, wherein said two copies of said gene encode substantially the same amino acid sequence but have different nucleotide sequences.

68. The vector of claim 66, wherein said one copy of said gene is expressed on the surface of said filamentous bacteriophage.

69. The vector of claim 66, wherein said bacteriophage coat protein is M13 gene VIII.

70. The vector of claim 66, wherein said vector has substantially the same sequence as that shown in Figure 2 (SEQ ID NO: 1).

71. A vector comprising sequences necessary for the coexpression of two or more inserted DNA sequences encoding polypeptides which form heteromeric receptors and two copies of a gene encoding a filamentous bacteriophage 5 coat protein, one copy of said gene capable of being operationally linked to one of said two or more inserted DNA sequences wherein said DNA sequence can be expressed as a fusion protein on the surface of said filamentous bacteriophage or as a soluble polypeptide.


72. The vector of claim 71, wherein said two copies of said gene encode substantially the same amino acid sequence but have different nucleotide sequences.

73. The vector of claim 71, wherein said one copy of said gene is expressed on the surface of said filamentous bacteriophage.

74. The vector of claim 71, wherein said bacteriophage coat protein is M13 gene VIII.

75. The vector of claim 71, wherein said vector has substantially the same sequence as that shown in Figure 6 (SEQ ID NO: 5).

FIG. 1



	10	20	30	40	50	60
1	AATGCTACTA	CTATTAGTAG	AATTGATGCC	ACCTTTTCA	CTCGCGCCCC	AAATGAAAAT
61	ATAGCTAAC	AGGTTATTGA	CCATTGCGA	AATGTATCTA	ATGGTCAAAC	TAAATCTACT
121	CGTTCGCAGA	ATTGGGAATC	AACTGTTACA	TGGAATGAAA	CTTCCAGACA	CCGTAACCTTA
181	GTTGCATATT	TAAAACATGT	TGAGCTACAG	CACCAAGATT	AGCAATTAAG	CTCTAAGCCA
241	TCTGCAAAAA	TGACCTCTTA	TCAAAAGGAG	CAATTAAAGG	TACTCTCTAA	TCCTGACCTG
301	TTGGAGTTTG	CTTCCGGTCT	GGTTGCGTTT	GAAGCTCGAA	TTAAAACGCG	ATATTGAAAG
361	TCTTCGGGC	TTCCCTTAA	TCTTTTGT	GCAATCCGCT	TTGCTTCTGA	CTATAATAGT
421	CAGGGTAAAG	ACCTGATTTT	TGATTTATGG	TCATTCTCGT	TTTCTGAACT	GTTTAAAGCA
481	TTTGAGGGGG	ATTCAATGAA	TATTTATGAC	GATTCCGCG	TATTGGACGC	TATCCAGTCT
541	AAACATTTA	CTATTACCCC	CTCTGGCAAA	ACTTCTTTG	CAAAAGCCCTC	TCGCTATTTT
601	GGTTTTTATC	GTCGTCGGT	AAACGAGGGT	TATGATAGTG	TTGCTCTTAC	TATGCCCTCGT
661	AATTCCCTTT	GGCGTTATGT	ATCTGCTTA	GTTGAATGTG	GTATTCCCTAA	ATCTCAACTG
721	ATGAATCTT	CTACCTGAA	TAATGTTGTT	CCGTTAGTT	GTTTTATTAA	CGTAGATT
781	TCTTCCCAAC	GTCCTGACTG	GTATAATGAG	CCAGTCTTA	AAATCGCATA	AGGTAATTCA
841	CAATGATTAA	AGTTGAAATT	AAACCATCTC	AAGCCCAATT	TACTACTCGT	TCTGGTGTIT
901	CTCGTCAGGG	CAAGCCTTAT	TCACTGAAATG	AGCAGCTTG	TTACGTTGAT	TTGGGTAATG
961	AATATCCGGT	TCTTGTCAAG	ATTACTCTT	ATGAAGGTCA	GCCAGCCTAT	GCGCTGGTC
1021	TGTACACCGT	TCATCTGTCT	TCTTCAAAG	TTGGTCAGTT	CGGTTCCCTT	ATGATTGACC
1081	GTCTGCGCCT	CGTTCGGCT	AAGTAACATG	GAGCAGGTG	CGGATTTCGA	CACAAATTAT
1141	CAGGCATGA	TACAAATCTC	CGTTGACTT	TGTTTCTCGC	TTGGTATAAT	CGCTGGGGT
1201	CAAAGATGAG	TGTTTGTG	TATTCTTCG	CCTCTTCTG	TTAGGTTGG	TGCCTTCGTA
1261	GTGGCATTAC	GTATTTTAC	CGTTTAATGG	AAACTCTC	ATGAAAAGT	CTTAGTCCT
1321	CAAAGCCTCT	GTAGCCGTTG	CTACCCCTCG	TCCGATGCTG	TCTTCGCTG	CTGAGGGTGA
1381	CGATCCCGCA	AAAGCGGCT	TTAACCTCC	GCAAGCCTA	GCGACCGAAT	ATATCGGTTA
1441	TGCGTGGGCG	ATGGTTGTTG	TCATTGTCG	CGCAACTATC	GGTATCAAGC	TGTTTAAGAA
1501	ATTCACCTCG	AAAGCAAGCT	GATAAACCGA	TACAATTAAA	GGCTCCTTT	GGAGCCTTT
1561	TTTTGGAGA	TTTCAACGT	GAAAAAAATT	TTATTGCAA	TTCTTTAGT	TGTTCCCTTC
1621	TATTCTACT	CCGCTGAAAC	TGTTGAAAGT	TGTTTAGCAA	AACCCCATAC	AGAAAATTCA
1681	TTTACTAACG	TCTGGAAAGA	CGACAAAAC	TTAGATCGTT	ACGCTAACTA	TGAGGGTTGT
1741	CTGTGGAATG	CTACAGGC	TGTTAGTTGT	ACTGGTGACG	AAACTCAGTG	TTACGGTACA
1801	TGGGTTCC	TTGGGCTTGC	TATCCCTGAA	AATGAGGGT	GTGGCTCTGA	GGGTGGCGGT
1861	TCTGAGGGTG	GCGGTTCTGA	GGGTGGCGGT	ACTAAACCTC	CTGAGTACGG	TGATACACCT
1921	ATTCGGGCT	ATACTTATAT	CAACCCCTC	GACGGCACTT	ATCCGCTTGG	TACTGAGCAA
1981	AACCCCGCTA	ATCCTAATCC	TTCTCTTGAG	GAGTCTCAGC	CTCTTAATAC	TTTCATGTTT
2041	CAGAATAATA	GGTTCCGAAA	TAGGCAGGGG	GCATTAAC	TTTATACGGG	CACTGTTACT
2101	CAAGGCACTG	ACCCCGTTAA	AACTTATTAC	CACTACACTC	CTGTATCATC	AAAAGCCATG
2161	TATGACGCTT	ACTGGAACGG	TAATTCA	GA	CTCATTCTGG	CTTTAATGAA
2221	GATCCATTG	TTTGTGAATA	TCAAGGCCA	TCGTCTGACC	TGCTCAACC	TCCTGTCAT
2281	GCTGGCGGCG	GCTCTGGT	TGGTTCTGGT	GGCGGCTCTG	AGGGTGGTGG	CTCTGAGGGT
2341	GGCGGTTCTG	AGGGTGGCGG	CTCTGAGGG	GGCGGTTCCG	GTGGTGGCTC	TGGTTCCGGT
2401	GATTTTGATT	ATGAAAAGAT	GGCAAAACGCT	AATAAGGGGG	CTATGACCGA	AAATGCCGAT
2461	GAAAACGCGC	TACAGTCTGA	CGCTAAAGGC	AAACTTGATT	CTGTCGCTAC	TGATTACGGT
2521	GCTGCTATCG	ATGGTTTCA	TGGTGACGTT	TCCGGCCTTG	CTAATGGTAA	TGGTGCCTACT
2581	GGTGAATTTG	CTGGCTCTAA	TTCCCAAATG	GCTCAAGTCG	GTGACGGTGA	TAATTACCT
2641	TTAATGAATA	ATTTCCGTC	ATATTTCAC	TCCCTCCCTC	AATCGGTTGA	ATGTGCCCT
2701	TTTGCTTTA	GCGCTGGTAA	ACCATATGAA	TTTTCTATTG	ATTGTGACAA	AATAAACTTA
2761	TTCCGTGGTG	TCTTTGCGTT	TCTTTATAT	GTTGCCACCT	TTATGTTATG	ATTTTCTACG
2821	TTTGCTAACA	TACTGCGTAA	TAAGGAGTCT	TAATCATGCC	AGTTCTTTG	GGTATTCCGT
2881	TATTATTGCG	TTTCCTCGGT	TTCTTCTG	TAACCTTGTT	CGGCTATCTG	CTTACTTTTC
2941	TTAAAAAGGG	CTTCGGTAA	ATAGCTATTG	CTATTTCTT	GTTTCTTGCT	CTTATTATTG
3001	GGCTTAACTC	AATTCTTG	GGTTATCTC	CTGATATTAG	CGCTCAATT	CCCTCTGACT
3061	TTGTCAGGG	TTGTCAGTT	ATTCTCCCGT	CTAATGCGC	TCCCTGTTT	TATGTTATT
3121	TCTCTGTAAA	GGCTGCTATT	TTCTTCTT	ACGTTAAACA	AAAAATCGTT	TCTTATTG
3181	ATTGGGATAA	ATAATATGGC	TGTTTATT	GTAACTGGCA	AATTAGGCTC	TGGAAGAGC
3241	CTCGTTAGCG	TTGGTAAGAT	TCAGGATAAA	ATTGTAGCTG	GGTCAAAAT	AGCAACTAAT
3301	CTTGATTAA	GGCTTCAAA	CCTCCCGCAA	GTCGGGAGGT	TCGCTAAAC	GCCTCGCGTT
3361	CTTAGAATAC	CGGATAAGCC	TTCTATATCT	GATTTGCTT	CTATTGGCG	CGGTAATGAT
3421	TCCTACGATG	AAAATAAAAA	CGGCTTGCTT	GTTCTCGATG	AGTGCGGTAC	TTGGTTAA
3481	ACCCGTTCTT	GGAAATGATAA	GGAAAGACAG	CCGATTATTG	ATTGGTTTCT	ACATGTCG
3541	AAATTAGGAT	GGGATATTAT	TTTCTTGT	CAGGACTT	CTATTGTTGA	TAAACAGGCG
3601	CGTTCTGCAT	TAGCTGAACA	TGTTGTTTAT	TGTCGTCGTC	TGACAGAAAT	TACTTACCT
3661	TTTGTGCGGT	CTTATATT	TCTTATTACT	GGCTCGAAA	TGCCTCTGCC	TAAATTACAT
3721	GTTGGCGTTG	TTAAATATGG	CGATTCTCAA	TTAAGCCCTA	CTGTTGAGCG	TTGGCTTTAT

3 / 11

3781	ACTGGTAAGA	ATTTGTATAA	CGCATATGAT	ACTAAACAGG	CTTTTCTAG	TAATTATGAT	3840
3841	TCCGGTGT	TT ATTCTTATT	AAAGCCTTAT	TTATCACACG	GTCGGTATT	CAAACCATT	3900
3901	AATTAGGTC	AGAAGATGAA	GCTTACTAAA	ATATATTGAA	AAAAGTTTC	ACCGTTCCT	3960
3961	TGTCTTGC	GA TTGGATTG	ATCAGCATT	ACATATAGTT	ATATAACCCA	ACCTAACGCC	4020
4021	GAGGTTAAA	AGGTAGTCTC	TCAGACCTAT	GATTTGATA	AATTCACTAT	TGACTCTTCT	4080
4081	CAGCGTCTT	ATCTAAGCTA	TCGCTATGTT	TTCAAGGATT	CTAAGGGAAA	ATTAATTAA	4140
4141	AGCGACGATT	TACAGAAGCA	AGGTTATTCA	CTCACATATA	TTGATTTATG	TACTGTTTCC	4200
4201	ATTAAGAAAG	GTAATTCAA	TGAAATTGTT	AAATGTAATT	AATTTGTTT	TCTTGATGTT	4260
4261	TGTTTCATCA	TCTTCTTTG	CTCAGGTAAT	TGAAATGAAT	AATTGCGCTC	TGCGCGATT	4320
4321	TGTAACCTGG	TATTCAAAGC	AATCAGGCGA	ATCCGTTATT	GTTTCTCCCG	ATGTAAAAGG	4380
4381	TACTGTTACT	GTATATTCA	CTGACGTTAA	ACCTGAAAAT	CTACGCAATT	TCTTTATTTC	4440
4441	TGTTTACGT	GCTAATAATT	TTGATATGGT	TGGTTCAATT	CCTTCATAA	TTCAGAAGTA	4500
4501	TAATCCAAAC	AATCAGGATT	ATATTGATGA	ATTGCCATCA	TCTGATAATC	AGGAATATGA	4560
4561	TGATAATTCC	GCTCCTCTG	GTGGTTTCTT	TGTTCCGCAA	AATGATAATG	TTACTCAAAC	4620
4621	TTTAAAATT	AATAACGTT	GGGCAAAGGA	TTTAATACGA	GTTGTCGAAT	TGTTGTAAA	4680
4681	GTCTAATACT	TCTAAATCCT	CAAATGTATT	ATCTATTGAC	GGCTCTAAC	TATTAGTTGT	4740
4741	TAGTGCACCT	AAAGATATT	TAGATAACCT	TCCTCAATT	CTTTCTACTG	TTGATTTGCC	4800
4801	AACTGACCAG	ATATTGATTG	AGGGTTGAT	ATTTGAGGTT	CAGCAAGGTT	ATGCTTACA	4860
4861	TTTTTCATTT	GCTGCTGGCT	CTCAGCGTGG	CACTGTTGCA	GGCGGTGTTA	ATACTGACCG	4920
4921	CCTCACCTCT	GTTTTATCTT	CTGCTGGTGG	TTCGTTCGGT	ATTTTTAATG	GCGATGTTT	4980
4981	AGGGCTATCA	GTTCGCGCAT	TAAGAGCTAA	TAGCCATTCA	AAAATATTGT	CTGTGCCACG	5040
5041	TATTCTTACG	CTTTCAAGGTC	AGAAGGGTTC	TATCTCTGTT	GGCCAGAAATG	TCCCCTTTAT	5100
5101	TACTGGTCGT	GTGACTGGT	AATCTGCCAA	TGTAATAAT	CAATTTCAGA	CGATTGAGCG	5160
5161	TCAAATGTAA	GGTATTTC	TGAGCGTTT	TCCIGTTGCA	ATGGCTGGCG	GTAATATTGT	5220
5221	TCTGGATATT	ACCAAGCAAGG	CCGATAGTTT	GAGTTCTTCT	ACTCAGGCAA	GTGATGTTAT	5280
5281	TACTAATCAA	AGAAGTATTG	CTACAACGGT	TAATTTCGCGT	GATGGACAGA	CTCTTTACT	5340
5341	CGGTGGCCTC	ACTGATTATA	AAAACACTTC	TCAAGATTCT	GGCGTACCGT	TCCTGCTCAA	5400
5401	AATCCCTTAA	ATCGGCCCTC	TGTTTAGCTC	CCGCTCTGAT	TCCAACGAGG	AAAGCACGTT	5460
5461	ATACGTGCTC	GTCAAAGCAA	CCATAGTACG	CGCCCTGTAG	GGCGCATT	AGCGCGGCCG	5520
5521	GTGTGGTGGT	TACGCGCAGC	GTGACCGCTA	CACTTGCCAG	CGCCCTAGCG	CCCCTCTCCTT	5580
5581	TCGCCTTCTT	CCCTTCCCTT	CTCGCCACG	TCGCCGGCTT	CCCCGTCAA	GCTCTAAATC	5640
5641	GGGGGCTCCC	TTAGGGTTC	CGATTAGTG	CTTACGGCA	CCTCGACCCC	AAAAAAACTG	5700
5701	ATTTGGGTGA	TGGTTCACGT	AGTGGGCAAT	CGCCCTGATA	GACGGTTTTT	CGCCCTTTGA	5760
5761	CGTTGGAGTC	CACGTTCTT	AATAGTGGAC	TCTTGTTC	AACTGGAAACA	ACACTCAACC	5820
5821	CTATCTCGGG	CTATTCTTT	GATTATAAG	GGATTTCGAA	GATTTCGGAA	CCACCATCAA	5880
5881	ACAGGATTAA	CGCCTGCTGG	GGCAAACCAAG	CGTGGACCGC	TTGCTGCAAC	TCTCTCAGGG	5940
5941	CCAGGCCTGT	AGGGCAATC	AGCTTGTGCC	CGTCTCGCTG	GTAAAAGAA	AAACACCCCT	6000
6001	GGCGCCCAAT	ACGAAACCCG	CCTCTCCCCG	CGCGTTGCC	GATTCAATTAA	TGCACTGTC	6060
6061	ACGACAGGTT	TCCCGACTGG	AAAGCGGGCA	GTGAGCGCAA	CGCAATTAAAT	GTGAGTTAGC	6120
6121	TCACTCATTAA	GGCACCCAG	GCTTACACT	TTATGCTTC	GGCTCGTATG	TTGTGTGAA	6180
6181	TTGTGAGCGG	ATAACAATT	CACACGCGTC	ACTTGGCACT	GGCCGTCGTT	TTACAACGTC	6240
6241	GTGACTGGGA	AAACCTGGC	GTAACTCAAG	CTTTGTACAT	GGAGAAAATA	AAAGTAAAC	6300
6301	AAGCACTATT	GCACCTGGC	TCTTACCGTT	ACCGTTACTG	TTTACCCCTG	TGACAAAAGC	6360
6361	CGCCCAAGGTC	CAGCTGCTCG	AGTCAGGCCCT	ATTGTGCCCA	GGGGATTGTA	CTAGTGGATC	6420
6421	CTAGGCTGAA	GGCGATGACC	CTGCTAAGGC	TGCATTCAAT	AGTTTACAGG	CAAGTGCTAC	6480
6481	TGAGTACATT	GGCTACGCTT	GGGCTATGGT	AGTAGTTATA	TTTGGTGCTA	CCATAGGGAT	6540
6541	TAAATTATTC	AAAAAGTTA	CGAGCAAGGC	TTCTTAAGCA	ATAGCGAAGA	GGCCCGCACC	6600
6601	GATGCCCTT	CCCAACAGTT	GCGCAGCCTG	AATGGGAAAT	GGCGCTTTGC	CTGGTTCCG	6660
6661	GCACCAAGAAG	CGGTGCCGGA	AAGCTGGCTG	GAGTGCATC	TTCTGAGGGC	CGATACGGTC	6720
6721	GTCGTCCCCT	CAAACCTGGC	GATGCACGGT	TACGATGCGC	CCATCTACAC	CAACGTAACC	6780
6781	TATCCCATTA	CGGTCAATCC	GCCGTTTGTT	CCCACGGAGA	ATCCGACGGG	TTGTTACTCG	6840
6841	CTCACATTTA	ATGTTGATGA	AAGCTGGCTA	CAGGAAGGCC	AGACGCGAAT	TATTTTGAT	6900
6901	GGCGTTCTA	TTGGTTAAAA	AAATGAGCTGA	TTTAACAAAA	ATTAACGCG	AATTTAAACA	6960
6961	AAATATTAAC	GTTCACAATT	TAATATTG	CTTATACAAT	CTTCTGTTT	TTGGGGCTTT	7020
7021	TCTGATTATC	AACCGGGGTA	CATATGATTG	ACATGCTAGT	TTACGATTA	CCGTTCATCG	7080
7081	ATTCTCTTGT	TTGCTCCAGA	CTCTCAGGCA	ATGACCTGAT	AGCCTTTGTA	GATCTCTCAA	7140
7141	AAATAGCTAC	CCTCTCCGGC	ATTAATTAT	CAGCTAGAAC	GGTTGAATAT	CATATTGATG	7200
7201	GTGATTGAC	TGTCTCCGGC	CTTCTCACC	CTTTTGAAATC	TTACCTACA	CATTACTCAG	7260
7261	GCATTGCAATT	AAAAATATAT	GAGGGTTCTA	AAAATTCTTA	TCCTGCGTT	GAAATAAAGG	7320
7321	CTTCTCCCGC	AAAAGTATTA	CAGGGTCATA	ATGTTTTGG	TACAACCGAT	TTAGCTTTAT	7380
7381	GCTCTGAGGC	TTTATTGCTT	AATTTTGCTA	ATTCTTTGCC	TTGCGCTGAT	GATTTATTG	7440
7441	ACGTT						7445

| 10 : 20 | 30 | 40 | 50 | 60

4 / 11

	10	20	30	40	50	60	
1	AATGCTACTA	CTATTAGTAG	AATTGATGCC	ACCTTTCA	CTCGCGCCCC	AAATGAAAAT	60
61	ATAGCTAAC	AGGTTATTGA	CCATTTCGCA	AATGTATCTA	ATGGTCAAAC	TAAATCTACT	120
121	CGTTGCAGA	ATTGGGAATC	AACTGTTACA	TGGAATGAAA	CTTCCAGACA	CCGTA	180
181	GTTCATATT	AAAACATGT	TGAGCTACAG	CACCAGATT	AGCAATTAG	CTCTAAGCCA	240
241	TCCGCAAAAA	TGACCTCTTA	TCAAAAGGAG	CAATTAAAGG	TACTCTCTAA	TCCTGACCTG	300
301	TTGGAGTTTG	CTTCCGGTCT	GGTTCGCTT	GAAGCTCGAA	TTAAAACGCG	ATATTGAAAG	360
361	TCTTCGGGC	TTCTCTTAA	TCTTTTGAT	GCAATCCGCT	TTGCTCTGA	CTATAATAGT	420
421	CAGGGTAAAG	ACCTGATTTT	TGATTTATGG	TCATTCTCGT	TTTCTGA	GTTTAAAGCA	480
481	TTTGAGGGGG	ATTCAATGAA	TATTTATGAC	GATTCCGCG	TATTGGACGC	TATCAGTCT	540
541	AAACATTTTA	CTATTACCCC	CTCTGGCAAA	ACTTCTTTG	CAAAGCCCTC	TCGCTATT	600
601	GGTTTTTATC	GTCGTCGTT	AAACGAGGGG	TATGATAGTG	TTGCTCTTAC	TATGCCCTCGT	660
661	AATTCCTTT	GGCGTTATGT	ATCTGCATTA	GTTGAATGTG	GTATTCTCAA	ATCTCAACTG	720
721	ATGAATCTTT	CTACCTGTAA	TAATGTTGTT	CCGTTAGTTC	TTTTTATTAA	CGTAGATT	780
781	TCTTCCAAC	GTCCTGACTG	GTATAATGAG	CCAGTCTTA	AAATCGCAT	AGGTAATTCA	840
841	CAATGATTAA	AGTTGAAATT	AAACCATCTC	AAGCCCAATT	TACTACTCGT	TCTGGTGT	900
901	CTCGTCAGGG	CAAGCCTTAT	TCACTGAATG	AGCAGCTTG	TTACGTTGAT	TTGGGTAATG	960
961	AATATCCGGT	TCTTGTCAAG	ATTACTCTTG	ATGAAGGTCA	GCCAGCCTAT	GCGCCTGGTC	1020
1021	TGTACACCGT	TCATCTGTCC	TCTTCAAAG	TTGGTCAGTT	CGGTTCCCTT	ATGATTGACC	1080
1081	GTCTGCGCCT	CGTTCCGGCT	AAGTAACATG	GAGCAGGTGCG	CGGATTTCGA	CACAAATTAT	1140
1141	CAGGCATGA	TACAAATCTC	CGTTGACTT	TGTTTCGCG	TTGGTATAAT	CGCTGGGGGT	1200
1201	CAAAGATGAG	TGTTTAGTG	TATTCTTCG	CCTCTTCG	TTAGGTTGG	TGCCTTCGTA	1260
1261	GTGGCATTAC	GTATTTACC	CGTTTAATGG	AAACTCCTC	ATGAAAAAGT	CTTAGTCCT	1320
1321	CAAAGCCTCT	GTAGCCGTTG	CTACCCCTCGT	TCCGATGCTG	TCTTCGCTG	CTGAGGGTGA	1380
1381	CGATCCCGCA	AAAGCGCCT	TTAACCTCCCT	GCAAGCCTCA	GCGACCGAAT	ATATCGGTTA	1440
1441	TGCGTGGCG	ATGGTTGTTG	TCATTGTCGG	CGCAACTATC	GGTATCAAGC	TGTTTAAGAA	1500
1501	ATTCACCTCG	AAAGCAAGCT	GATAAACCGGA	TACAATTAAA	GGCTCCTTT	GGAGCCTTT	1560
1561	TTTTGGAGA	TTTCAACGT	GAAAAAATTAA	TTATTGCGAA	TTCTTTAGT	TGTTCTTTTC	1620
1621	TATTCTCACT	CCGCTGAAAC	TGTTGAAAGT	TGTTAGCAA	AACCCCATAC	AGAAAATTCA	1680
1681	TTTACTAACG	TCTGGAAAGA	CGACAAAAC	TTAGATCGTT	ACGCTAACTA	TGAGGGTTGT	1740
1741	CTGTGGAATG	CTACAGGCCT	TGTTAGTTGT	ACTGGTGACG	AAACTCAGTG	TTACGGTACA	1800
1801	TGGGTTCTA	TTGGGCTTGC	TATCCCTGAA	AATGAGGGTG	GTGGCTCTGA	GGGTGGCGGT	1860
1861	TCTGAGGGTG	GC GGTTCTGA	GGGTGGCGGT	ACTAAACCTC	CTGAGTACGG	TGATACACCT	1920
1921	ATTCGGGCT	ATACTTATAT	CAACCCCTCTC	GACGGCACTT	ATCCGCTGG	TACTGAGCAA	1980
1981	AACCCCGCTA	ATCCTAATCC	TTCTCTTGAG	GAGTCTCAGC	CTCTTAATAC	TTTCATGTTT	2040
2041	CAGAATAATA	GGTTCGAAA	TAGGCAGGGG	GCATTAAC	TTTATACGGG	CACTGTTACT	2100
2101	CAAGGCACTG	ACCCCGTTAA	AACTTATTAC	CAGTACACTC	CTGATACATC	AAAAGCCATG	2160
2161	TATGACGCTT	ACTGGAAACGG	TAAATTCTAGA	GA	CTCCATTCTGG	CTTTAATGAA	2220
2221	GATCCATTG	TTTGTGAATA	TCAAGGCCAA	TCGTC	TGCTCAACC	TCCTGTCAAT	2280
2281	GCTGGCGCG	GCTCTGGTGG	TGGTTCTGGT	GGCGGCTCTG	AGGGTGGTGG	CTCTGAGGGT	2340
2341	GGCGGTTCTG	AGGGTGGCGG	CTCTGAGGGG	GGCGGTTCCG	GTGGTGGCTC	TGGTCCGGT	2400
2401	GATTTGATT	ATGAAAAGAT	GGCAACCGCT	AATAAGGGGG	CTATGACCGA	AAATGCCAT	2460
2461	GAAAACGCGC	TACAGTCTGA	CGCTAAAGGC	AAACTTGATT	CTGTCGCTAC	TGATTACGGT	2520
2521	GCTGCTATCG	ATGGTTTCAT	TGGTACGCTT	TCCGGCCTTG	CTAATGGTAA	TGGTGTACT	2580
2581	GGTGAATTG	CTGGCTCTAA	TTCCCAAATG	GCTCAAGTCG	GTGACGGTGA	TAATTACACT	2640
2641	TTAATGAATA	ATTTCCGTCA	ATATTTCACCT	TCCCTCCCTC	AATCGGTTGA	ATGTCGCCCT	2700
2701	TTTGCTTTA	GCGCTGGTAA	ACCATATGAA	TTTCTATTG	ATTGTCACAA	AATAAAACTTA	2760
2761	TTCCGTGGTG	TCTTTGCGTT	TCTTTATAT	GTTGCCACCT	TTATGTTATG	ATTTTCTACG	2820
2821	TTTGTCAACA	TACTGCGTAA	TAAGGAGTCT	TAATCATGCC	AGTTCTTTG	GGTATTCCGT	2880
2881	TATTATTGCG	TTTCTCGGT	TTCTCTTG	TAACTTTGTT	CGGCTATCTG	CTTACCTTTG	2940
2941	TTAAAAAGGG	CTTCGGTAAAG	ATAGCTATTG	CTATTCATT	TTTCTTGCT	CTTATTATTG	3000
3001	GGCTTAACTC	AATTCTTG	GGTTATCTCT	CTGATATTAG	CGCTCAATT	CCCTCTGACT	3060
3061	TTGTTCAAGGG	TGTTCAAGTTA	ATTCTCCCGT	CTAATGCGCT	TCCCTGTTT	TATGTTATTG	3120
3121	TCTCTGTAAA	GGCTGCTATT	TTCAATTG	ACGTTAAACA	AAAAATCGTT	TCTTATTG	3180
3181	ATTGGGATAAA	ATAATATGGC	TGTTTATT	GTAAC	TTAGGCTC	TGGAAAGACG	3240
3241	CTCGTTAGCG	TTGGTAAGAT	TCAGGATAAAA	ATTGTCAGTG	GGTCAAAAT	AGCAACTAAT	3300
3301	CTTGATTTAA	GGCTTCAAAA	CCTCCCGCAA	GTCGGGAGGT	TCGCTAAAC	GCCTCGCGT	3360
3361	CTTACAATAC	CGGATAAGCC	TTCTATATCT	GATTTGCTTG	CTATTGGCG	CGGTAATGAT	3420
3421	TCCTACGATG	AAAATAAAAA	CGGCTTGCTT	GTTCTCGATG	AGTGC	GGTTTAAT	3480
3481	ACCCGTTCTT	GGAAATGATAA	GGAAAGACAG	CCGATTATTG	ATTGGTTCT	ACATGCTCGT	3540
3541	AAATTAGGAT	GGGATATTAT	TTTCTTGTT	CAGGACTTAT	CTATTGTTGA	TAACAGGCG	3600
3601	CGTTCTGCAT	TACGTGAACA	TGTTGTTTAT	TGTCGTCGTC	TGGACAGAA	TACTTACCT	3660
3661	TTTGTGCGTA	CTTATATTTC	TCTTATTACT	GGCTCGAAA	TGCCTCTG	TAAATTACAT	3720
3721	GTTGGCGTTG	TTAAATATGG	CGATTCTCAA	TTAACCCCTA	CTGTTGAGCG	TTGGCTTTAT	3780
3781	ACTGGTAAGA	ATTGTATAA	CGCATATGAT	ACTAAACAGG	CTTTTCTAG	TAATTATGAT	3840

3841	TCCGGTGT	TTT	ATTCTTAT	TT AACGCCTT	AT	TTATCACACG	GTCGGTAT	TTT	CAAACCATT	A	3900	
3901	AATTTAGGTC	AGAAGATGAA	GCTTACTAAA	ATATATTG	GA	AAAAGTTT	TC	ACGCGTT	C	3960		
3961	TGTCTTGC	GA	TTGGATTG	TC	ATCAGCATT	ACATATAG	TT	ATATAACCC	A	4020		
4021	GAGGTAAAAA	AGGTAGTCTC	TCAGACCT	AT	GATTTGATA	AATTCACT	AT	TGACTCTT	C	4080		
4081	CAGCGTCTTA	ATCTAACG	CTCGTATG	TT	TCAGGATT	CTAAGGGAA	AT	TTAATTAA	A	4140		
4141	AGCGACGATT	TACAGAAGC	AGTTATTCA	CT	TCACATATA	TTGATTTATG	T	ACTGTTT	C	4200		
4201	ATTAaaaaaa	GTAATTCAA	TGAAATTG	TT	AAATGTA	ATTTTG	T	TCTTGATG	T	4260		
4261	TGTTCATCA	TCTTCTT	TCAGGTA	AT	TGAAATGA	AATTGC	C	TGCGCGAT	T	4320		
4321	TGTAACTTGG	TATTCAAAGC	AATCAGGC	GA	ATCCGTT	TTTCTCC	C	ATGAAAAGG	A	4380		
4381	TACTGTTACT	GTATATTCA	CTGACGTT	AA	ACCTGAAA	CTACGCA	A	TCTTTATT	T	4440		
4441	TGTTTACGT	GCTAATAATT	TTGATATG	GT	TGGTCA	CCTTC	CATAA	TTCAGAAGT	A	4500		
4501	TAATCCAAAC	AATCAGGATT	ATATTGATG	AT	TGCCATCA	TCTGATA	ATC	AGGAATATG	A	4560		
4561	TGATAATTCC	GCTCCTTCTG	GTGGTTCT	TT	TGTTCCG	AA	TATGATAATG	TTACTCAAAC	A	4620		
4621	TTTAAAATT	AATAACGTT	GGGCAAAGG	TT	TTAACACG	GTTGCGA	AT	TGTTGTAA	A	4680		
4681	GTCTAATACT	TCTAAATC	CAAATG	TT	ATCTATTGAC	GGCTCTAATC	T	TATTAGTTG	T	4740		
4741	TAGTGCACCT	AAAGATATT	TAGATAAC	CT	TCCTCAATT	CTTCTACTG	T	TTGATTG	C	4800		
4801	AACTGACCAG	ATATTGATT	AGGGTTG	AT	TTTGAGG	CAGCAAGG	TG	ATGCTT	TAGA	4860		
4861	TTTTCATTT	GCTGCTGG	CTCAGCGT	GG	CACTG	GGCGGTG	TTA	ATACTGAC	CG	4920		
4921	CCTCACCTCT	GT	TTTATCT	CTGCTGG	TT	CGTTCGG	AT	TTTTAATG	GCGATG	4980		
4981	AGGGCTATCA	GTTCGCG	CAT	TAAGACTAA	TAGCCATT	AAA	ATATTG	TG	TGCCAC	5040		
5041	TATTCTTACG	CTTCAGG	T	AGAAGGG	TATCTCTG	GGCCAGA	ATG	TCCC	TTT	5100		
5101	TACTGGTCGT	GTGACTGG	GT	AATCTGCCA	TGTAATAA	CCATT	CAGA	CGATTGAG	CG	5160		
5161	TCAAAATGTA	GGTATTTCA	TGAGCG	TTT	TCCTG	TGCA	ATGG	CTGGC	GTAATATT	GT	5220	
5221	TCTGGATATT	ACCA	GCAAGG	CCGATAG	GAGT	TCTT	CT	ACTCAGG	CAA	5280		
5281	TACTAATCAA	AGAAGTATT	CTACAA	CGGT	TAATT	TGCGT	GATGG	ACAGA	CTCT	TTTACT	5340	
5341	CGGTGGC	CTC	ACTGATT	TATA	AAAACACT	TCAAGATT	GGCGTACCG	GT	TCCTG	TCAA	5400	
5401	AATCC	TTA	ATCGGC	CTCC	TGTTAG	CTCG	TCCAACG	GAGG	AAAGC	ACGTT	5460	
5461	ATACGTG	CTC	GTC	AAAGCAA	CCATAG	TACG	CGCC	TGAG	CG	AGCGGGCG	5520	
5521	GTGTGGTGG	TACGCG	AGC	GTGACCG	CTA	CTGCCAG	CGCC	CTAGCG	CCC	GCTC	5580	
5581	TCGCTT	CTT	CCCTT	CC	CTGCCAC	GT	CGCCG	GCTC	AAATC	5640		
5641	GGGGGCTCCC	TTT	AGGGT	TC	CGATTAG	CTT	TACGG	CA	CCCCG	TCAA	5700	
5701	ATTTGGGTGA	TGGT	TACG	AGTGGG	CCAT	CGCC	GACGG	TTT	CGCC	TTTGA	5760	
5761	CGTTGGAGTC	CA	GTTCT	TTT	AATAGTGG	TCTG	TCCA	AAC	TG	ACTCAACC	5820	
5821	CTATCTCGGG	CTATT	CTT	GATT	TATAAG	GGAT	TTG	CGGAA	CCAC	CATCAA	5880	
5881	ACAGGATT	CGC	CTG	CTG	GGCAAAC	CGTGG	ACCG	TTG	CT	CAGGG	5940	
5941	CCAGCGGTG	AA	GGGCA	ATC	AGCTG	TG	GAAAG	AA	AAAC	CCACCT	6000	
6001	GGCGCCCA	AT	ACG	AAACCG	CCT	CTCCC	CG	CGT	GG	GATT	6060	
6061	ACGACAGG	TT	CCC	GACT	GG	AAAGCGGG	GTGAG	CGCA	CG	AGCTG	6120	
6121	TCACTCATT	GGC	ACCCC	CAG	GCTT	ACACT	TTATG	CTCC	GG	TGTG	6180	
6181	TTGTGAGCG	ATA	ACAATT	TCA	CACAG	CCAA	GGAG	ACAG	TG	TG	6240	
6241	TACGGCAGCC	GCT	GGATT	GT	TATT	ACTCG	TG	CCC	CA	CTG	6300	
6301	GACCCAGACT	CC	AGAT	ATCC	AA	CAGGAATG	AGT	TTA	ATT	TG	6360	
6361	CTGGCG	TCG	TTT	ACA	AG	TCGTGACT	GAA	ACCC	CTG	TG	6420	
6421	CCTTGCAGAA	TT	CC	CTT	TC	CCAGCTGG	CG	TAA	AGCG	GG	6480	
6481	TTCCCAACAG	TT	GC	GAG	CC	TGATTGG	TA	GGC	CTT	GG	6540	
6541	AGCGGTGCCG	GAA	AGCT	GGC	TG	GAGTGC	TCT	CC	TG	GTC	6600	
6601	CTCAA	ACT	GG	CAGATG	CA	GTTAG	GT	GG	ATAC	GG	6660	
6661	TACGGTCA	AT	CGC	CGT	TT	CCAC	GCCC	AT	GG	CTG	6720	
6721	TAATGTTGAT	GAA	AGCT	GGC	TAC	AGGAAGG	CCAG	AC	GG	GTT	6780	
6781	TATTGGTAA	AAA	ATGAG	CT	GATT	AA	AA	TTA	ACG	GG	6840	
6841	ACGTTACAA	TTT	AA	AT	TG	CTTAC	AT	CTT	CC	TG	6900	
6901	TCAACCGGG	TAC	ATAT	GAT	TG	ACATG	GTTT	ACG	TG	TG	6960	
6961	GT	TTG	C	CC	AA	TGAC	GT	GG	CT	AC	7020	
7021	ACCC	CTC	CCG	CA	TG	ACG	CTT	AG	CT	TG	7080	
7081	ACTG	TCT	CCG	CC	CTT	TTG	GG	TT	AC	TG	7140	
7141	TTTAA	AAAT	ATGAGGG	TT	TAAA	ATTT	TAT	CCT	TG	GAT	7200	
7201	GAAAAGTAT	TAC	AGGG	TCA	TA	ATG	TTT	GG	TAC	AC	7260	
7261	GCTT	TAT	TG	TTA	TTT	GG	CTT	GG	CT	TG	7317	
		10		20		30		40		50		60

6 / 11

	10	20	30	40	50	60
1	AATGCTACTA	CTATTAGTAG	AATTGATGCC	ACCTTTCA	CTCGCGCCCC	AAATGAAAAT
61	ATAGCTAAC	AGGTTATTGA	CCATTGCGA	AATGTATCTA	ATGGTCAAAC	TAAATCTACT
121	CGTCGCAGA	ATTGGGAATC	AACTGTTACA	TGGAATGAAA	CTTCCAGACA	CCGTAAGCCA
181	GTTGCATATT	TAAAACATGT	TGAGCTACAG	CACCAGATT	AGCAATTAAG	CTCTAAGGCC
241	TCTGCAAAAA	TGACCTCTTA	TCAAAAGGAG	CAATTAAAGG	TACTCTCTAA	TCCTGACCTG
301	TTGGAGTTTG	CTTCCGGTCT	GGTCGCTTT	GAAGCTCGAA	TTAAACGCG	ATATTGAAG
361	TCTTCGGGC	TTCTCTTAA	TCTTTTGT	GCAATCCGCT	TTGCTTCTGA	CTATAATAGT
421	CAGGGTAAAG	ACCTGATTTT	TGATTTATGG	TCATTCTCGT	TTTCTGAAC	GTTTAAAGCA
481	TTTGAGGGGG	ATTCAATGAA	TATTTATGAC	GATTCCGAG	TATTGGACGC	TATCCAGTCT
541	AAACATTTTA	CTATTACCCC	CTCTGGCAA	ACTTCTTTG	CAAAGGCCTC	TCGCTATTT
601	GGTTTTATC	GTCGTCTGGT	AAACGAGGGT	TATGATAGT	TTGCTCTTAC	TATGCCCTGT
661	AATTCTTTT	GGCGTTATGT	ATCTGCATTA	GTTGAATGTG	GTATTCCCAA	ATCTCAACTG
721	ATGAATCTTT	CTACCTGTAA	TAATGTTGTT	CCGTTAGITC	GTTTTATTA	CGTAGATT
781	TCTTCCCAAC	GTCCTGACTG	GTATAATGAG	CCAGTTCTTA	AAATCGCATA	AGGTAATTCA
841	CAATGATTAA	AGTTGAAATT	AAACCATCTC	AAGCCAATT	TACTACTCGT	TCTGGTGT
901	CTCGTCAGGG	CAAGCCTTAT	TCACTGAATG	AGCAGCTTG	TTACGTTGAT	TTGGGTAATG
961	AATATCCGGT	TCTTGTCAAG	ATTACTCTTG	ATGAAGGTCA	GCCAGCCTAT	GCGCTGGTC
1021	TGTACACCGT	TCATCTGTCC	TCTTCAAAG	TTGGTCAGTT	CGGTTCCCTT	ATGATTGACC
1081	GTCTGCGCCT	CGTTCCGGCT	AAGTAACATG	GAGCAGGTG	CGGATTTCGA	CACAATT
1141	CAGGCATGA	TACAAATCTC	CGTTGACTT	TGTTTCGCGC	TTGGTATAAT	CGCTGGGGGT
1201	CAAAGATGAG	TGTTTAGTG	TATTCTTCG	CCTCTTCTG	TTTAGGTTGG	TGCCCTCGTA
1261	GTGGCATTAC	GTATTTTAC	CGTTTAATGG	AAACTCCCTC	ATGAAAAGT	CTTAGTCCT
1321	CAAAGCCTCT	GTAGCCGTTG	CTACCCCTCGT	TCCGATGCTG	TCTTCGCTG	CTGAGGGTGA
1381	CGATCCCGCA	AAAGCGCCT	TTAACTCCCT	GCAAGCCTCA	GCGACCGAAT	ATATCGGTTA
1441	TGCGTGGCG	ATGGTTGTTG	TCATTGTCGG	CGCAACTATC	GTTATCAAGC	TGTTTAAGAA
1501	ATTACACCTCG	AAAGCAAGCT	GATAAACCGA	TACAATTAAA	GGCTCCITT	GGAGCCTTT
1561	TTTTGGAGA	TTTCAACGT	GAAAAAATT	TTATTGCAA	TTCTTTAGT	TGTTCCCTT
1621	TATTCTCACT	CCGCTGAAAC	TGTTGAAAGT	TGTTAGCAA	AACCCCATAC	AGAAAATTCA
1681	TTTACTAACG	TCTGGAAAGA	CGACAAAAC	TTAGATCGTT	ACGCTAACTA	TGAGGGTTGT
1741	CTGTGGATG	CTACAGGCGT	TGTTAGTTGT	ACTGGTGACG	AAACTCAGT	TTACGGTACA
1801	TGGGTCCTA	TTGGGCTTGC	TATCCCTGAA	AATGAGGGTG	GTGGCTCTGA	GGGTGGCGGT
1861	TCTGAGGGTG	GC GGTTCTGA	GGGTGGCGGT	ACTAAACCTC	CTGAGTACGG	TGATACACCT
1921	ATTCGGGGCT	ATACTTATAT	CAACCCCTC	GACGGCACTT	ATCCGCTGG	TACTGAGCAA
1981	AACCCCGCTA	ATCCTAATCC	TTCTCTTGAG	GAGTCTCAGC	CTCTTAAATAC	TTTCATGTTT
2041	CAGAATAATA	GGTTCCGAAA	TAGGCAGGGG	GCATTAAC	TTTATACGGG	CACTGTTACT
2101	CAAGGCACTG	ACCCCGTTAA	AACTTATTAC	CA GTACACTC	CTGTATCATC	AAAAGCCATG
2161	TATGACGCTT	ACTGGAACGG	TAATTTCAGA	GACTGCGCTT	TCCATTCTGG	CTTTAATGAA
2221	GATCATTCTG	TTTGTGAAT	TCAAGGCGAA	TCGTCTGACC	TGCCCTCAACC	TCCTGTCAAT
2281	GCTGGCGCG	GCTCTGGTGG	TGGTTCTGGT	GGCGGCTCTG	AGGGTGGTGT	CTCTGAGGGT
2341	GGCGGTTCTG	AGGGTGGCGG	CTCTGAGGGG	GGCGGTTCCG	GTGGTGGCTC	TGGTTCCGGT
2401	GATTTGATT	ATGAAAAGAT	GGCAAACGCT	AATAAGGGGG	CTATGACCGA	AAATGCCGAT
2461	GAAAACGCGC	TACAGTCTGA	CGCTAAAGGC	AAACTTGT	CTGTCGCTAC	TGATTACGGT
2521	GCTGCTATCG	ATGGTTTCAT	TGGTACGTT	TCCGGCCITG	CTAATGGTAA	TGGTGCTACT
2581	GGTGATTTG	CTGGCTCTAA	TTCCCAAATG	GCTCAAGTCG	GTGACGGTGA	TAATTCACCT
2641	TTAATGAATA	ATTTCCGTC	ATATTTACCT	TCCCTCCCTC	AATCGGTTGA	ATGTGCCCT
2701	TTTGTCTTTA	GC GCTGGTAA	ACCATATGAA	TTTTCTATTG	ATTGTGACAA	AATAAACTTA
2761	TTCCGTGGTG	TCTTTGCGTT	TCTTTATAT	GTTGCCACCT	TTATGTATGT	ATTTTCTACG
2821	TTTGCTAAC	TA CTGCGTAA	TAAGGAGTCT	TAATCATGCC	AGTTCTTTG	GGTATTCCGT
2881	TATTATTGCG	TTTCCCTCGGT	TTCTTCTGG	TAACTTGTT	GCGGTATCTG	CTTACTTT
2941	TTAAAAAGGG	CTTCGGTAAG	ATAGCTATTG	CTATTCATT	GTTCCTTGCT	CTTATTATTG
3001	GGCTTAACTC	AATTCTTG	GGTTATCTCT	CTGATATTAG	CGCTCAATT	CCCTCTGACT
3061	TTGTTCAAGGG	TGTTCAAGTT	ATTCTCCCGT	CTAATGCGCT	TCCCTGTTTT	TATGTTATT
3121	TCTCTGTAAA	GGCTGCTATT	TCATTTTG	ACGTTAAACA	AAAAATCGTT	TCTTATT
3181	ATTGGGATAA	ATAATATGGC	TGTTTATTT	GTAACTGGCA	AATTAGGCTC	TGAAAGACG
3241	CTCGTTAGCG	TTGGTAAAGAT	TCAGGATAAA	ATTGTAGCTG	GGTGCAAAT	AGCAACTAAT
3301	CTTGATTTAA	GGCTTCAAAA	CCTCCCGCAA	GTCGGGAGGT	TCGCTAAAAC	GCCTCGCGT
3361	CTTAGAATAC	CGGATAAGGC	TTCTATATCT	GATTIGCTG	CTATTGGCG	CGGTAAATGAT
3421	TCCTACGATG	AAAATAAAAA	CGGCTTGCTT	GTTCTCGATG	AGTGCAGGTAC	TTGGTTAA
3481	ACCCGTTCTT	GGAATGATAA	GGAAAGACAG	CCGATTATTG	ATTGGTTCT	ACATGCTCGT
3541	AAATTAGGAT	GGGGATATTAT	TTTCTGTTG	CAGGACTT	CTATTGTTGA	AAACAGGCG
3601	CGTTCTGCT	TAGCTGAACA	TGTTGTTTAT	TGTCGTCGTC	TGGACAGAAT	TACTTTACCT
3661	TTTGTGGT	CTTTATATT	TCTTATTACT	GGCTCGAAA	TGCGCTCTGCC	TAAATTACAT
3721	GTTGGCGTTG	TTAAATATGG	CGATTCTCAA	TTAAGCCTA	CTGTTGAGCG	TTGGCTTT
3781	ACTGGTAAGA	ATTGTATAA	CGCATATGAT	ACTAAACAGG	CTTTTCTAG	TAATTATGAT

7 / 11

3841	TCCGGTGT	TTT	ATTCTTAT	AACGCCTT	TTATCACACG	GTCGGTAT	CAAACCATT	3900
3901	AATTAGGTC	AGAAGATGAA	GCTTACTAAA	ATATATTGAA	AAAAGTTTC	ACCGGTTCTT	3960	
3961	TGTCTTGCGA	TTGGATTTC	ATCAGCATT	ACATATAGTT	ATATAACCCA	ACCTAACGCCG	4020	
4021	GAGGTTAAAAA	AGGTAGTCTC	TCAGACCTAT	GATTTTGATA	AATTCACTAT	TGACTCTTCT	4080	
4081	CAGCGTCTTA	ATCTAAGCTA	TCGCTATGTT	TTCAAGGATT	CTAAGGGAAA	ATTAATTAAT	4140	
4141	AGCGACGATT	TACAGAAGCA	AGGTTATTCA	CTCACATATA	TTGATTTATG	TAATGTTCC	4200	
4201	ATTAAGGAAAG	GTAATTCAA	TGAAATTGTT	AAATGTAAATT	AATTTTGTTT	TCTTGATGTT	4260	
4261	TGTTTCATCA	TCTTCTTTG	CTCAGGTAAT	TGAAATGAAT	AATTGCCTC	TGCGCGATT	4320	
4321	TGTAACCTGG	TATTCAAAGC	AATCAGGCAGA	ATCCGTTATT	GTTCCTCCG	ATGTAAAAGG	4380	
4381	TACTGTTACT	GTATATTCAT	CTGACGTTAA	ACCTGAAAAT	CTACGCAATT	TCTTTATTC	4440	
4441	TGTTTACGT	GCTAATAATT	TTGATATGGT	TGGTTCAATT	CCTTCATATA	TTCAGAAGTA	4500	
4501	TAATCCAAC	AATCAGGATT	ATATTGATGA	ATTGCCATCA	TCTGATAATC	AGGAATATGA	4560	
4561	TGATAATTCC	GCTCCTCTG	GTGGTTTCTT	TGTTCCGCAA	AATGATAATG	TTACTCAAAC	4620	
4621	TTTTAAAATT	AATAACGTT	GGGCAAAGGA	TTAATACGA	GTGTCGAAT	TGTTTGTTAA	4680	
4681	GTCTAACTACT	TCTAAATCCT	CAAATGTATT	ATCTATTGAC	GGCTCTAAC	TATTAGTTGT	4740	
4741	TAGTGCACCT	AAAGATATT	TAGATAACCT	TCCTCAATT	CTTCTACTG	TTGATTTGCC	4800	
4801	AACTGACCAG	ATATTGATTG	AGGGTTTGAT	ATTTGAGGTT	CAGCAAGGTTG	ATGCTTACA	4860	
4861	TTTTTCATT	GCTGCTGGCT	CTCAGCGTGG	CACTGTTGCA	GGCGGTGTTA	ATACTGACCG	4920	
4921	CCTCACCTCT	GTTCATCTT	CTGCTGGTGG	TTGTTCCGGT	ATTTTAATG	GCGATGTTT	4980	
4981	AGGGCTATCA	GTTCGCGCAT	TAAAGACTAA	TAGCCATTCA	AAAATATTGT	CTGTGCCACG	5040	
5041	TATTCTTACG	CTTCAGGTC	AGAAGGGTTC	TATCTCTGTT	GGCCAGAATG	TCCCTTTAT	5100	
5101	TACTGGCTGT	GTGACTGGTG	AATCTGCCA	TGTAATAAT	CCATTTAGA	CGATTGAGCG	5160	
5161	TCAAAATGTA	GGTATTTCCA	TGAGCGTTT	TCCTGTTGCA	ATGGCTGGCG	GTAATATTGT	5220	
5221	TCTGGATATT	ACCAGCAAGG	CCGATAGTTT	GAGTTCTCT	ACTCAGGCAA	GTGATGTTT	5280	
5281	TACTAATCAA	AGAAGTATTG	CTACAACGGT	TAATTTGCGT	GATGGACAGA	CTCTTTACT	5340	
5341	CGGTGGCCTC	ACTGATTATA	AAAACACTTC	TCAAGATTCT	GGCGTACCGT	TCCCTGCTAA	5400	
5401	AATCCCTTTA	ATCGGCCTCC	TGTTTAGCTC	CCGCTCTGAT	TCCAAACGAGG	AAAGCACGTT	5460	
5461	ATACGTGCTC	GTCAAAGCAA	CCATAGTACG	CGCCCTGTAG	GGCGCCTTAA	AGCGCGGCGG	5520	
5521	GTGTGGTGGT	TACGCGCAGC	GTGACCGCTA	CACTTGCCAG	GGCCCTAGCG	CCCCTCCTT	5580	
5581	TCGCTTCTT	CCCTTCCTT	CTCGCACGT	TCGCGGCTT	TCCCCGTCAA	GCTCTAAATC	5640	
5641	GGGGGCTCCC	TTTAGGGTTC	CGATTAGTG	CTTACGGCA	CCTCGACCCC	AAAAAAACTG	5700	
5701	ATTTGGGTGA	TGGTTCACGT	AGTGGGCCAT	CGCCCTGATA	GACGGTTTT	CGCCCTTGA	5760	
5761	CGTTGGAGTC	CACGTTCTT	AATAGTGGAC	TCTTGTTC	AACTGGAACA	ACACTCAACC	5820	
5821	CTATCTCGGG	CTATTCTTT	GATTATAAG	GGATTTGCC	GATTCGGAA	CCACCATCAA	5880	
5881	ACAGGATTTT	CGCCTGCTGG	GGCAAAACAG	CGTGGACCGC	TTGCTGCAAC	TCTCTCAGGG	5940	
5941	CCAGGGCGGTG	AAGGGCAATC	AGCTGTTGCC	CGTCTCGCTG	GTGAAAAGAA	AAACCACCC	6000	
6001	GGCGCCCAAT	ACGCAAACCG	CCTCTCCCCG	CGCGTTGGCC	GATTCAATTAA	TGAGCTGGC	6060	
6061	ACGACAGGTT	TCCCGACTGG	AAAGCGGGCA	GTGAGCGAA	CGCAATTAAAT	GTGAGTTAGC	6120	
6121	TCACTCATTA	GGCACCCCA	GCTTTACACT	TTATGTTCC	GGCTCGTATG	TTGTGTGGAA	6180	
6181	TTGTGAGCGG	ATAACAATT	CACACGCGTC	ACTTGGCACT	GGCCGTCGTT	TTACAACGTC	6240	
6241	GTGACTGGGA	AAACCCCTGGC	GTTACCCAAG	CTTGTACAT	GGAGAAAATA	AAGTGAACA	6300	
6301	AAGCACTATT	GCACCTGGCAC	TCTTACCGTT	ACTGTTTACC	CCTGTGGCAA	AAGCCCAGGT	6360	
6361	CCAGCTGCTC	GAGTCGGTCT	TCCCCCTGGC	ACCCCTCCTCC	AAGAGCACCT	CTGGGGGCAC	6420	
6421	AGCGGCCCTG	GGCTGCCTGG	TCAAGACTAA	TTCCCCGAAC	CGGTGACGGT	GTCGTGGAAC	6480	
6481	TCAGGCGCCC	TGACCAGCGG	CGTGCACACC	TTCCCGGCTG	TCCTACAGTC	CTCAGGACTC	6540	
6541	TACTCCCTCA	GCAGCGTGT	GACCGTGGCC	TCCAGCAGCT	TGGGCACCCA	GACCTACATC	6600	
6601	TGCAACGTGA	ATCACAAGCC	CAGCAACACC	AAGGTGGACA	AGAAAGCAGA	GCCCAAATCT	6660	
6661	TGTAATAGTG	GATCCTACCC	GTACGACGTT	CCGGACTACG	CTTCTTAGGC	TGAAGGCGAT	6720	
6721	GACCCCTGCTA	AGGCTGCATT	CAATAGTTA	CAGGCAAGTG	CTACTGAGTA	CATTGGCTAC	6780	
6781	GCTTGGGCTA	TGGTAGTAGT	TATAGTTGGT	GCTACCATAG	GGATTAAATT	ATTCAAAAAG	6840	
6841	TTTACGAGCA	AGGCTTCTTA	AGCAATAGCG	AAGAGGCCG	CACCGATCGC	CCTTCCCAAC	6900	
6901	AGTTGCGCAG	CCTGAATGGC	GAATGGCGCT	TTGCTCTGTT	TCCGGCACCA	GAAGCGGTGC	6960	
6961	CGGAAAGCTG	GCTGGAGTGC	GATCTTCTG	AGGCCGATAC	GGTCGTCGTC	CCCTCAAAC	7020	
7021	GGCAGATGCA	CGGTTACGAT	GCGCCCATCT	ACACCAACGT	AACCTATCCC	ATTACGGTCA	7080	
7081	ATCCGGCGT	TGTTCCCACG	GAGAATCCGA	CGGGTTGTTA	CTCGCTCAC	TTAATGTTG	7140	
7141	ATGAAAGCTG	GCTACAGGAA	GGCCAGACGC	GAATTATTT	TGATGGCGTT	CCTATTGGTT	7200	
7201	AAAAAATGAG	CTGATTTAAC	AAAAATTAA	CGCGAATT	AACAAATAT	TAACGTTTAC	7260	
7261	AATTAAATA	TTTGCTTATA	CAATCTT	TTTTTGGGG	CTTTCTGAT	TATCAACCGG	7320	
7321	GGTACATATG	ATTGACATGC	TACTTTACG	ATTACCGTT	ATCGATTCTC	TTGTTGCTC	7380	
7381	CAGACTCTCA	GGCAATGACC	TGATAGCCTT	TGATAGTCTC	TCAAAATAG	CTACCCCTC	7440	
7441	CGGCATTAAT	TTATCAGCTA	GAACGGTTGA	ATATCATATT	GATGGTGATT	TGACTGTC	7500	
7501	CGGCCTTCT	CACCCCTTTG	AATCTTAC	TACACATTAC	TCAGGCAATTG	CATTAAAAT	7560	
7561	ATATGAGGGT	TCTAAAATT	TTTATCCTG	CGTTGAAATA	AAGGCTTCTC	CCGCAAAAGT	7620	
7621	ATTACAGGGT	CATAATGTT	TTGGTACAAC	CGATTTAGCT	TTATGCTCTG	AGGCTTTATT	7680	
7681	GCTTAATT	GCTAATTCTT	TGCGCTTGCGCT	GTATGATT	TTGGACGTT		7729	

	10	20	30	40	50	60
1	AATGCTACTA	CTATTAGTAG	AATTGATGCC	ACCTTTCA	CTCGCGCCCC	AAATGAAAAT
61	ATAGCTAAC	AGGTTATTGA	CCATTGCGA	AATGTATCTA	ATGGTCAAAC	TAAATCTACT
121	CGTTGCAGA	ATTGGGAATC	AACTGTTACA	TGGAATGAAA	CTTCCAGACA	CCGACTTTA
181	GTTGCATATT	TAAAACATGT	TGAGCTACAG	CACCAAGATT	AGCAATTAGG	CTCTAAGCCA
241	TCCGCAAAAA	TGACCTCTTA	TCAAAAGGGAG	CAATTAAAGG	TACTCTCTAA	TCCTGACCTG
301	TTGGAGTTTG	CTTCCGGTCT	GGTTCGCTTT	GAAGCTCGAA	TTAAAACGCG	ATATTGAAAG
361	TCTTCGGGC	TTCTCTTAA	TCTTTTGAT	GCAATCCGCT	TTGCTTCTGA	CTATAATAGT
421	CAGGGTAAAG	ACCTGATTTT	TGATTTATGG	TCATTCTCGT	TTTCTGAACT	GTTTAAAGCA
481	TTTGAGGGGG	ATTCAATGAA	TATTTATGAC	GATTCCGCG	TATTGGACGC	TATCCAGTCT
541	AAACATTTTA	CTATTACCCC	CTCTGGCAAA	ACTTCTTTG	CAAAAGCCTC	TCGCTATT
601	GGTTTTATC	GTCGTCGGT	AAACGAGGGT	TATGATAGTG	TTGCTCTTAC	TATGCCCTCGT
661	AATTCCCTTT	GGCGTTATGT	ATCTGCATTA	GTTGAATGTG	GTATTCTCAA	ATCTCAACTG
721	ATGAATCTTT	CTACCTGTAA	TAATGTTGTT	CCGTTAGTTC	TTTTTATTAA	CGTAGATT
781	TCTTCCAAC	GTCCTGACTG	GTATAATGAG	CCAGTTCTTA	AAATCGCATA	AGGTAATTCA
841	CAATGATTAA	AGTTGAAATT	AAACCACCTC	AAGCCAATT	TACTACTCGT	TCTGGTGT
901	CTCGTCAGGG	CAAGCCTAT	TCACTGAATG	AGCAGCTTG	TTACGTTGAT	TTGGGTAATG
961	AATATCCGGT	TCTTGTCAAG	ATTACTCTTG	ATGAAGGTCA	GCCAGCCTAT	GCGCTGGTC
1021	TGTACACCGT	TCATCTGTCC	TCTTCAAAG	TTGGTCAGTT	CGGTTCCCTT	ATGATTGACC
1081	GTCTGCGCCT	CGTTCCGGCT	AAGTAACATG	GAGCAGGTG	CGGATTICGA	CACAATTAT
1141	CAGGCGATGA	TACAAATCTC	CGTTGTA	TGTTTCGCG	TTGGTATAAT	CGCTGGGGT
1201	CAAAGATGAG	TGTTTAGTG	TATTCTTCG	CCTCTTCTGT	TTAGGTTGG	TGCCTTCGTA
1261	GTGGCATTAC	GTATTTTAC	CGTTAATGG	AAACTCCCTC	ATGAAAAGT	CTTAGTCTC
1321	CAAAGCCTCT	GTAGCCGTTG	CTACCCCTCGT	TCCGATGCTG	TCTTTCGCTG	CTGAGGGTGA
1381	CGATCCCGCA	AAAGCGGCC	TAAACTCCCT	GCAAGCCTCA	GCGACCGAAT	ATATCGGTTA
1441	TGCGTGGGCG	ATGGTTGTTG	TCATTGTCGG	CGCAACTATC	GGTATCAAGC	TGTTTAAGAA
1501	ATTACCTCG	AAAGCAAGCT	GATAAACCGA	TACAATTAAA	GGCTCCTTT	GGAGCCTTT
1561	TTTTGGAGA	TTTCAACGT	GAAAAAATTAA	TTATTGCAA	TTCTTTAGT	TGTTCCCTTC
1621	TATTCTCACT	CCGCTGAAAC	TGTTGAAAGT	TGTTTAGCAA	AACCCCATAC	AGAAAATTCA
1681	TTTACTAACG	TCTGGAAGA	CGACAAAAC	TTAGATCGTT	ACGCTAAC	TGAGGGTTGT
1741	CTGTGGAATG	CTACAGGGCT	TGTAGTTGT	ACTGGTACG	AAACTCAGT	TTACGGTACA
1801	TGGGTCCTA	TTGGGCTTGC	TATCCCTGAA	AATGAGGGTG	GTGGCTCTGA	GGGTGGCGGT
1861	TCTGAGGGTG	GC GGTTCTGA	GGGTGGCGGT	ACTAAACCTC	CTGAGTACGG	TGATACACCT
1921	ATTCCGGGCT	ATACTTATAT	CAACCCCTCTC	GACGGCACTT	ATCCGCTGG	TACTGAGCAA
1981	AAACCCGCTA	ATCCTAATCC	TTCTCTTGAG	GAGTCTCAGC	CTCTTAATAC	TTTCATGTT
2041	CAGATAATA	GGTTCCGAAA	TAGGCAGGGG	GCATTAAC	TTTATACGGG	CACTGTTACT
2101	CAAGGCACTG	ACCCCGTAA	AACTTATTAC	CA GTACACTC	CTGTATCATC	AAAAGCCATG
2161	TATGACGCTT	ACTGGAACGG	TAAATTCA	GA	TGCGCTT	CTTTAATGAA
2221	GATCATTG	TTTGTGAATA	TCAAGGCCAA	TCGTCTGACC	TGCTCAACC	TCCTGTCAT
2281	GCTGGCGGCG	GCTCTGGTGG	TGGTTCTGGT	GGCGGCTCTG	AGGGTGGTGG	CTCTGAGGGT
2341	GGCGGTTCTG	AGGGTGGCGG	CTCTGAGGGG	GGCGGTTCCG	GTGGTGGCTC	TGGTCCGGT
2401	GATTTGATT	ATGAAAAGAT	GGCAAACGCT	AATAAGGGGG	CTATGACCGA	AAATGCCGAT
2461	GAAAACGCGC	TACAGTCTGA	CGCTAAAGGC	AAACTTGATT	CTGTCGCTAC	TGATTACGGT
2521	GCTGCTATCG	ATGGTTTCA	TGGTACGTT	TCCGGCCTTG	CTAATGGTAA	TGGTGTACT
2581	GGTGA	CTGGCTCTAA	TTCCCAAATG	GCTCAAGTCG	GTGACGGTGA	TAATTCACCT
2641	TTAATGAATA	ATTTCCGTC	ATATTACCT	TCCCTCCCTC	AATCGGTTGA	ATGTCGCCCT
2701	TTTGTCTT	GCGCTGGTAA	ACCATATGAA	TTTTCTATTG	ATTGTGACAA	AATAAACTTA
2761	TTCCGTGGTG	TCTTTCGTT	TCTTTATAT	GTTGCCACCT	TTATGTATGT	ATTTTCTACG
2821	TTTGCTAAC	TA	TAAGGAGTCT	TAATCATGCC	AGTTCCTT	GGTATTCG
2881	TATTATTGCG	TTTCTCTGGT	TTCTTCTG	TAACCTTGTT	CGGCTATCTG	CTTACTTTT
2941	TTAAAAAGGG	CTTCGGTAAG	ATAGCTATTG	CCTGTTCTT	GCTCTTATT	TTGGGCTTAA
3001	CTCAATTCTT	GTGGGTTATC	TCTCTGATAT	TAGCGCTCAA	TTACCCCTCG	ACTTTGTTCA
3061	GGGTGTTCA	TTAATTCTCC	CGTCTAAATG	GCTTCCCTGT	TTTTATGTTA	TTCTCTCTGT
3121	AAAGGCTGCT	ATTTTCATT	TTGACGTTAA	ACAAAAAATC	GTTTCTTATT	TGGATTGGGA
3181	TAAATAATAT	GGCTGTTTAT	TTTGTAACTG	GCAAATTAGG	CTCTGGAAAG	ACGCTCGTTA
3241	GCGTTGGTAA	GATTCAAGGAT	AAAATTGTAG	CTGGGTC	AATAGCAACT	AATCTGATT
3301	TAAGGCTTCA	AAACCTCCCG	CAAGTCGGGA	GGTTGCTAA	AACGCCCTCG	GTTCTTAGAA
3361	TACCGGATAA	GCCTTCTATA	TCTGATTTCG	TTGCTATTGG	GCGCGGTAAT	GATTCTACG
3421	ATGAAAATAA	AAACGGCTTG	CTTGTCTCG	ATGAGTGC	TACTTGGTTT	AATACCGCT
3481	CTTGAATGA	TAAGGAAAGA	CAGCGGATTA	TTGATTGGT	TCTACATGCT	CGTAAATTAG
3541	GATGGGATAT	TATTTTCTT	GTTCAAGGACT	TATCTATTG	TGATAAACAG	GCGCGTTCTG
3601	CATTAGCTGA	ACATGTTGTT	TATTGTCGTC	GTCTGGACAG	AATTACTT	CCTTTGTCG
3661	GTACTTTA	TTCTCTTATT	ACTGGCTCGA	AAATGCTCT	GCCTAAATT	CATGTTGGCG
3721	TTGTTAAATA	TGGCGATTCT	CAATTAGCC	CTACTGTTGA	GCGTTGGCTT	TATACTGGTA
3781	AGAATTGTA	TAACGCATAT	GATACTAAAC	AGGCTTTTTC	TAGTAATTAT	GATTCCGGTG

	3841	TTTATTCTTA	TTTAACGCCT	TATTTATCAC	ACGGTCGGTA	TTTCAAACCA	TTAAATTTAG	3900
3901	GTCAGAAGAT	GAAGCTTA	AAAATATATT	TGAAAAAGTT	TTCACGCGTT	CTTTGTCTT	3960	
3961	CGATTGGATT	TGCATCAGCA	TTTACATATA	GTTATATAAC	CCAACCTAAC	CCGGAGGTTA	4020	
4021	AAAAGGTAGT	CTCTCAGACC	TATGATTTTG	ATAAATTAC	TATTGACTCT	TCTCAGCGTC	4080	
4081	TTAATCTAAG	CTATCGCTAT	GTTTCAAGG	ATTCTAAGGG	AAAATTAATT	AATAGCGACG	4140	
4141	ATTTACAGAA	GCAAGGTTAT	TCACTCACAT	ATATTGATT	ATGTA	TTCTGTTCA	4200	
4201	AAGGTAATT	AAATGAAATT	GTAAATGTA	ATTAATT	TTTCTTGAT	GT	4260	
4261	TCATCTCTT	TTGCTCAGGT	AATTGAAATG	AATAATT	CG	TTTTGTA	4320	
4321	TGGTATTCAA	AGCAATCAGG	CGAATCCGTT	ATTGTT	CG	AGGTA	4380	
4381	ACTGTATATT	CATCTGACGT	TAACCTGAA	AATCTACGCA	ATT	TTCTT	4440	
4441	CGTGCTAATA	ATTTGATAT	GGTTGGTTCA	ATT	TAATT	GTATAATCZ	4500	
4501	AAACATCAGG	ATTATATTGA	TGAATTGCCA	TCATCTGATA	ATCAGGAATA	TGATGATAAT	4560	
4561	TCCGCTCCTT	CTGGTGGTT	CTTGTTCG	CAAAATGATA	ATGTTACTCA	AACTTTAAA	4620	
4621	ATTAATAACG	TTCGGGCAAA	GGATTTAATA	CGAGTTGTCG	ATTGTT	AAAGTCTAAT	4680	
4681	ACTTCTAAAT	CCTCAAATGT	ATTATCTATT	GACGGCTCTA	ATCTATTAGT	TGTTAGTGCA	4740	
4741	CCTAAAGATA	TTTAGATAA	CCCTCCTCAA	TC	CTGTTGATT	GCCAACTGAC	4800	
4801	CAGATATTGA	TTGAGGGTTT	GATATTGAG	GTTCAGCAAG	GTGATGCTT	AGATT	4860	
4861	TTTGCTGCTG	GCTCTCAGCG	TGGCACTGTT	GCAGGCGGTG	TTAAT	ACTG	4920	
4921	TCTGTTTTAT	CTTCTGCTGG	TGTTCGTT	GGTATT	ATGGCGATGT	TTTAGGGCTA	4980	
4981	TCAGTTCGCG	CATTAAGAC	TAATAGCCAT	TCAAAATAT	TG	CTGTGCC	5040	
5041	ACGTTTCAG	GTCAGAAGGG	TTCTATCTCT	GTTGGCCAGA	ATGTC	TATTACTGGT	5100	
5101	CGTGTACTG	GTGAATCTGC	CAATGTAAT	AATCCATTTC	AGACGATTGA	GCGTAAAAT	5160	
5161	GTAGGTATTT	CCATGAGCGT	TTTCTCTGTT	GCAATGGCTG	GCGGTAATAT	TGTTCTGGAT	5220	
5221	ATTACCAGCA	AGGCCGATAG	TTTGAGTTCT	TCTACTCAGG	CAAGTGTATG	TATTACTAAT	5280	
5281	CAAAGAAGTA	TTGCTACAAC	GGTTAATTG	CGTGATGGAC	AGACT	CTTT	5340	
5341	CTCACTGATT	ATAAAAAACAC	TTCTCAAGAT	TCTGGCGTAC	CGTT	CCCT	5400	
5401	TTAATCGGCC	TCCTGTTAG	CTCCCGCTCT	GATTCAACG	AGGAAAGCAC	GTTATACGTG	5460	
5461	CTCGTCAAAG	CAACCATACT	ACGCGCCCTG	TAGCGCGCA	TAA	AGCGCG	5520	
5521	GGTACGCGC	AGCGTGACCG	CTACACTTGC	CAGCGCCCTA	GCGCCCGCTC	CTTICG	5580	
5581	TTTCGCTGC	TGGGGCAAAAC	CAGCGTGGAC	CGCTTGCTGC	AAC	CTCTCA	5940	
5941	GTGAAGGGCA	ATCAGCTGTT	GCCCCTCTCG	CTGGT	AAAAAACCAC	CCTGGCGCCC	6000	
6001	AATACGCAAA	CCGCCTCTCC	CCGCGCGTTG	GCCGATT	TAAT	GCAG	6060	
6061	GT	TTTCCCAGAC	TGGAAAGCGG	GCAGTGAGCG	CAACGCAATT	ATG	6120	
6121	TTAGGCACCC	CAGGCTTTAC	ACTTTATGCT	TCCGGCTCGT	ATGTTG	TGAG	6180	
6181	CGGATAACAA	TTTCACACG	CAAGGAGACA	GTCATAATGA	AATAC	CTT	6240	
6241	GGCGCTGGAT	TGTTATTACT	CGCTGCCAA	CCAGG	CGCT	CCC	6300	
6301	GATGAGCGT	TGAAATCTGG	AACTGCTCT	GTTGT	GAA	TATCCC	6360	
6361	AGAGAGGCCA	AAGTACAGT	GAAGGTGGAT	AACGCCCTCC	AATCGG	CTCCCAGGAG	6420	
6421	AGTGTACAG	AGCAGGACAG	CAAGGACAGC	ACCTACAGCC	TCAGCAGCAC	CCTGACGCTG	6480	
6481	AGCAAAGCAG	ACTACGAGAA	ACACAAAGTC	TACGCC	TGCG	AAGTCACCCA	6540	
6541	AGCTCGCCCC	TCACAAAGAG	CTTCAACAGG	GGAGAGTGT	CTAGAACGCG	TCACT	6600	
6601	CTGGCCGTG	TTTTACAACG	TCGTGACTGG	GAAAACCTG	CGT	TTAACCC	6660	
6661	CCTTGCAGAA	TTCCCTTTCG	CCAGCTGGCG	TAATAGCGAA	GAGGCCC	GCA	6720	
6721	TTCCCAACAG	TTGCGCAGCC	TGAATGGCGA	ATGGCGCTT	GCCTGG	TTTC	6780	
6781	AGCGGTGCCG	CAAAGCTGGC	TGGAGTGC	TCTTCC	GCG	GATACGG	6840	
6841	CTCAAAC	CAGATGCACG	GTTACGATGC	GCCC	ATCTAC	ACCAACG	6900	
6901	TACGGTCAAT	CCGCGTTTG	TTCCCACGG	GAATCCGACG	GG	TTGTTACT	6960	
6961	TAATGTTGAT	GAAAGCTGGC	TACAGGAAGG	CCAGACGCGA	ATT	ATTTTTTG	ATGGCGTTCC	7020
7021	TATTGGTTAA	AAAATGAGCT	GATTAAACAA	AAATT	TAACG	CGA	7080	
7081	ACGTTTACAA	TTTAAATATT	TGCTTATACA	ATCTT	CTGT	TTTGGGGCT	TTTCTGATTA	7140
7141	TCAACCGGGGG	TACATATGAT	TGACATGCTA	GTTT	TACG	CGATT	7200	
7201	GT	TTGCTCCA	GA	CT	CC	TTCTCT	7260	
7261	ACCCCTCTCG	GCATTAATT	ATCAGCTAGA	ACGG	TTGAAT	ATCATATTGA	TGGT	7320
7321	ACTGCTCCG	GCCTTCTCA	CCCTTTGAA	TCTT	TAC	CACATTACTC	AGGCATTGCA	7380
7381	TTTAAATAT	ATGAGGGTTC	AAAAATT	TATC	CTTGCG	TTGAAATAAA	GGCTTCTCCC	7440
7441	GCAAAAGTAT	TACAGGTCA	TAATGTTT	GGTAC	AAACCG	ATTAGCTT	ATGCTCTGAG	7500
7501	GCTTTATTGC	TTAATT	TTG	CCTT	GCCTGT	ATGATT	GGATGTT	7557
		10	20	30	40	50	60	

10 / 11

	10	20	30	40	50	60
1	AATGCTACTA	CTATTAGTAG	AATTGATGCC	ACCTTTTCAG	CTCGCGCC	AAATGAAAAT
61	ATAGCTAAC	AGGTTATTGA	CCATTTGCAG	AATGTATCTA	ATGGTCAAAC	TAAATCTACT
121	CGTTCGCAGA	ATTGGGAATC	AACTGTTACA	TGGAATGAAA	CTTCCAGACA	CCGTAACCTTA
181	GTTGCATATT	AAAACATGT	TGAGCTACAG	CACCAGATT	AGCAATTAG	CTCTAAGCCA
241	TCTGCACAAA	TGACCTCTTA	TCAAAAGGAG	CAATTAAAGG	TACTCTCTAA	TCCTGACCTG
301	TTGGAGTTTG	CTTCCGGTCT	GGITCGCTT	GAAGCTCGAA	TTAAAACGCG	ATATTGAAAG
361	TCTTCGGGC	TCCTCTCTAA	TCTTTTGAT	GCAATCCGCT	TTGCTCTGA	CTATAATAGT
421	CAGGGTAAAG	ACCTGATTT	TGATTTATGG	TCATTCTCGT	TTTCTGAACT	GTTTAAACGA
481	TTTGAGGGGG	ATTCAATGAA	TATTATGAC	GATTCCGCG	TATTGGACGC	TATCCAGTCT
541	AAACATTTTA	CTATTACCCC	CTCTGGCAAA	ACTTCTTTG	CAAAGCCTC	TCGCTATTTT
601	GGTTTTTATC	GTCGTCTGGT	AAACGAGGGT	TATGATAGTG	TTGCTCTTAC	TATGCCCTCGT
661	AATTCCCTTT	GGCGTTATGT	ATCTGCATTA	GTTGAATGTG	GTATTCTCAA	ATCTCAACTG
721	ATGAATCTT	CTACCTGTAA	TAATGTTGTT	CCGTTAGTTC	TTTTTATTAA	CGTAGATTTT
781	TCTTCCCAAC	GTCCTGACTG	GTATAATGAG	CCAGTTCTTA	AAATCGCATA	AGGTAATTCA
841	CAATGATTAA	AGTTGAAATT	AAACCATCTC	AAGCCCCATT	TACTACTCGT	TCTGGTGT
901	CTCGTCAGGG	CAAGCCTTAT	TCACTGAATG	AGCAGCTTTG	TTACGTTGAT	TTGGGTAATG
961	AATATCCGGT	TCTTGTCAAG	ATTACTCTTG	ATGAAGGTCA	GCGAGCCTAT	GCGCCTGGTC
1021	TGTACACCCTG	TCATCTGTCC	TCTTCAAAG	TTGGTCAGTT	CGGTTCCCTT	ATGATTGACC
1081	GTCTCGCGCT	CGTTCCGGCT	AAGTAACATG	GAGCAGGTG	CGGATTTCGA	CACAATTAT
1141	CAGCGATGA	TACAAATCTC	CGTTGTACTT	TGTTTCGCG	TTGGTATAAT	CGCTGGGGGT
1201	CAAAGATGAG	TGTTTAGTGT	TATTCTTCG	CCTCTTCTCGT	TTTAGGTTGG	TGCCCTCGTA
1261	GTGGCATTAC	GTATTTTAC	CGTTTAATGG	AAACTTCCTC	ATGAAAAAAGT	CTTTAGTCCT
1321	CAAAGCCTCT	GTAGCCGTTG	CTACCCCTCGT	TCCGATGCTG	TCTTCGCTG	CTGAGGGTGA
1381	CGATCCCGCA	AAAGCGGCC	TTAACCTCCCT	GCAAGCCTCA	GCGACCGAAT	ATATCGGTTA
1441	TGCGTGGGGG	ATGGTTGTTG	TCATTGTGCG	CGCAACTATC	GGTATCAAGC	TGTTTAAGAA
1501	ATTCACCTCG	AAAGCAAGCT	GATAAACCGA	TACAATTAAA	GGCTCCTTTT	GGAGCCTTTT
1561	TTTTGGAGA	TTTCAACGT	GAAAAAAATTA	TTATTCGCAA	TTCTTTAGT	TGTTCCCTTC
1621	TATTCTCACT	CCGCTGAAAC	TGTTGAAAGT	TGTTTAGCAA	AAACCCCATAC	AGAAAATTCA
1681	TTTACTAACG	TCTGGAAAGA	CGACAAAACT	TTAGATCGTT	ACGCTAACTA	TGAGGGTTGT
1741	CTGTGGAATG	CTACAGGCGT	TGTAGTTGT	ACTGGTGACG	AAACTCAGTG	TTACGGTACA
1801	TGGGTTCTA	TTGGGCTGC	TATCCCTGAA	AATGAGGGTG	GTGGCTCTGA	GGGTGGCGGT
1861	TCTGAGGGTG	GCGGTTCTGA	GGGTGGCGGT	ACTAAACCTC	CTGAGTACGG	TGATACACCT
1921	ATTCCGGGCT	ATACTTATAT	CAACCCCTCTC	GACGGCACTT	ATCCGCTGG	TACTGAGCAA
1981	AACCCCGCTA	ATCCTAATCC	TTCTCTTGAG	GAGTCTCAGC	CTCTTAATAC	TTTCATGTTT
2041	AGAATAATA	GGTTCCGAA	TAGGCAGGGG	GCATTAACTG	TTTATACGGG	CACTGTTACT
2101	CAAGGCCTG	ACCCCGTTAA	AACTTATTAC	CAGTACACTC	CTGTATCATC	AAAAGCCATG
2161	TATGACGCTT	ACTGGAACGG	TAATTTCAGA	GACTGCGCTT	TCCATTCTGG	CTTTAATGAA
2221	GATCCATTG	TTTGTGAATA	TCAAGGCCA	TCGTCGACCC	TGCTCAACC	TCCTGTCAAT
2281	GCTGGCGGCG	GCTCTGGTGG	TGGTTCTGGT	GGCGGCTCTG	AGGGTGGTGG	CTCTGAGGGT
2341	GGCGGTTCTG	AGGGTGGCGG	CTCTGAGGGG	GGCGGTTCCG	GTGGTGGCTC	TGGTTCCGGT
2401	GATTTGATT	ATGAAAAGAT	GGCAAACGCT	AATAAGGGGG	CTATGACCGA	AAATGCCGAT
2461	AAAAACCGCG	TACAGTCG	CGCTAAAGGC	AAACTTGTATT	CTGTCGCTAC	TGATTACGGT
2521	GCTGCTATCG	ATGGTTTCAT	TGGTGACGTT	TCCGGCTTG	CTAATGGTAA	TGGTGTACT
2581	GGTGATTGG	CTGGCTCTAA	TTCCCAAATG	GCTCAAGTCG	GTGACGGTGA	TAATTACACCT
2641	TTAATGAAATA	ATTTCCGTC	ATATTTCACCT	TCCCTCCCTC	AATCGGTTGA	ATGTGCCCT
2701	TTTGTCTTA	GCCTGGTAA	ACCATATGAA	TTTCTATTG	ATTGTGACAA	AATAAACTTA
2761	TTCCGGGGT	TCTTTCGCTT	TCTTTATAT	GTTGCCACCT	TTATGTATGT	ATTTTCTACG
2821	TTTGCTAAC	TACTGCGTA	TAAGGAGTCT	TAATCATGCC	AGTTCTTTG	GGTATTCCGT
2881	TATTATTGCG	TTTCCCTCGGT	TTCTTCTGG	TAACCTTGT	CGGCTATCTG	CTTACTTTTC
2941	TTAAAAAGGG	CTTCGGTAAG	ATAGCTATTG	CTATTCATT	GTTTCTTGCT	CTTATTATTG
3001	GGCTTAAC	AATTCTGTG	GGTTATCTCT	CTGATATTAG	CGCTCAATT	CCCTCTGACT
3061	TTGTTCAAGG	TGTTCAAGT	ATTCTCCCGT	CTAATGCGCT	TCCCTGT	TATGTTATT
3121	TCTCTGTAAA	GGCTGCTATT	TTCATTTTG	ACGTTAAACA	AAAAATCGTT	TCTTATTG
3181	ATTGGGATAA	ATAATATGGC	TGTTTATT	GTAACTGGCA	AATTAGGCTC	TGGAAGAGACG
3241	CTCGTAGCG	TTGGTAAGAT	TCAGGATAAA	ATTGTAGCTG	GGTCAAAAT	AGCAACTAAT
3301	CTTGATTAA	GGCTCAAAA	CCTCCCGCAA	GTCGGGAGGT	TCGCTAAAC	GCCTCGCGTT
3361	CTTAGAATAC	CGGATAAGCC	TTCTATATCT	GATTGCTTG	CTATTGGCG	CGGTAATGAT
3421	TCCTACGATG	AAAATAAAA	CGGCTTGCTT	GTTCTCGATG	AGTGCAGGTAC	TTGGTTAA
3481	ACCCGTTCTT	GGAAATGATAA	GGAAAGACAG	CCGATTATTG	ATTGGTTTCT	ACATGTCGT
3541	AAATTAGGAT	GGGATATTAT	TTTTCTTGTT	CAGGACTTAT	CTATTGTTGA	AAACAGGGCG
3601	CGTTCTGCAT	TAGCTGAACA	TGTTGTTTAT	TGTCGTCGTC	TGGACAGAA	TACTTTACCT
3661	TTTGTGGTA	CTTTATATT	TCTTATTACT	GGCTCGAAAA	TGCCTCTGCC	TAAATTACAT
3721	GTTGGCGTTG	TTAAATATGG	CGATTCTCAA	TTAAGCCCTA	CTGTTGAGCG	TTGGCTTAT
3781	ACTGGTAAGA	ATTTGTATAA	CGCATATGAT	ACTAAACAGG	CTTTTCTAG	TAATTATGAT
3841	TCCGGTGT	ATTCTTATT	AACGCC	TTATCACACG	GTCGGTATT	CAAACCATTA
3901	AATTAGGTC	AGAAGATGAA	GCTTACTAA	ATATATTG	AAAAGTTTC	ACCGCTTCTT
3961	TGTCTTGC	TTGGGATTG	ATCAGCATT	ACATATAGTT	ATATAACCC	ACTTAAGCCG
4021	GAGGTTAAA	AGGTAGTCTC	TCAGACCTAT	GATTGATGATA	AATTCACTAT	TGACTCTTCT

11 / 11

4081	CAGCGTCTTA	ATCTAAGCTA	TCGCTATGTT	TTCAAGGATT	CTAAGGGAAA	ATTAATTAAT	4140
4141	AGCGACGATT	TACAGAAAGCA	AGGTATTCTA	CTCACATATA	TTGATTTATG	TACTGTTTCC	4200
4201	ATTAAAAAAAG	GTAATTCAA	TGAAATTGTT	AAATGTAATT	AATTTTGTTT	TCTTGATGTT	4260
4261	TGTTTCATCA	TCTTCTTTG	CTCAGGTAAT	TGAAATGAAT	AATTGCCTC	TGCGCGATT	4320
4321	TGTAACCTGG	TATTCAAAGC	AATCAGGCAG	ATCCGTTATT	GTTTCTCCG	ATGTAAGG	4380
4381	TACTGTTACT	GTATATTCTA	CTGACGTTAA	ACCTGAAAT	CTACGCAATT	TCTTTATTTC	4440
4441	TGTTTACGT	GCTAATAATT	TTGATATGGT	TGGTCAATT	CCTTCATAA	TTCAAGAGTA	4500
4501	TAATCCAAC	AATCAGGAT	ATATTGATGA	ATTGCCATCA	TCTGATAATC	AGGAATATGA	4560
4561	TGATAATTCC	GCTCCTTCTG	GTGGTTCTT	TGTTCCGCAA	AATGATAATG	TTACTCAAAC	4620
4621	TTTTAAAATT	ATAAACGTT	GGGCAAAGGA	TTAATACGA	GTTGTCGAAT	TGTTTGTAAA	4680
4681	GTCTAATACT	TCTAAATCCT	CAAATGTATT	ATCTATTGAC	GGCTCTAAC	TATTAGTTGT	4740
4741	TAGTGACCT	AAAGATATT	TAGATAACCT	TCCTCAATT	CTTCTACTG	TTGATTGCCC	4800
4801	AACTGACCAG	ATATTGATTG	AGGGTTGAT	ATTTGAGGTT	CAGCAAGGTG	ATGCTTACA	4860
4861	TTTTCATTT	GCTGCTGGCT	CTCAGCGTGG	CACTGTTGCA	GGCGGTGTTA	ATACTGACCG	4920
4921	CCTCACCTCT	GTGTTATCTT	CTGCTGGTGG	TTCGTTCGGT	ATTTTAATG	GCGATGTTTT	4980
4981	AGGGCTATCA	GTTCGCGCAT	TAAAGACTAA	TAGCCATTCA	AAAATATTGT	CTGTGCCACG	5040
5041	TATTCTTACG	CTTCAGGTC	AGAAGGGTTC	TATCTCTGTT	GGCCAGAAATG	TCCCTTTAT	5100
5101	TACTGGTCGT	GTGACTGGTG	AATCTGCCAA	TGTAATAAT	CCATTTCAGA	CGATTGAGCG	5160
5161	TCAAAATGTA	GGTATTTCGA	TGAGCGTTT	TCCTGTTCA	ATGGCTGGCG	GTAATATTGT	5220
5221	TCTGGATATT	ACCAGCAAGG	CCGATAGTTT	GAGTTCTCT	ACTCAGGCAA	GTGATGTTAT	5280
5281	TACTAATCAA	AGAAGTATTG	CTACAAACGGT	TAATTGCGT	GATGGACAGA	CTCTTTACT	5340
5341	CGGTGGCCTC	ACTGATTATA	AAAACACTTC	TCAAGATTCT	GGCGTACCGT	TCCTGTCTAA	5400
5401	AATCCCTTTA	ATCGGCCTCC	TGTTAGCTC	CCGCTCTGAT	TCCAACGAGG	AAAGCACGTT	5460
5461	ATACGTGCTC	GTCAAAGCAA	CCATAGTAGC	CGCCCTGTAG	CGGCGCATT	AGCGCGGCG	5520
5521	GTGTGGTGGT	TACGCGCAGC	GTGACCGCTA	CACTTGCAG	CGCCCTAGCG	CCCCTCCCT	5580
5581	TCGCTTCTT	CCCTTCTTT	CTGCCACGT	TGCGCGGCTT	TCCCCTGCAA	GCTCTAAATC	5640
5641	GGGGGCTCCC	TTTAGGGTTC	CGATTAGTG	CTTACGGCA	CCTCGACCCC	AAAAAACTTG	5700
5701	ATTGGGTGA	TGGTTCACGT	AGTGGGCCAT	CGCCCTGATA	GACGGTTTTT	CGCCCTTTGA	5760
5761	CGTTGGAGTC	CACGTTCTT	AATAGTGGAC	TCTTGTTC	AACTGGAACA	ACACTCAACC	5820
5821	CTATCTCGGG	CTATTCTTT	GATTATAAG	GGATTTGCC	GATTTCGGAA	CCACCATCAA	5880
5881	ACAGGATTTT	CGCCTGCTGG	GGCAAAACAG	CGTGGACCGC	TTGCTGCAAC	TCTCTCAGGG	5940
5941	CCAGGGGGTG	AAGGGCAATC	AGCTGTTGCC	CGTCTCGCTG	GTGAAAAGAA	AAACCACCC	6000
6001	GGCGCCCAAT	ACGAAACCG	CCTCTCCCCG	CGCGTTGGCC	GATTCAATTAA	TGCAGCTGGC	6060
6061	ACGACAGGTT	TCCCAGTGG	AAAGCGGGCA	GTGAGCGCAA	CGCAATTAAAT	GTGAGTTAGC	6120
6121	TCACTCATTA	GGCACCCAG	GCTTACACT	TTATGCTCC	GGCTCGTATG	TTGTGTTGAA	6180
6181	TTGTGAGCGG	ATAACAATT	CACACGCCAA	GGAGACAGTC	ATAATGAAAT	ACCTATTGCC	6240
6241	TACGGCAGCC	GCTGGATTGT	TATTACTCGC	TGCCCAACCA	GCCATGGCCG	AGCTCTCCC	6300
6301	GCCATCTGAT	GAGCAGTTGA	AATCTGGAAC	TGCTCTGTT	GTGTGCTG	TGAATAACTT	6360
6361	CTATCCCAGA	GAGGCCAAAG	TACAGTGGAA	GGTGGATAAC	GCCTCTCAAAT	CGGGTAAC	6420
6421	CCAGGAGAGT	GTCACAGAGC	AGGACAGCAA	GGACAGCACC	TACAGCCTCA	GCAGCACCC	6480
6481	GACGCTGAGC	AAAGCAGACT	ACGAGAAACA	CAAAGTCTAC	GCCTGCGAAG	TCACCCATCA	6540
6541	GGGCTGAGC	TCGCCCCGTC	CAAAGAGCTT	CAACAGGGGA	GAGTGTCTA	GAACGCGTCA	6600
6601	CTTGGCACTG	GGCGTCGTTT	TACAACGTCG	TGACTGGGAA	AACCCCTGGCG	TTACCCAAAGC	6660
6661	TTTGTACATG	GAGAAAATAA	AGTGAACACAA	AGCACTATTG	CACTGGCACT	CTTACCGTTA	6720
6721	CTGTTTACCC	CTGTGGCAAA	AGCCGCTCC	ACCAAGGGCC	CATCGGTCTT	CCCCCTGGCA	6780
6781	CCCTCCCTCA	AGAGCACCTC	TGGGGCACA	CGGGCCCTGG	GCTGCTGGT	CAAGACTAAT	6840
6841	TCCCCGGAACC	GGTGACGGTG	TCGTGGAAC	CAGGCCCT	GACCAACGGC	GTGCACACCT	6900
6901	TCCCGGCTGT	CCTACAGTC	TCAGGACTCT	ACTCCCTCAG	CAGCGTGGTG	ACCGTGCCT	6960
6961	CCAGCAGCTT	GGGCACCCAG	ACCTACATCT	GCAACGTGAA	TCACAAGCCC	AGCAACACCA	7020
7021	AGGTGGACAA	GAAAGCAGAG	CCCAAATCTT	GTACTAGTGG	ATCTTACCCG	TACGACGTT	7080
7081	CGGACTACGC	TTCTTAGGCT	GAAGGCGATG	ACCCCTGCTAA	GGCTGCAATC	AATAGTTAC	7140
7141	AGGCAAGTGC	TACTGAGTAC	ATTGGCTACG	CTTGGGCTAT	GGTAGTAGTT	ATAGTTGGTG	7200
7201	CTACCATAGG	GATTAAATT	TTCAAAAGT	TTACGAGCAA	GGCTTCTTAA	GCAATAGCGA	7260
7261	AGAGGCCCGC	ACCGATCGCC	CTTCCAACAA	GTTGCGCAGC	CTGAATGGCG	AATGGCGCTT	7320
7321	TGCCTGGTTT	CCGGCACCGAG	AAGCGGTGCC	GGAAAGCTGG	CTGGAGTGC	ATCTTCTGA	7380
7381	GGCGATACG	GTCGTCGTC	CCTCAAAC	GCAGATGCAC	GGTTACGATG	CGCCCCATCTA	7440
7441	CACCAACGTA	ACCTATCCC	TTACGGTCAA	TCCGCCGTT	GTTCCCACGG	AGAATCCGAC	7500
7501	GGGTTGTTAC	TCGCTCACAT	TTAATGTTGA	TGAAAGCTGG	CTACAGGAAG	GCCAGACGCG	7560
7561	AATTATTTT	GATGGCGTTC	CTATTGGTTA	AAAAATGAGC	TGATTTAAC	AAAATTAAAC	7620
7621	GCGAATTAA	ACAAAATATT	AACGTTTACA	ATTTAAATAT	TTGCTTATAC	AATCTTCTG	7680
7681	TTTTGGGGC	TTTCTGATT	ATCAACCGGG	GTACATATGA	TTGACATG	AGTTTTACGA	7740
7741	TTACCGTTCA	TCGATTCTCT	TGTTTGCTC	AGACTCTCAG	GCAATGACCT	GATAGCCTT	7800
7801	GTAGATCTCT	AAAAAAATAGC	TACCCCTCTCC	GGCATTAAATT	TATCAGCTAG	AACGGTTGAA	7860
7861	TATCATATTG	ATGGTGATT	GAATGCTCC	GGCCTTTCTC	ACCCCTTTGA	ATCTTACCT	7920
7921	ACACATTACT	CAGGCATTGC	ATTTAAAATA	TATGAGGGTT	CTAAAAATT	TTATCCTTGC	7980
7981	GTTGAAATAA	AGGCTTCTCC	CGCAAAAGTA	TTACAGGGTC	ATAATGTTTT	TGGTACAACC	8040
8041	GATTTAGCTT	TATGCTCTGA	GGCTTATTG	CTTAATTTTG	CTAATTCTTT	GCCTTGCCTG	8100
8101	TATGATTAT	TGGACGTT					8118

INTERNATIONAL SEARCH REPORT

International Application No.

PCT/US91/07149

I. CLASSIFICATION OF SUBJECT MATTER (if several classification symbols apply, indicate all) ⁶

According to International Patent Classification (IPC) or to both National Classification and IPC
 IPC(5): C12N 15/64, 15/70
 U.S.CI.: 435/252.3, 320.1

II. FIELDS SEARCHED

Classification System	Minimum Documentation Searched ⁷	Classification Symbols
U.S.CI.	435/69.7, 172.3, 252.3, 320.1	

Documentation Searched other than Minimum Documentation
to the Extent that such Documents are Included in the Fields Searched ⁸

APS, STN/MEDLINE, TERMS USED: SURFACE EXPRESSION VECTOR#, DIRECTED EVOLUTION, SINGLE CHAIN ANTIBOD?.

III. DOCUMENTS CONSIDERED TO BE RELEVANT ⁹

Category ¹⁰	Citation of Document, ¹¹ with indication, where appropriate, of the relevant passages ¹²	Relevant to Claim No. ¹³
Y	W.O.A., 22/00630 (POW ET AL) 07 September 1988, see entire document.	1-75
Y	Nucleic Acids Research, Vol. 12, No. 9, issued SEPTEMBER 1984, BOSS ET AL, "Assembly of functional antibodies from immunoglobulin heavy and light chains synthesized in <u>E. coli</u> ", pages 3781-3806, see the abstract.	5-75
Y	Proceedings of the National Academy of Sciences, Vol. 86, issued AUGUST 1989, SASTRY ET AL, "Cloning of the immunological repertoire in <u>Saccharomyces cerevisiae</u> for generation of monoclonal catalytic antibodies: Construction of a heavy chain variable-region specific cDNA library", pages 5728-5732, see the abstract.	1-75
Y	Science, Vol 246, issued 08 December 1989, Huse et al, "Generation of a Large Combinatorial Library of the Immunoglobulin Repertoire in Phage Lambda", pages 1275-1281, see entire document.	1-75

* Special categories of cited documents: ¹⁰

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step

"Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family


IV. CERTIFICATION

Date of the Actual Completion of the International Search
 06 January 1992

Date of Mailing of this International Search Report

21 JAN 1992

International Searching Authority
 ISA/US

Signature of Authorized Officer

 John D. Ulm

FURTHER INFORMATION CONTINUED FROM THE SECOND SHEET

Y

Gene, Vol. 70, issued 1998, PARMLEY ET AL.
"Antibody-selectable filamentous fd phage
vectors: affinity purification of target
genes", pages 205-218, see entire document.

6-75

V. OBSERVATIONS WHERE CERTAIN CLAIMS WERE FOUND UNSEARCHABLE

This international search report has not been established in respect of certain states. Article 17(1) of the TRIPS Agreement.

1. **Claim numbers** . because they relate to subject matter¹² not required to be searched by this Authority, namely:

- Claim numbers . . . , because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out (3) specifically:

3. Claim numbers _____, because they are dependent claims not drafted in accordance with the second and third sentences of PCT Rule 6.4(a).

VI. OBSERVATIONS WHERE UNITY OF INVENTION IS LACKING?

This International Searching Authority found multiple inventions in this international application as follows:

- As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims of the international application.
 - As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims of the international application for which fees were paid, specifically claims:
 - No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claim numbers:
 - As all searchable claims could be searched without effort justifying an additional fee, the International Searching Authority did not invite payment of any additional fee.

Remark on Protest

- The additional search fees were accompanied by applicant's protest.
 No protest accompanied the payment of additional search fees.